Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





ed States. Department of Agriculture

Forest Service

General Technical Report WO-34



Toward Wiser Use of Our Forests and Rangelands

1981 Research Accomplishments





Toward Wiser Use of Our Forests and Rangelands

1981 Research Accomplishments

United States Department of Agriculture

Forest Service

General Technical Report WO-34

August 1982



Foreword

Our Nation's forests are a basic renewable natural resource. Intelligent use of those forests requires another type of natural resource: knowledge. Thus a major function of the Forest Service is to learn how and why things happen in the forest. We not only need to learn how to grow trees faster and use them better, but also how to maintain the resource for future generations. We have a long-term stewardship responsibility.

To solve immediate problems, and to develop the knowledge base to draw on as new problems arise, we conduct research at a network of eight regional experiment stations, plus a centralized forest products laboratory. A map on page 154 shows the location of these facilities, plus their satellite project locations. Much research is done cooperatively with universities, other Federal agencies, and private organizations.

The scope of our research is both fascinating and challenging: from harvesting huge trees to growing tiny seedlings, from protecting grizzly bears to combating tiny insects, from minimizing avalanche hazard in the mountains to increasing streamflow for desert communities. In this report we have summarized about 50 findings that we feel highlight our research accomplishments in fiscal year 1981. They are grouped in the subject areas identified in the Contents on the opposite page.

The findings highlighted here are only a sampling of the new knowledge and technology developed this past year. A complete listing of all our new publications, by subject area, starts on page 50. The categories are not mutually exclusive, so even though you may be primarily interested in one subject, you may find related information in other categories.

If you would like further information about particular accomplishments, please contact the research headquarters mentioned in the highlights or publication citations. Their addresses are on the inside back cover.

R. MAX PETERSON

Chief

Contents

		Page
Products a	and Engineering Highlights	
Resource	Economics Highlights Publications	9 66
Insects an	d Disease Highlights	19 76
Environme	Highlights Publications	27 98
Timber Ma	Inagement Highlights Publications	37 125
Fire and A	tmospheric Sciences Highlights Publications	45 147
Subject Matter Guide for Research Publications		

Acknowledgment

R. H. Hamre, Research Information Group Leader at the Rocky Mountain Forest and Range Experiment Station, edited and coordinated the production of this report.

The use of trade and company names is for the benefit of the reader; such use does not constitute an official endorsement or approval of any service or product by the U.S. Department of Agriculture to the exclusion of others that may be suitable.



Products and Engineering

Two Kilns in One Save Energy

It takes energy to turn a log into finished lumber, and much of that energy is used in drying. Two ways to save energy in drying would be to use solar drying or dehumidification drying instead of a conventional kiln. Compared to conventional drying, each of these has its drawbacks—longer drying times, dependence on weather, inability to relieve the stress in lumber as it dries.

Researchers at the North Central Station decided to combine the two energy-saving drying methods in one kiln, hoping to minimize their drawbacks and gain their advantages. The solar collectors provide heat for drying while the sun shines, and the dehumidifier goes into operation at night or when the sky is overcast.

The resulting "solar-dehumidifier kiln" was tested on yellow-poplar lumber. The kiln contained solar collectors made of aluminum beverage cans, a dehumidifier with special refrigerant to allow operation at 180° F., and means to relieve stress in the drying lumber. Drying times for the new kiln were 6 days in summer and 18 days in winter. The dried lumber had few defects, and costs were a third less than for the conventional kiln.

The scientists concluded that the solar-dehumidifier kiln would be an efficient alternative where steam is not available for conventional drying. And it offers even more advantages in parts of the country where sunshine is abundant and electricity relatively cheap.



Operating the solar-dehumidification kiln during winter in southern Illinois. Left to right: solar collectors, kiln, and instrumentation house.

Chitin Inhibition—A New Concept in Wood Protection

Wood preservatives prevent decay and insect attack on wood products because the preservatives are toxic to these invaders. But because preservatives may harm other organisms, the search continues for new and nontoxic ways to protect wood against biological degradation. A new approach is to counter attack by finding a weak spot in the invader's structure.

One key appears to be chitin, an essential building block in the cell walls of most fungi, in the exoskeleton of insects, and in some marine borers that attack wood. It is not found in green plants, man, or other vertebrate animals. Researchers have long known that chitin could be attacked by a substance known as polyoxin. Now investigators at the Forest Products Laboratory have demonstrated that cells of wood decay fungi often swell, rupture, and stop growing when they are exposed to polyoxin. The organism is not poisoned in the conventional sense, but is prevented from growing normally. Thus, wood decay is greatly retarded or prevented. Most important, however, is the safety of this new narrow-spectrum toxicity concept. The approach is potentially less hazardous than present preservative treatments with chemicals that are toxic to a wide range of organisms, in addition to wood-destroying fungi and insects.

Possibilities for application are great since only about 12 percent of solid wood products are now treated with preservatives in this country, and losses due to insect and decay are still large. Stopping decay and insect attack could mean that enormous quantities of wood products would not have to be replaced—effectively stretching our timber resource.



FPL scientist Bruce Johnson (center) discusses chitin inhibition with staff members George Chen and Becky Schumann.

Paper Mill Wastes Can Help Solve Pollution Problem

Waste products from pulp and paper production may hold the key to solving a chronic pollution problem for the pulp and paper industry. Scientists at the Forest Products Laboratory have found that the primary sludge from a papermill's waste treatment plant can be used to remove the dark color from kraft bleach plant effluent. Industry is under increasing pressure to remove the dark brown waste products in the bleach plant effluent. The brown wastes come from lignin, a major structural component of wood.

Scientists have found that when the sludge from the primary clarifier is mixed with the colored effluent, it removes up to 90 percent of the color. The darkened sludge can then be removed and disposed of in a landfill or other currently approved manner. The process is very rapid.

Most mills produce more than enough sludge for complete color removal. Although the primary sludge contains a considerable amount of waste cellulose, it is the metal ions in the sludge that precipitate the color.

This research was done in collaboration with North Carolina State University and several pulp and paper companies.

This new method of color removal, called DAS (Decolorization with Acidified Sludge), is currently being evaluated by engineers for practical and economic feasibility. One company is planning a pilot-scale evaluation.



FPL microbiologist Suki Choi compares clear, sludge-treated effluent with typical untreated mill waste discharge.

Alcohol from Xylose in Hardwoods

Pulp and paper companies that process hardwoods could soon produce ethanol from their waste streams. New findings show that certain yeasts can convert the sugar xylose to ethanol and various other products. Hardwoods yield far more xylose than do softwoods. If rates and yields can be improved, the production of ethanol from hardwoods might be doubled by utilizing xylose as well as glucose formed by acid hydrolysis.

Researchers at the Forest Products Laboratory discovered that, under aerobic conditions, the yeast *Candida tropicalis* can convert xylose into ethanol. Reports of almost simultaneous discoveries made with other yeasts at other laboratories have stimulated interest of industries and laboratories in xylose fermentation. It now appears that the fermentation of xylose to ethanol might be commercially possible in 3 to 5 years.



FPL microbiologist Tom Jeffries explains xylose-alcohol fermentation process during a Forest Products Research Utilization Conference in Madison.


Making Big Ones Out of Little Ones

As our original old forests are replaced by second-generation managed forests, large, high-quality logs for panel products are becoming increasingly scarce and expensive. As a result, forest products researchers are developing and improving alternative ways of making reconstituted wood panel products from small trees and wood residues.

Research at the Southern Station resulted in technology for using large volumes of abundant low-grade southern hardwood trees for flakeboard. A \$25 million plant based on this technology is under construction in Louisiana. Other Forest Service research improved a product called COMPLY, a hybrid panel made of flakeboard sandwiched between plywood veneers. Four plants can now produce a COM-PLY type of product, and many more are expected to be built.

In related, process-oriented research, scientists at the Forest Products Laboratory developed a way to drastically reduce pressing time during particleboard production. They modified a conventional press so they could inject steam into the curing particleboard. The steam quickly heats the center of the mat of wood chips and adhesive, cutting curing time by 1/2 to 3/4. The steam injection press will permit thicker particleboards to be produced and allow study of thick-particle molding. This development will also allow presses to operate at lower pressures, and may make a continuous press feasible.

These developments will not only help hold down costs of reconstituted wood panel products, but will also shift harvesting pressure to more abundant, lower value trees and residues.



A \$25 million multi-opening hot press for producing flakeboard is being installed in Louisiana.

Salvaging Timber in the Mount St. Helens Blast Area

The violent eruption of Mount St. Helens on May 18, 1980, devastated about 234 square miles of timberland in the State of Washington. On the Gifford Pinchot National Forest alone, an estimated 1.6 billion board feet of timber was affected by the blast. The condition of the trees damaged by the blast varied from blown away and completely destroyed to scorched but still standing. Most commonly, the blast area was left with a mixture of down and standing broken trees. Unless successfully salvaged, millions of board feet of lumber from killed trees might be lost to the U.S. economy. However, the actual extent of damage to these trees was unknown and their potential value was in question.

Scientists at the Pacific Northwest Station moved quickly to determine the salvage potential for standing dead and blown-down timber in this area. Of prime concern was the volume of timber lost due to breakage. Surprisingly, in areas where timber remained, the percent of breakage was generally no greater than that which normally occurs during tree felling operations in the Pacific Northwest. This research information has enabled more rapid planning for salvage sales on the National Forest, speeding recovery operations of timber that might otherwise be lost to decay, insects, or fire.



Timber blown down or killed by the eruption of Mount St. Helens had breakage typical of that found in normal felling operations.

Steep Slope Harvester

Mechanized small-tree cutting equipment has not been available to operate on slopes over 30 percent. Because it is not economical to harvest individual small trees on steep terrain, a system was needed to cut and bunch small trees. A cooperative effort between the Forest Service and industry resulted in a unique harvesting concept for steep slopes.

Forest Service researchers designed and fabricated a cutting and bunching head for mounting on a unique excavator capable of operating on slopes between 35 and 85 percent. It also has good potential for thinning, planting, and swamp harvesting. Initial research and reports by the Forest Service have spurred industry interest. It is expected that the concept will permit harvesting of vast quantities of small timber on steep slopes. Probably over 20 million acres of forest land could be harvested economically with this new equipment.



Sloping land with small trees can now be harvested economically with this equipment.

Alternative Designs Reduce Impacts of Forest Roads

Most forest land management activities require the construction of roads. Forest roads are a major contributor to soil and hydrologic disturbances on the site, as well as downstream water quality degradation. Research to determine the effectiveness of alternative design and construction practices indicate (1) significant increases in sediment during and following road construction; (2) stabilization treatments effectively reduce sediment movement into streams; (3) untreated fill slope erosion decreases rapidly over time, whereas untreated cut slope erosion does not; and (4) cut slope erosion is greatest during spring snowmelt, while fill slope erosion is greatest during summer storms.

The Intermountain Station, in cooperation with the Northern and Intermountain Regions, is developing cost-effective means of reducing or avoiding construction impacts. On two sites in steep, sensitive terrain, roads are being constructed to varying standards, and with varying postconstruction treatments. Erosion and downstream water quality are being carefully monitored.

Results of the research will help managers specify forest road design and construction practices, and predict impacts of road construction. Cost-effectiveness can be assessed in terms of probable reduction in adverse impacts achievable with a specific dollar investment.



Alternative designs provide cost-effective ways to reduce impacts of forest roads.



Resource Economics

How Do Log Exports Affect Domestic Prices?

The value of softwood log exports from the West Coast exceeds \$1.4 billion per year. Most of these logs go to Japan, where they are processed into lumber for use in Japan's housing industry. Timber owners, processors, and consumers have a stake in U.S. policy on softwood log exports. What would happen to timber, lumber, and plywood prices if log exports were banned? How much volume does Japan need?

The response of producers and consumers to a ban cannot be accurately predicted, but researchers at the Pacific Northwest Forest and Range Experiment Station have been able to show what might happen. The main effect would be to lower timber prices in the Pacific Northwest. This would benefit log processors at the expense of timber owners. Plywood prices would decrease by less than 4 percent. Lumber prices would go down by less than 2 percent, and might increase if processing capacity did not expand on the West Coast.

Japanese markets for imported logs are expected to remain strong through the 1980's, but probably will not grow. Over the past 15 years, growth in imports was caused in part by rising demands for housing resulting from the Japanese version of "baby boom" and demand for better quality housing.




Banning of log exports would have many implications, including lowering of timber prices in the Pacific Northwest.

TSI-When and Where?

"Timber stand improvement"—TSI for short—is the phrase foresters use to describe treatments designed to eliminate undesirable and unsalable trees to make room for desirable ones. These treatments require an investment by landowners, and foresters often have difficulty getting small landowners to make these investments. One reason is that foresters prefer to think in board feet and cords, while investors prefer to think in dollars and rates of return on investment.

A research economist at the Southeastern Station has designed a simplified system for estimating economic rates of return from TSI investments. To estimate returns, a forester must know the cost of treatment, the time between treatment and harvest of the improved stand, the improvement in quality resulting from treatment, and the difference in price between the low-value products of the unimproved stand and the high-value products of the improved stand. Other factors considered are the owner's tax rate, and the rate of return the owner would like to obtain. With this information, the forester uses a series of tables in cookbook fashion to determine whether a particular TSI opportunity will be economically attractive to a particular landowner.

In many instances, investments in TSI are economically the most attractive in forestry. Whereas tree planting seldom yields a profit in less than 30 years, TSI often produces a return in 10 years in the South. Where the percentage of high-value products can be meaningfully increased in that amount of time, returns on investment are surprisingly high.



Small investments in stand improvements can increase timber value and financial returns.

Are Investments in Hybrid Poplar Plantations Profitable in the Lake States?

Is intensive culture of fast-growing tree species for biomass production, either for fiber products or energy, economically feasible? Forest economists in the Lake States have completed a detailed analysis of financial returns under varied assumptions of intensive cultural methods, yields, and product values.

Their conclusions are that hybrid poplar plantations could be an attractive investment for an industrial user of wood, particularly if a secure source of wood is important. However, under current product price assumptions, such an investment probably would be much less attractive to an individual landowner because markets and incomes would be uncertain. Another important finding of the study is that irrigation does not increase product yields enough to offset the associated higher costs.

The methods developed in the study will provide a convenient analytical framework for periodic reevaluation of intensive culture opportunities as better yield information becomes available, or as costs or product prices change significantly.




Six-year-old hybrid poplars in a Lake States plantation.

Wildland Economic Data: Where and How To Find It

The economic data needed for wildland planning and management may already be available from another organization. But knowing where to look or who to ask has always been a problem.

A report compiled by the Pacific Southwest Forest and Range Experiment Station, in cooperation with the University of California at Berkeley, lists sources of economic facts and figures useful in planning and managing forests and rangelands in the Western United States. In addition to providing a section on general economic and social data, the report provides sources classified by six major management activities: outdoor recreation and wilderness, wildlife and fish, range, timber, land and water, and minerals and energy. Within each section, data sources are identified as providing costs of management activities, outputs and their monetary values, nonmonetary data and impacts, information for supply and demand analysis, and secondary and indirect effects.

The report is available as General Technical Report PSW-42, "Economic Data for Wildland Planning and Management in the Western United States: A Source Guide."



This report from the Pacific Southwest Station gives sources for economic data on recreation, wilderness, wildlife, range, timber, water, and minerals.

Measuring the Economic Pulse of Timber-Dependent Communities

Commercial bank performance may indicate how Oregon communities adjust to the expected decline in timber production, according to a study by the Pacific Northwest Forest and Range Experiment Station. This study may help identify areas where public policies could play a vital role in determining the economic fate of timber-dependent communities.

Traditionally, commercial banks in Oregon have been net importers of investment funds. But recent findings indicate that several counties in southwest Oregon have been exporting an increasing share of deposits—in some cases for as long as 15 years. Because funds tend to flow from slower to faster growing areas, the southwest Oregon communities may be less resilient to economic change than communities elsewhere in the State. Consequently, achieving community stability may dictate a different allowable cut policy for southwest Oregon than for the remainder of the State.



Bank loans and deposits may indicate how timber-dependent communities adjust to changes in local timber harvest levels.

Particleboard and Plywood Potentials in the Black Hills

The forest products industry in the Black Hills is characterized by a large surplus of residues at existing mills, supplemented by supplies of small roundwood, and drastic fluctuations in demand for lumber products. In an effort to help improve these situations, forest products technologists and economists at the Rocky Mountain Station conducted major studies on the potentials for producing particleboard and plywood from Black Hills ponderosa pine, a species especially preferred for particleboard.

A particleboard plant providing an economical outlet for wood residues and small roundwood, in addition to generating needed jobs and income in the area, would ultimately widen the options available for forest management. The analysis indicated that a plant of 100 million square feet annual capacity should offer the best opportunity in the cyclic particleboard market.

The plywood study, conducted concurrently, responded to interest within the Black Hills forestry community in expanding and diversifying production of timber products. The drastic swings in housing markets, which affect demand for the area's lumber products, could be tempered to some degree by greater product diversity.

The most promising markets for both ponderosa pine particleboard and plywood for Black Hills producers are in the Midwest and Lake States. Particleboard would be sold as panels or remanufactured into a variety of secondary products. Plywood from ponderosa pine would be of a type suitable for sheathing, siding, underlayment, or as stock for remanufacture.



Ponderosa pine plywood from the Black Hills would have promising markets in the Midwest and Lake States.

California Has High Timber Growing Potential

California ranks second in the United States in total forest area (40 million acres). Although over half of the forest land is considered to be unproductive for growing industrial wood, the 16.3 million productive acres include some of the most productive forest land in the world. Twenty six percent of the area is capable of growing 120 or more cubic feet of wood per acre per year. Current yields are less than half of the land's potential, however, and at least 5 million acres are inadequately stocked, or occupied by commercially undesirable trees. If the 1.2 million most productive of these 5 million acres were stocked with conifers now, in 70 years annual yield could be increased 700 million board feet—equivalent to almost a fourth of the State's total 1980 timber harvest.

The intensity of forest management has increased dramatically in recent years. For example, timber companies planted and seeded only about 7,000 acres per year in the 1960's. The total increased to 24,000 acres in 1976 and 37,000 acres in 1977. These investments will begin to yield timber products some time after the year 2000.

California forest industries employ from 85,000 to 90,000 persons, most of them processing California-grown timber. Although timber industries contribute modestly to the State's economy, they are extremely important to many communities in the northern part of the State, and the Sierra Nevada.



Mixed conifer forest on California's Stanislaus National Forest.

Multi-Resource Inventories Identify Valuable New Relationships

The added information being collected during multi-resource inventories in the Southeast has helped to identify new resource relationships. Information obtained as part of the resource inventory in South Carolina revealed the occurrence and severity of damage to the timber. Procedures were also developed for evaluating the suitability of forest lands as breeding habitat for nine nongame bird species over a broad range of habitat types. These studies are laying the groundwork for more detailed analyses of a variety of forest resource values.

In South Carolina, hardwood trees had more damage than softwoods. Black cherry, black walnut, black locust, and red oak seemed to be most susceptible among hardwoods. Fusiform rust was the most common damaging agent found on softwood trees. Fire damage was found on all species and size classes, but the percentage of trees affected was low.

Computer-generated bird habitat maps were made for South Carolina after an intensive evaluation of the habitat requirements for nine selected species. Distribution and quality of suitable forest habitats were different for most of the birds. Those with most restrictive requirements had the smallest acreage of suitable habitat.



In South Carolina, hardwood sawtimber trees are frequently damaged by cankers.

Resources Evaluation Assists Industrial Development

Forest resource planning requires information about forest condition, past trends, and potential. Resources Evaluation research gathers and analyzes information about the Northeast's forest resources to assist planners, managers, and other decisionmakers in the public and private sectors.

A few examples show how this information is used. A European furniture manufacturer was investigating locations for a timber processing plant in the oak-rich region of the Middle Atlantic States. New forest resource statistics, from an inventory of Pennsylvania's forest lands by the Northeastern Station's Resources Evaluation unit, revealed the advantages of several Pennsylvania sites. When a State forestry specialist and officials from the Commerce Department went to Belgium with this new information, Lock Haven was selected for the new plant site.

Data summaries for Ohio's forest resource were used by a large paper manufacturer to modify future productivity plans at its Ohio installation. Another paper company used detailed Pennsylvania forest resource data and specific analytical interpretations for the company's woodshed to develop more effective planning and production control.



Information about the Northeast's forest resources is available to help public and private land managers.

Plot Remeasurement by Computer

It currently costs between \$275 and \$300 for Resource Evaluation field crews to install or remeasure an inventory plot in the North Central Region. Researchers are testing a new technique to save money and shorten the time between statewide inventories. Scientists have developed a computer model of tree growth called STEMS. This model will be used to derive an estimate of change at each sample plot, given plot data from a previous survey. Problems arise, though, if disturbances such as fire, cutting, or planting have occurred since the last measurement. Disturbances can usually be detected by comparing old and new aerial photos of the plot location.

In one northern Wisconsin county, new 1:20,000 aerial photos of sample plots are being compared to old photos of the same plot taken for the last inventory. Plots that show disturbance are remeasured by field crews. Timber volume and growth on undisturbed plots will be estimated by STEMS. A portion of the undisturbed plots will be remeasured by field crews to check STEM's accuracy. If STEMS does well, it will be possible to greatly reduce the number of undisturbed plots revisited, thus saving both time and money.



Labor-intensive field work can be reduced by using computer program STEMS to predict growth.



Insects and Disease

Predicting Douglas-Fir Tussock Moth Outbreaks

An early warning system triggered by response to a synthetic sex attractant now alerts forest managers to impending outbreaks of the Douglas-fir tussock moth, one of the most destructive defoliators of Douglas-fir and true firs in western North America. Because moth populations can increase rapidly, early prediction of potential outbreaks is imperative so managers can implement prompt actions to reduce losses.

The warning system, developed by Forest Service scientists and cooperators, has been implemented at more than 800 locations throughout California, Oregon, Washington, Idaho, and British Columbia by Federal, State, and private pest management specialists. The system uses "sticky traps" baited with a synthetic sex attractant to capture male moths. The number of moths captured provides a measure of population trend. By using this system to monitor tussock moth populations, forest managers learn of impending outbreaks sooner, and can better evaluate alternatives for managing the problem.

Trapping results from 1980 warned of small 1981 outbreaks in Idaho and British Columbia. Trapping in 1981 has focused attention on additional areas in Oregon, Washington, and British Columbia where outbreaks might develop in 1982 or 1983. Pest management specialists will follow these early leads with more intensive surveillance to determine needed management actions.



A monitoring system for the Douglas-fir tussock moth uses traps baited with a sex attractant.

The Southern Pine Beetle: A Synthesis of What We Know

A summary of present knowledge about the southern pine beetle has been published in a 12-chapter compendium that emphasizes findings from the Expanded Southern Pine Beetle Research and Applications Program. The southern pine beetle is the most destructive insect pest of pines in the Southern and Southeastern United States. It disrupts long-range management planning, reduces potential yields of goods and services, destroys the timber capital of small landowners, and reduces other forest-related values. The compendium provides a complete synthesis of knowledge of the insect, describes the beetle problem in southern forests and how to manage it, and outlines research and development needs for the future.



Technical Bulletin 1631 summarizes what we know about the southern pine beetle.

Seed Orchards Produce Rust-Resistant Southern Pine Seeds

Fusiform rust is by far the most damaging tree disease in the Southern United States. It kills and deforms loblolly and slash pines, the most commonly planted species in the region, and damage is more severe in plantations than in natural stands. The value of trees lost to the disease is estimated to be well over \$75 million per year.

The literal fruits of a long-term research effort by the USDA Forest Service and its cooperators are commercial quantities of rust-resistant seeds available from recently established orchards. Plant pathologists discovered that slash and loblolly pines vary considerably in their resistance to fusiform rust, and that some trees passed this resistance on to their progeny. Seeds from resistant individuals with other desirable characteristics were used to start seed orchards. One of the largest is a 60-acre orchard established by the Georgia Forestry Commission with the technical help of Southeastern Station geneticists and pathologists. This orchard yielded enough seeds in 1981 to produce a half million rust-resistant seedlings. Full production, expected by 1985, should yield enough seeds to produce 15 to 20 million seedlings annually.

Use of resistant seedlings in areas of high rust hazard should reduce losses about 50 percent in slash pine and 40 percent in loblolly pine. These reductions will translate into millions of dollars in increased profits for growers of southern pines.



Southern pines with inherent resistance (background) are less damaged by fusiform rust than ordinary trees (foreground).

Predicting Gypsy Moth Damage

Combating the devastating effects of the gypsy moth is one of the greatest challenges facing forest managers in the Northeast today. During 1981, this pest defoliated over 12 million acres of forest land—more than twice the acreage recorded in any previous year. To help remedy this situation, researchers at the Northeastern Forest Experiment Station have developed models to estimate the potential hazard of impending gypsy moth outbreaks.

Using field data collected during a 1970's outbreak in northeastern Pennsylvania, scientists developed mathematical models for predicting stand losses and for guiding control efforts. These models are now being tested and refined. The models make use of easy-to-measure stand condition characteristics such as tree vigor, species, and tree size. With the assistance of these models, managers will be better able to evaluate the cost effectiveness of various control alternatives for management of gypsy moth outbreaks.



A hardwood forest stand devastated by the gypsy moth.

New Methods for Evaluating Experimental Insecticides

Each year at laboratories throughout the world, hundreds of insecticides are rated for their potential effectiveness in killing major forest pests. These laboratory tests typically determine what doses of various formulations are lethal to a specific percentage of the target pest population. The job of analyzing the immense amounts of data gathered is painstaking, time consuming, and expensive.

Scientists at the Pacific Southwest Station have developed new computer programs that can quickly analyze data about response of the spruce budworm, the Douglas-fir tussock moth, and other major insect pests to various doses of insecticides.

The programs (POLO-1 and POLO-2) are statistically sound, easy to use, and more informative than any other computer programs currently available for these types of analyses.

The programs are currently operational on the Univac 110 series, but they can be modified for other computers. Both programs and publication guides to assist users are available from the Pacific Southwest Station.



One way to test effectiveness of insecticides is to allow larvae to feed on treated food pellets.

Chlorpyrifos—A New Insecticide for Termite Control

Forest Service scientists at the Southern Forest Experiment Station have demonstrated that chlorpyrifos, the active ingredient in Dursban, provides excellent protection against subterranean termites.

Protection from subterranean termites is a necessity for structures and products made of wood in many parts of the world. In the United States, aldrin, chlordane, dieldrin, and heptachlor have been the only insecticides approved for long-term control. Because of their human health and environmental hazards, however, use of these chlorinated hydrocarbons has been so restricted that their manufacture may no longer be warranted.

Field trials of alternative insecticides begun in 1967 showed one chemical, chlorpyrifos, to be effective against subterranean termites for 14 years. Chlorpyrifos, now registered with the Environmental Protection Agency, is the first new insecticide for soil treatment against subterranean termites in the United States in about two decades.



Heavy subterranean termite damage to structural members in a home.

Stand Risk Rating for Southern Pine Beetle

A stand risk-rating system, developed by the Southern Forest Experiment Station, is now in use to identify stands susceptible to the southern pine beetle. The system uses readily available data from routine forest inventories. Southern pine beetle management can be integrated with forest management by this risk-rating approach, since it enables the forest manager to more easily judge potential southern pine beetle problem situations. It helps the manager decide which stands to thin or regenerate, and which stands to monitor for potential beetle problems. When outbreaks occur, beetle control efforts can be focused on high-risk stands.

The system was developed through a comprehensive research effort to identify site, stand, and host conditions that are associated with southern pine beetle infestations. Experience in the past 5 years on more than 100,000 acres of the Kisatchie National Forest has demonstrated that the stand riskrating system accurately predicts beetle infestations. Major field trials showed infestation frequency in high-risk stands to be twice that in medium-risk, and four times that in low-risk stands. This technology is currently being extended from the Kisatchie National Forest to other southern forests as a first step in integrating southern pine beetle management with forest management.



Southern pine beetle infestation in an over-stocked, high-risk loblolly pine stand.

Cone and Seed Insects of North American Conifers

Insects that attack cones are one of the major obstacles to achieving maximum cone and seed production in southern seed orchards. These orchards are essential for the production of genetically improved seedlings for regeneration of southern pine forests. Information on biology and identification of cone and seed insects is an important ingredient in formulating effective and practical pest management systems.

The recent publication of "Cone and Seed Insects of North American Conifers" provides foresters, seed orchard managers, entomologists, and others, with the first practical and easy-to-use guide on the identity, biology, damage, and importance of the significant cone and seed insects of North American conifers. It is richly illustrated and presented in a format that facilitates easy reference, even by the nonspecialist. Forest Service scientists cooperated with entomologists in Canada and Mexico in the preparation of this useful working tool.



A larva of the shortleaf pine cone borer feeds inside a shortleaf pine cone.



Rehabilitating Gullies

Many wildland areas in the Western United States have been severely gullied, usually the result of land mismanagement—overgrazing, improper vegetation conversion, poor regeneration after logging—or by uncontrollable changes in climate. Sediment rates from severely gullied watersheds can amount to 100 tons per square mile per day, compared to perhaps that much per year from most wildland watersheds in the United States. Gullies not only reduce productivity of the eroded site, but choke downstream channels, lakes, and reservoirs with sediment.

Gully networks can be successfully rehabilitated with check dams or vegetation, or combinations of both. Research at the Rocky Mountain Forest and Range Experiment Station shows that, in the arid and semiarid West, the best treatment is small dams constructed at critical locations, supplemented with extensive revegetation and good land management. This combination gives the highest return with the least investment.

Successful gully treatment requires knowledge of channel dynamics, engineering structures, and vegetation management. The important aspects of these widely different disciplines have been brought together for the land manager in a series of video-tape training films available from Colorado State University and the University of Arizona. These films present both the theoretical and practical aspects of gully development and control, evaluating critical locations, spacing of check dams, and prioritizing treatments in gully networks.



New vegetation nearly hides the series of rock check dams that have stabilized this gully.

Forest Nutrients, Acid Rain, and Time

Nearly two decades of close observations at the Hubbard Brook Experimental Forest in New Hampshire's White Mountains provide an unequalled record of nutrient status in forest soil and streams. And, since 1963, scientists there have developed the longest continuing record of precipitation chemistry anywhere in the United States. They use air parcel analyses to determine the origin and path of airborne pollutants that cause acid precipitation. Storms from the West and Southwest bring rain and snow that is more acidic than storms from other directions.

Forest Service scientists and their cooperators also collect long-term information on how timber harvest changes the nutrient status of forest soil and streams. Together, these observations provide an invaluable basis for knowing how the nutrient status responds to the combined influences of tree cutting and atmospheric impurities. For example, acid rain is greatly modified as it passes through the canopy of northern hardwoods; passing across bark and leaves reduces its acidity 10-fold even while increasing its nutrient content. Whole-tree harvesting temporarily eliminates this buffering action of the canopy, exposing soil and streams to direct inputs of acid rain. A long period of observation is prerequisite to management action for dealing with the effects of acid rain on forest soil and streams. Information accumulating at Hubbard Brook provides a much needed perspective to devise effective action.





When only the tree trunk is harvested (top), branches and tops remain on the site. With whole-tree harvest (bottom), more biomass and associated nutrients are removed.

Protecting Buildings from Avalanches

The number of people living and working in steep, snow-covered mountainous areas has increased sharply in recent years, and their numbers are expected to continue increasing. The buildings they live and work in should be located in places safe from avalanches, a precaution not always feasible. When buildings and other structures must be placed in or near avalanche runout zones, measures must be taken to protect them, as well as the people who use them. Guidelines have been developed for locating earthen mounds, dams, and deflecting walls in the lower part of the avalanche path, and for modifying buildings to protect them from avalanches.

Protective structures vary with the type of avalanche expected, terrain features, and the degree of protection required. Some structures deflect the moving snow away from buildings; some slow the avalanche to a stop before it reaches the building; others trap the moving snow. Another approach involves strengthening buildings to withstand the avalanche impact. A new publication, "Design Criteria for Avalanche Control Structures in the Runout Zone," General Technical Report RM-84, is available from the Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado.



This restaurant at Vail, Colorado, lies within an avalanche runout zone. The windows are artificial — the wall actually consists of reinforced concrete.

Managing Ecological Impacts at Wilderness Campsites

One of the most vexing problems in managing wilderness and back country areas is deciding what to do about degradation of natural conditions in areas of concentrated recreational use. Ground cover is lost and tree roots are exposed on most popular campsites. The common practices managers use to alleviate these problems are to divert recreationists to areas of lesser use, or temporarily or permanently close the disturbed campsites.

Researchers at the Intermountain Forest and Range Experiment Station have found that such actions will do little to improve the condition of campsites, and that a larger area will usually become deteriorated. Campsite degradation due to recreation use is unfortunate but inevitable. Therefore, managers should attempt to confine recreation use to as small an area as possible. In most places, this can be done by encouraging users to concentrate, as they usually do, on permanent campsites. These sites should be dispersed locally to increase solitude and should be located in areas most capable of absorbing use. Damage to the sites can then be minimized by regulating the type of use and, if necessary, sites can be hardened, thereby limiting the inevitable damage and leaving most of the wilderness undisturbed.



Researcher measures changes in ground cover conditions at a wilderness campsite.

Tree Managers: They Even Use the Shadow

Winter and summer shade can affect your energy bill. Summer shade is valuable because the shadow reduces cooling needs. Shade from the same tree in the winter is unwelcome; a shaded building or home requires more energy for heating.

Winter shadows are larger than summer shadows because the sun is low in the sky. Although the shaded area is greater, the resulting energy effects were thought to be small in hardwood stands because the trees were bare. Recent research at the Northeastern Forest Experiment Station has shown, however, that leafless trees intercept a greater portion of solar energy than suspected. From one-third to one-half of the energy is intercepted by the branches. Techniques and programs are now available that accurately predict shadow location for both forests and individual trees within a stand. When shadow locations are known, stands can be managed as useful shade sources.

Forest management techniques are now being developed for obtaining both summer and winter benefits through use of this knowledge of shade patterns. These techniques could benefit everyone by lowering home heating and cooling costs, and reducing the Nation's energy needs.



Models are used to simulate the patterns and effects of tree shade.

Cattle Grazing and Fish Habitat—Reducing the Conflicts

Can riparian areas that border western streams be grazed by livestock and maintain high-quality water and fishery habitat? In the interior Pacific Northwest, this question is particularly important because small headwater streams that traverse rangeland contain the critical spawning habitat for anadromous steelhead trout and salmon.

To protect a stream, it is necessary to maintain shade along its banks, prevent breakdown of the bank, and reduce stream sediment. But fencing cattle away from all critical stream reaches would significantly affect the economics of cattle ranching in the West. Scientists of the Intermountain and Pacific Northwest Forest and Range Experiment Stations are therefore evaluating various grazing systems to identify those that are compatible with quality water and a productive fishery. A key finding is that the stability of the streambank and riparian vegetation provides an "early warning" of grazing use that will degrade the fishery. Damaged native vegetation can then restore itself much better when cattle are fenced out than when streambanks are moderately grazed.

Intermountain studies showed that continuous use and rest-rotation grazing at heavy rates are especially detrimental to streams. Herded rest-rotation grazing of sheep and rest-rotation of cattle at low rates, however, have very little impact on the fisheries habitat. In eastern Oregon, there was no clear difference among grazing systems at moderate stocking rates, including the no-grazing alternative, in reducing sediment in streams. Severe winter stream flows appear to alter stream banks and beds more than moderate livestock use.





A wide, shallow stream in a heavily grazed area (top) narrows as it enters a lightly grazed area (bottom).


Tiny Organisms Help Speed Revegetation of Surface-Mined Arid Lands

As the Nation moves toward energy self-sufficiency, the huge machines that strip-mine coal deposits move across the dry Southwest. For help in revegetating the mine spoil material left in their wake, scientists at the Rocky Mountain Station are turning to a variety of tiny organisms.

Some kinds of beneficial fungi grow both outside and into plant roots, and form mycorrhizae, a network that helps the roots absorb nutrients and fight off pathogens. For many shrubs and trees transplanted onto mine spoils, inoculation with these beneficial fungi greatly improves survival and growth on these near-sterile, dry, reclaimed lands.

Other research by Station scientists and their university cooperators involves naturally occurring soil insects, especially a small native termite. When the scientists added paper or straw to mine spoils as a source of energy for termites in laboratory tests, the termites rapidly changed both physical and chemical properties of the clumpy spoil toward more normal soil.

Both of these findings have greatly improved our ability to reclaim surfacemined lands in the arid Southwest.



Rabbitbrush seedlings on the left were grown in sterile mine spoil material; seedlings on the right were grown in similar material, but innoculated with mycorrhizae.

Small Trees Play Big Role in the Great Basin

Pinyon-juniper woodlands, sometimes called "pygmy forests," are the dominant vegetation on 17 million acres of the Great Basin. Similar woodlands cover millions of acres in Colorado, New Mexico, and Arizona. Long ignored, these woodlands are now generating a surge of renewed interest. Conflicts arise as the small trees invade areas used as rangeland, crowding out grasses, forbs, and shrubs, and as demands and markets increase tree values for fuelwood and pine nuts. Land managers need basic ecological information as a basis for their plans and decisions.

Researchers at the Intermountain Forest and Range Experiment Station are probing the ecological characteristics and productivity potentials of these pinyon-juniper woodlands. Results of the research have provided resource managers, for the first time, with data on growth characteristics of pinyon and juniper trees, and information on biomass production. The research has also provided methods of measuring and sampling the woodlands, preliminary information on the effects of fires, and ways to increase forage production.



Researchers are developing methods to evaluate productivity of the vast pinyon-juniper woodlands of the Great Basin.

Managing Playas for Wildlife

Some 25,000 playas, or wet-weather lakes, dot the southern Great Plains, providing excellent wildlife habitat in intensively farmed areas. In addition to resident wildlife, playas also attract migratory shorebirds, raptors, and large concentrations of wintering waterfowl. Thus they are a resource of international consequence.

Scientists at the Rocky Mountain Station are studying wildlife on the Texas High Plains and their relationships to playa habitats and surrounding land use. The goal is to provide habitat management guidelines for farmers. The research has shown that ring-necked pheasants use playas for nesting and wintering cover, with February concentrations that can exceed 300 birds on a single 40-acre basin. Wintering waterfowl use playa lakes for resting.

Use of playas for collection of irrigation runoff water seems to be a major determinant of their habitat value. Communities of wetland plants such as cattails and bulrushes are attractive as wildlife habitat, but are seldom present in playas that do not receive irrigation runoff. Through careful management of grazing and cropping, and designing irrigation catchment basins in key playas, farmers can improve their wildlife resources considerably, perhaps building the basis for productive lease or fee hunting.



Wet-weather lakes provide excellent habitat for wintering watertowl in the southern Great Plains.

What Is Good Bird Habitat?

Forest managers must manage forest lands for wildlife as well as for wood products. Little information has been assembled on what determines nongame bird populations in southern forest stands of different types and ages.

Southern Forest Experiment Station scientists have now gathered information on breeding bird populations under different forest conditions. While some bird species, such as cardinals, are found in most habitats, other species have more specific habitat requirements determined by forest stand age and composition. For example, prairie warblers and yellow-breasted chats need young stands, whereas wood thrushes and red-eyed vireos normally inhabit older stands.

Better understanding of the relationships between birds and forest stands will enable forest managers to favor certain nongame bird species by manipulating forest habitat.



Prairie warblers require stands of young trees.



Timber Management

Assessing the Impact of Brush on Timber Growth

Researchers at the Pacific Southwest Station are quantifying the effect of tree spacing and brush competition on growth and development of ponderosa pine and Douglas-fir on a variety of sites in northern California.

In one study on a highly productive site, spacing and brush effects on growth of ponderosa pine were compared on plots where brush was allowed to develop versus plots kept free of brush. Twelve years after planting, diameters of tree stems on brushy plots were only 76 percent of those on brush-free plots. More than one-fourth the growth potential was lost in brush-choked plots, despite the fact that the site was cleared and groomed before planting, and rapid height growth kept tree crowns above the brush.

In another study, 6-year-old Douglas-fir trees growing in an area cleared of brush were paired with trees on an adjacent area growing in the brush. After 28 growing seasons, trees in the brush-free area averaged 19 feet taller than trees in the brushy area. This difference is equivalent to more than 12 years of growth, and represents an increase of over 10,000 board feet per acre at a harvest age of 100 years.

These studies parallel and reinforce findings from other timber types that demonstrate strikingly the impact on growth of neglecting brush control. Results from these and similar studies on other sites will help managers decide on optimum tree densities and brush control strategies for production of wood.




More than one-fourth the growth potential of trees in brush-choked plots may be lost.

Better Douglas-Fir Growth Estimates Mean Better Decisions

A computer simulation program for estimating yields for even-aged managed stands of Douglas-fir has been developed by researchers at the Pacific Northwest Forest and Range Experiment Station and the Weyerhaeuser Company. These yield estimates are based on the largest aggregation of research plot data for coastal Douglas-fir ever assembled. Data were supplied by many Federal, State, and private landowners.

Called DFSIM, the computer program is an important tool for foresters concerned about increasing productivity of Douglas-fir forests. It will generate yield tables for a wide variety of stand conditions and management strategies. These yield estimates assist forest managers in choosing among possible management plans to attain goals. The estimates also provide guides for stand management for various combinations of initial stocking, precommercial and commercial thinning, and fertilization.

Yield estimates prepared by DFSIM are now being used by Federal, State, and forest industry managers in Oregon and Washington to evaluate investment opportunities for increasing forest production. Federal forest managers are also finding DFSIM to be useful for multiple-use forest planning.



The computer is increasing in importance as a tool for foresters.

Even-Aged Management of Ponderosa and Lodgepole Pines in the Rockies

Southwestern and Black Hills ponderosa pine cover types occupy the largest areas of commerical forest land in Arizona, New Mexico, and the Black Hills of South Dakota and Wyoming, respectively. In the central Rocky Mountains, lodgepole pine is the second-largest timber resource in area and volume of commerical forest. These forests yield a variety of timber products, provide habitat for a wide variety of wildlife, forage for livestock, recreational opportunities, scenic beauty, and are important for quality and quantity of water yield. Land managers must direct their efforts toward multiple use practices based on sound silvicultural principles. They must understand the trade-offs between the timber resource and other physical, social, and economic considerations.

Computer program RMYLD, a stand growth and yield model, has been used to predict the potential production of these forest types for various combinations of stand density, site quality, rotation ages, and thinning schedules. Such estimates are needed to project future development of stands managed in different ways for various uses.

The silviculture of these forest types, estimates of growth and yield under even-aged management, and trade-offs to increase values of other resources are discussed in three Research Papers, "Management of Ponderosa Pine in Even-Aged Stands in the Southwest" (RM-225), "Management of Ponderosa Pine in Even-Aged Stands in the Black Hills" (RM-228), and "Management of Lodgepole Pine in Even-Aged Stands in the Central Rocky Mountains" (RM-229).



Ponderosa pine is a major commercial timber species in the Rockies and the Black Hills.

New Pollen Management Techniques Improve Pine Breeding

Genetic improvement of trees is one of the most promising ways to increase pine timber production, but it is a lot easier said than done. The current procedures for taking pollen from superior pines and then applying it to the bagged female flowers on other pines to produce superior trees are complex, time consuming, and expensive. Tree breeders need to get a maximum number of improved seeds for a given amount of effort.

Researchers at the Southeastern Station have now developed new techniques that can double to quadruple seed yields from pollinated flowers. Since pollen often must be stored for a year or more so that it can be applied when female flowers are most receptive, station scientists have developed improved storage methods. To ensure that only viable pollen is used, they have developed reliable techniques for testing its viability after storage. They also have developed a special pollinator that uniformly distributes the pollen grains around the bagged female flowers to conserve pollen and obtain higher seed set. Finally, they have found a way to test large numbers of ovules quickly to see how successful pollination has been in order to evaluate their procedures. These new techniques are already being applied by tree breeders and scientists throughout the country.



The cyclone pollinator distributes pollen grains uniformly around bagged female flowers.

Rust-Resistant Sugar Pine: Finding the Right Genes

Sugar pine, historically one of California's most valuable timber trees, is so threatened by blister rust that the disease has almost eliminated hopes of growing sugar pine in some areas, such as northern California.

Although some sugar pines have been discovered that are resistant to blister rust, the gene that imparts this resistance is so rare in some areas in California that it is almost impossible to find enough selected trees to breed a disease-resistant strain.

Geneticists at the Pacific Southwest Experiment Station have developed a new technique for locating disease-resistant seedlings at an early stage — within months of seed germination. This technique makes it possible to screen large numbers of seedlings to locate those trees that not only carry the rust-resistant gene, but have good form and grow rapidly as well.

Intercrossing in seed orchards established with these seedlings will yield trees that have at least three-quarters the total resistance, are superior in growth to wild trees, and still maintain the diversity of the original population.

This new technique for early identification of rust-resistant seedlings may help reestablish sugar pine as a premier soft pine in West Coast forests.



Technician inspects sugar pine seedlings in greenhouse at the Pacific Southwest Station's Institute of Forest Genetics.

Management of Yellow-Poplar Summarized

Yellow-poplar has been increasing in numbers and volume faster than any other hardwood species in the Southeast, and no one is disappointed. Its tall, straight trunk clean of lateral branches, rapid growth, response to management, freedom from pests and diseases, and useful wood make it a favorite of foresters. Its unique, tulip-shaped leaves, and its beautiful flowers make it a favorite of tourists. Researchers at the Southeastern Station have just completed a handbook summarizing management and use of this valuable and growing resource. They see yellow-poplar as the tree of the future, especially in the southern Appalachians.

The species grows best in moist coves and lower slopes in the mountains, where relatively easy access makes forest management practical. It responds well to stand management. Furthermore, a harvested stand is easy to reproduce. Yellow-poplar produces large seed crops every year, and at the age and size that it is currently being harvested, its stumps sprout vigorously.

At present, yellow-poplar is not fully utilized — growth exceeds cut by a wide margin. As supplies of southern pine become tight, large amounts of yellow-poplar construction lumber and plywood could be produced, greatly expanding forest industry in the southern Appalachians.



Yellow-poplar is easy to reproduce, grows rapidly, and produces useful wood in the southern Appalachians.

Modeling the Impact of Fusiform Rust on Slash Pine

Forest managers can now predict the impact of fusiform rust on future yields of unthinned slash pine plantations. This information is essential for cost-effective management of infected slash pine plantations. It allows managers to evaluate the cost and potential benefits of alternative rust management methods, including use of genetically resistant planting stock.

Researchers in genetics, growth and yield, pathology, and silviculture at the Southern Forest Experiment Station combined their efforts to analyze data representing over 20 years of observations in infected slash pine plantations throughout Mississippi and Louisiana. More than 100,000 individual tree measurements were used to develop survival models that can be integrated into existing growth and yield models for unthinned slash pine plantations.

This attainment illustrates the potential benefits to be gained when research specialists pool data and technical expertise to solve major problems facing forest managers. It also points out the value of long-term research studies in supplying the kind of information required to address such problems.



Fusiform rust is a serious problem on slash and loblolly pines.

More Deer Mean Less Timber

Some of the world's most prized timber grows in the cherry-maple and oak forests of Pennsylvania. These hardwood forests have provided hunters with large annual deer harvests and all the attendant recreational and economic benefits. But the large deer herds, traditional in the State for 40 to 50 years, have created problems as well as enjoyment and income.

Researchers at the Northeastern Forest Experiment Station have recently summarized information on the impact of excessive deer populations on forest vegetation in Pennsylvania. In some areas, deer browsing has prevented the reestablishment of forest trees after harvest. In other areas, deer have altered species composition, reduced vegetation density and growth, limited the kinds of forest management that can be practiced, and reduced the amount of favorable habitat for other wildlife species. The projected loss of timber production alone from excessive deer browsing may average \$1,000 for every acre regenerated, or nearly 50 percent of the potential stand value. This represents a loss of over \$13 per acre per year to the landowners over a browsed area of about 16 million acres.

Scientists believe that the long-term solution to this resource mnagement problem is to bring the deer herd into better balance with its habitat.



Deer browsing has practically eliminated tree reestablishment to the left of the fence.



Fire and Atmospheric Sciences

Fire Rx Dispensed from the Air

In the forester's tool kit for southern pine management, nothing is more effective or valuable than a carefully executed prescribed fire. At the right time and place, a prescribed burn can eliminate dangerous accumulations of litter and brush fuels that would cause an intensive fire, if it started accidentally on a dry, windy day. A prescribed burn can also prepare an area for pine seeding or planting at a very low cost, and it can free pines from the competition of undesirable hardwoods.

The appropriate conditions for a safe and beneficial fire occur only occasionally, however, and foresters need ways to ignite large acreages quickly when conditions are just right. Scientists at the Forest Service's Fire Laboratory in Macon, Georgia, therefore, are evaluating methods for starting fires from the air. Research studies and operational tests indicate that fire can be safely applied 10 times as fast from the air as from the ground, and several large timber companies and two state forestry agencies are already using aerial application.

Two dispensing methods have been tested—"the flying drip torch" and "the ping-pong ball dispenser." In the drip-torch method, a drum suspended below a helicopter dispenses jellied fuel in globs which are ignited just before they drop. In the other method, small spherical plastic containers filled with potassium permanganate are injected with ethylene glycol immediately before they are dispensed. The two chemicals react and begin to burn as the containers fall to the ground. The combined chemicals burn intensely for about 2 minutes—sufficient time to ignite ground fuels.

Research is now concentrating on development of specific guides that will minimize risks to aircraft, and people and property on the ground.



The "ping pong ball dispenser" mounted on a North Carolina Forest Service helicopter.

How Much Fire is Enough? Study Fire-Scarred Trees!

Fire isn't always bad! In fact, when fire burns under prescribed conditions of fuel, weather, and topography, several resources can benefit. The composition of many of our forests today, especially in the West, was shaped to a considerable extent by fires long ago — before people decided to put out forest fires quickly.

Now, with a resurgence of interest in using fire as a forest management tool, we need to know more about the frequency, extent, and intensity of fires that normally burned through various forest types. A unique tool for studying fire history is dendrochronology. The basic idea is not new, except that now annual rings in fire-scarred old trees and stumps can be carefully dated by comparison with known tree-ring patterns and weather records at the Laboratory of Tree-Ring Research at the University of Arizona. Rocky Mountain Station scientists have determined, for instance, that fires burned through a typical mixed-conifer forest in the White Mountains of Arizona at an interval of roughly five per century during the period 1700—1900. An average fire interval of only 2 to 4 years was common in the drier southwestern ponderosa pine. During a 122-year period, 1754—1876, fifty fires burned on a fire-scar study area.

Foresters can use such fire-frequency information when they plan how to incorporate prescribed fire in their management activities. A workshop was held in October 1980 to summarize available knowledge on how to gather, interpret, and use fire history information. Proceedings are available as General Technical Report RM-81 from the Rocky Mountain Station.



Thirty-one fire scars are identifiable between the years 1540 and 1876 on this ponderosa pine that grew near Flagstaff, Arizona.

Fire As a Forest Management Tool

Research conducted by a team of interdisciplinary scientists at the Intermountain Forest and Range Experiment Station shows that fire can be used as a precision forest-management tool. The researchers have developed criteria for prescribed fires in logging slash, so that burning can be scheduled to best meet site preparation, hazard reduction, and other management goals. User-orientated computer systems can quickly and easily analyze climatological data to predict desirable conditions for prescribed fires.

The criteria are the results of cooperative studies begun more than a decade ago on National Forests in Montana. During the research, smoke columns and air quality were monitored as well as fire intensity, fire effectiveness, and fuel consumption. During the post-fire years, scientists evaluated plant succession, seed dispersal, seedling survival, growth of new trees, presence of small mammals, erosion, and soil characteristics.

Final results and recommendations are included in "Clearcutting and Fire in the Larch-fir Forests of Western Montana—A Summary of Effects on Several Resources," General Technical Report INT-99. The report contains detailed site, stand, habitat, and treatment descriptions so that forest managers can determine where the prescriptions can be applied.



Western larch seedling developing in the protection of a charred log 6 years after a broadcast burn.

Fuel Appraisal Process Evaluates Fuel Treatment Needs

Timber harvesting, forest stand thinning, and other management activities generate woody residues that increase an area's wildfire hazard. This increased hazard, a threat to investments in forest resources, can be reduced by treating man-caused fuel accumulations to reduce their flammability. The treatments are often expensive, however, ranging from \$1 per acre for some types of prescribed burning to \$1,000 per acre for physically removing unusable residues. Whether these fuels should be treated, and the level of treatment that is necessary, depend on the fire hazard with and without treatment, the effects of fire on resource production, and the values of the resources being managed.

To help managers evaluate fire hazard, scientists at the Rocky Mountain Forest and Range Experiment Station have developed a national fuel appraisal process. The process assesses fire hazard in terms of the area that can be expected to burn, on the average, by wildfires if no fuels are treated or if treatments are applied. Managers can use this information, together with their knowledge of acceptable levels of fire activity, to select a level of fuel treatment that matches costs and resource production goals.

Much of the fuel appraisal process is computerized. A package of four computer programs has been installed at the USDA Fort Collins Computer Center to provide users with the required computer support. To facilitate implementation of the fuel appraisal process and the computer programs, a series of slide-tape instructional courses has been developed and made available through the National Audiovisual Center.



Managers must be able to select a level of fuel treatment that balances costs against resource production goals.

Protecting Homes from Wildfire

Each year wildfires burn hundreds of homes in forest-, brush-, and rangeland. Yet most of these losses could be prevented by following procedures summarized in a report published by the Pacific Southwest Forest and Range Experiment Station.

Procedures for reducing losses include constructing buildings (especially roofs) with nonflammable materials; avoiding balconies and other overhangs; landscaping with vegetation having low fuel volumes; providing adequate access routes, perimeter protection, and water supplies for housing developments; managing wildland fuels to reduce hazard and to facilitate fire control; and adjusting insurance rates, mortgage interest rates, taxes, and other conditions for real estate transactions to reflect actual risks and to encourage fire-safe location, design, and construction.

The report is available as General Technical Report PSW-50, "Protecting Residences from Wildfires: a guide for homeowners, lawmakers, and planners."



Many homes lost to wildfires could have been saved by following protective procedures.

Subject Matter Guide for Research Publications

	Page
Products and Engineering Improving Forest Engineering Systems Wood Engineering Wood Chemistry and Fiber Products Utilization Potential and Processing of Wood	51 53 55 58
Resource Economics Forest Resource Evaluation Forest Economics Supply, Demand, and Price Analysis	66 71 74
Insects and Disease Insect Detection and Evaluation Insect Biology Insect Control and Management Strategies Disease Detection and Evaluation Disease Biology Disease Control and Management Strategies Air Pollution Wood Products Organisms	76 79 85 90 91 94 97
Environment Watershed Management Wildlife Range Fisheries Habitat Forest Recreation Urban Forestry Disturbed Areas Rehabilitation	98 106 113 116 117 121 123

Timber Management	
Biological Relations	125
Silviculture	131
Management and Mensuration	137
Genetics and Tree Improvement	
Special Products	
Fire and Atmospheric Sciences	
Fire Prevention, Hazard Reduction, and Prescribed Burning	147
Fire Management Methods and Systems	148
Forest Fire Science	149
Ecological Relations	150
Weather Modification and Weather Effects	152
General	153

Improving Forest Engineering Systems

- Arola, Rodger A.; Miyata, Edwin S. Harvesting wood for energy. Res. Pap. NC-200. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 25 p.
- Arola, Rodger A.; Miyata, Edwin S.; Sturos, John A.; Steinhilb, Helmuth M. Felling and bunching small timber on steep slopes. Res. Pap. NC-203. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 12 p.
- Arola, Rodger A.; Sturos, John A. How to compare fuel values (Rev.). St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 7 p.
- Benson, Robert E.; Gonsior, Michael J. Tree damage from skyline logging in a western larch/Douglas-fir stand. Res. Pap. INT-268. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 15 p.
- Biller, Cleveland J.; Peters, Penn A. Testing of the prototype Appalachian Thinner. ASAE Pap. 81-1074, St. Joseph, MI: 1981: 14 p.
- Cubbage, Frederick W. Machine rate calculations and productivity rate tables for harvesting southern pine. Staff Pap. Series 24. St. Paul, MN: University of Minnesota, College of Forestry, Department of Forest Resources; 1981. 120 p.
- Falk, Gary D. A comparison of cable logging system configurations. In: Proceedings, cable yarding conference, Asheville, NC: 1980 September 9-10; Hardwood Research Council and Tennessee Valley Authority; 1980: 24-57.
- Falk, Gary D. Predicting the payload capability of cable logging systems including the effect of partial suspension. Res. Pap. NE-479. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981: 29 p.

- Fisher, Edward L.; Gibson, Harry G.; Biller, Cleveland J. Production and cost of a live skyline cable yarder tested in Appalachia. Res. Pap. NE-465. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1980: 8 p.
- Fisher, Edward L.; Gochenour, Donald L.; Biller, Cleveland J. Significant factors affecting performance of a URUS cable yarder. ASAE Pap. 80-1547. St. Joseph, MI; 1980: 16 p.
- Goulet, Daniel V.; Hines, Gail S.; Sirois, Donald L. Timber harvesting computer simulation model design criteria. For. Prod. J. 33(11): 22-23; 1980.
- Granskog, James E.; Anderson, Walter C. Dense undergrowth reduces fellerbuncher productivity in shortleaf pine plantations. Res. Note SO-274. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 4 p.
- Granskog, James E.; Anderson, Walter C. Harvester productivity for row thinning loblolly pine plantations. Res. Pap. SO-163. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station: 1980. 5 p.
- Haataja, Bruce A.; Arola, Rodger A. Wood as a fuel for timber harvesting equipment. South. Lumberman. 241(2991): 108-113; 1980.
- Hool, James N.; Webster, Dennis B.; Hines, Gail S. Considerations in developing/selecting a timber harvesting simulation model. In: Proceedings, 1980 summer computer simulation conference; 1980 August 25-27; Seattle, WA. Seattle, WA: Society for Computer Simulation; 1980: 461-464.
- Host, John R. Labor productivity in yarding operations. In: Proceedings, Rocky Mountain forest industries conference; 1980 May 7-10; Jackson, WY.
- Host, John R. Low capital investment logging systems. In: Harvesting and utilization opportunities for forest residues in the Northern Rocky Mountains: symposium proceedings; 1979 November 28-30; Missoula, MT. Gen. Tech. Rep. INT-110. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981: 97-111.

- Iff, Ronald H. Cable logging costs in the Southeastern United States. In: Proceedings, 1980 cable yarding conference; 1980 September 9-10; Asheville, NC. Norris, TN: Division of Land and Forest Resources, TVA; 1980: 112-126.
- Koch, Peter. Harvesting energy chips from forest residues—some concepts for the southern pine region. Gen. Tech. Rep. SO-33. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1980. 24 p.
- Mann, Charles N. The pewee yarder. In: Garland, John J., ed. Proceedings, 4th Northwest skyline symposium; 1978 December 4-8; Portland, OR. Corvallis, OR: Oregon State University; 1980: 64-72.
- Mattson, James A. Harvesting forest residues for energy—potentials and problems. In: Proceedings, joint IEA/IUFRO forestry energy workshop and study tour; 1980 October 2-3; Garpenberg, Sweden. Garpenberg, Sweden: Swedish University of Agricultural Sciences; 1981: 74-81.
- Mears, Arthur I. Design criteria for avalanche control structures in the runout zone. Gen. Tech. Rep. RM-84. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 28 p.
- Mifflin, Ronald W. Computer assisted yarding cost analysis. Gen. Tech. Rep. PNW-108. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, 1980. 61 p.
- Mifflin, Ronald W., Mann, Charles N. Lifting & skidding forces for skyline logging. J. Logging. 1980: 2732-2733.
- Miyata, Edwin S.; Steinhilb, Helmuth M. Logging system cost analysis: comparision of methods used. Res. Pap. NC-208. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 15 p.
- Miyata, Edwin S.; Steinhilb, Helmuth M.; Coyer, Lynne A. Metric conversions for foresters. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 7 p.

- Miyata, Edwin S.; Sturos, John A.; Steinhilb, H. M. Whole tree-harvesting of a low-value hardwood stand for site conversion. Northern Logger and Timber Processor 29(8): 19, 36-38; 1981.
- Peters, Penn A. Physical requirements of cable logging configurations. In: Proceedings, cable yarding conference, Asheville, NC; 1980 September 9-10; Hardwood Research Council and Tennessee Valley Authority. 1980: 58-82.
- Peters, Penn A. Road and landing spacing models. In: Corcoran, Thomas J.; Heij, Willem B., eds. Forest operations analysis-techniques for planning and control. IUFRO 3.04.01. World Congress, Kyoto, Japan; September 6-12, 1981: 51-68.
- Peters, Penn A.; Kellogg, Loren D. Smallwood harvesting using a Trailer Alp cable yarder system. Trans. Am. Soc. Agric. Eng. 23(5); 1980: 1080-1083.
- Post, Irwin L.; Brennan, Terrence P. A low cost prebunching winch. Northern Logger and Timber Processor, 30(2): 30-31, 42-43; 1981.
- Prellwitz, Rodney W. Simplified design of short-span arch-culvert footings. In: Proceedings, eighteenth annual engineering geology and soils engineering symposium; 1980 April 2-4; Boise, ID. Boise, ID: Boise State University; 1980: 283-300.
- Schlieter, Joyce A. Formatting and documenting multidisciplinary data. Res. Note INT-317. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 3 p.
- Sirois, Donald L. Some engineering aspects of the Nicholson-Koch mobile chipper. In: 1981 ASAE summer meeting; 1981 June 21-24; Orlando, FL. ASAE Paper 81-1077. St. Joseph, MI: American Society of Agricultural Engineers; 1981. 10 p.
- Sturos, John A. Outlook and opportunity for whole-tree chip quality improvement. In: Harvesting and utilization opportunities for forest residues in the Northern Rocky Mountains: Proceedings of the symposium 1979 November 28-30; Missoula, MT. Gen. Tech. Rep. INT-110. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981: 147-158.

- Sturos, John A.; Dickson, Richard E. Fiber, fuel, and food from whole-tree chips. Trans. Am. Soc. Agric. Engin. 23(6): 1353-1358; 1980.
- Tinus, Richard W. Concepts for seedling production and handling being developed in New Zealand. In: Proceedings, symposium on engineering systems for forest regeneration; 1981 March 2-6; Raleigh, NC. St. Joseph, MI: Amer. Soc. Agric. Eng. Publ. 10-81; 1981: 56-60.
- Winsauer, Sharon A. A program and documentation for simulation of a tracked feller/buncher. Res. Pap. NC-192. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980, 26 p.
- Winsauer, Sharon; Steinhilb, Helmuth M. Summary of green weights and volumes for five tree species in Michigan. Res. Pap. NC-191. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 22 p.

Wood Engineering

- Bendtsen, B. Alan; Chudnoff, Martin. Properties of seven Colombian woods. Res. Note FPL-0242. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 12 p.
- Bendtsen, B. Alan; Maeglin, Robert R.; Deneke, Frederick. Comparison of mechanical and anatomical properties of eastern cottonwood and *populus* hybrid NE-237. Wood Sci. 14(1): 1-14; 1981.
- Dietz, Albert G. H. Wood as a structural material. J. Eng. Modules for Mater. Sci. and Eng. 3(1): 95-213; 1981.
- Galligan, William L. FPL light-frame research program. In: Proceedings, 1979 metal plate wood truss conference; 1979 November 14-16; St. Louis, MO: Madison, WI: Forest Products Research Society; 1981: 13-16.
- Galligan, William L. [and others]. Potential structural quality of trenching lumber. For. Prod. J. 31(5): 37-46; 1981.
- Galligan, William L.; Green, David W.; Gromala, David S.; Haskell, James H. Evaluation of lumber properties in the United States and their application to structural research. For. Prod. J. 30(10): 45-51; 1980.

- Galligan, W. L.; Johnson, Richard A.; Taylor, James R. Examination of the concomitant properties of lumber. In: Proceedings, 1979 metal plate wood truss conference; 1979 November 14-16; St. Louis, MO: Madison, WI: Forest Products Research Society; 1981: 65-70.
- Gerhards, Charles C.; Percival, Donald H. Species, grades, and mechanical properties of lumber sampled from truss fabrications. In: Proceedings, 1979 metal plate wood truss conference; 1979 November 14-16; St. Louis, MO. Madison, WI: Forest Products Research Society; 1981: 21-25.
- Gerhardt, T. D.; Cheng, Shun. A diagonally dominant solution for the cylinder end problem. ASME J. Appl. Mech. 48(3): 1981. 5 p.
- Gorvad, Michael R.; Strauss, Kevin B. Device for rapid determination of wood sample volume by immersion. Wood Sci. 13(2): 75-76; 1980.
- Gromala, David S. Structural composite action in light-frame construction. In: Proceedings, International Union of Forestry Research Organizations. Wood Engineering Group, Div. 55.02; 1980 April 8-16; Oxford, England; 1980: 390-396.
- Gromala, David S.; McCutcheon, William J.; Tuomi, Roger L.; Wolfe, Ronald W. Structural continuity and component interaction. In: Proceedings, metal plate wood truss conference; 1979 November 14-16; St. Louis, MO. St. Louis, MO: Madison, WI: Forest Products Research Society; 1981: 138-144.
- Hans, Gunard E. Proposed streamlined residential heating budget analysis by a variable temperature design method. In: Proceedings, Am. Soc. Heat., Refrig., Air Cond., Eng./Dep. Energy-Oak Ridge Nat. Lab. Conf.; ASHRAE-SP-28, New York, NY: 16-32; 1981.
- Holmes, Carlton A.; Chudnoff, Martin. Candidate woodbase standard reference materials for fire testing—red oak. Res. Pap. FPL-404. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 10 p.
- Holmes, Carlton, A.; Knispel, Ronald O. Exterior weathering durability of some leach-resistant fire-retardant treatments for wood shingles: A five-year report. Res. Pap. FPL-403. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 10 p.

- Hoyle, Robert J. Jr.; Galligan, William L.; Haskell, James H. Characterizing lumber properties for truss research. In: Proceedings, 1979 metal plate wood truss conference; 1979 November 14-16; St. Louis, MO. Madison, WI: Forest Products Research Society; 1981: 32-51.
- James, William L. Influence of electrode design on measurements of dielectric properties of wood. Wood Sci. 13(4): 185-198; 1981.
- Jones, Robert E. Field sound insulation of load-bearing sandwich panels for housing. Noise Control Eng. 16(2): 90-105; 1981.
- Liu, J. Y. Shear strength of tapered wood beams. In: Proceedings, American Society of Civil Engineers; 1980, J. Struct. Div. 107(ST5); 1981: 719-731.
- Liu, J. Y. A Weibull analysis of wood member bending strength. In: 4th Failure prevention and reliability conference of American Society of Mechanical Engineers; 1981 September 21-23; Hartford, CT: ASME BK. 100142; 1981: 57-62.
- Liu, Jen Y. Shear strength of wood beams: A Weibull analysis. In: Proceedings, American Society of Civil Engineers; 1980, J. Struct. Div. 106 (ST10); 1980: 2035-2052.
- Marx, Catherine M.; Moody, Russell C. Bending strength of shallow gluedlaminated beams of a uniform grade. Res. Pap. FPL-380. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 21 p.
- Marx, Catherine M.; Moody, Russell C. Strength and stiffness of small gluedlaminated beams with different qualities of tension laminations. Res. Pap. FPL-381. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 49 p.
- Moody, Russell C. Compressive strength of one- and two-ply laminated timbers. For. Prod. J. 31(5): 47-50; 1981.
- Pellerin, Roy F.; Gerhards, Charles C. In-grade testing program: evaluation of a portable machine for testing lumber in bending. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1980. 25 p.

- Percival, D. H.; Suddarth, S. K. Structural Wood systems. J. Eng. Modules for Mater. Sci. Eng. 3(1): 293-311; 1981.
- Peterson, John; Madsen, Glen; Moody, Russell C. Tensile strength of one-, two-, and three-ply glulam members of 2 by 6 Douglas-fir. For. Prod. J. 31(1): 42-48; 1981.
- Price, Eddie W., Gromala, David S. Racking strength of walls sheathed with structural flakeboards made from southern species. For. Prod. J. 30(12): 19-23; 1980.
- Schaffer, E. L. Moisture interactions in light-frame housing: a review. In: Building air change rate and infiltration measurements; ASTM STP 719, American Society for Testing and Materials, Philadelphia, PA: 1980: 125-143.
- Schaffer, E. L.; Wilkinson, T. L.; Heebink, B. G. Roofing nail performance in structural flakeboards. Wood and Fiber 12(3): 196-210; 1980.
- Schaffer, E. L.; Woeste, F. E. Reliability analysis of a fire-exposed unprotected floor truss. In: Proceedings, metal plate wood truss conference; 1979 November 14-16; Madison, WI: Forest Products Research Society; 1981: 131-137.
- Soltis, Lawrence A. Analysis of continuous beams with joint slip. Res. Note FPL-0244. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 19 p.
- Tuomi, Roger L. Truss-framed construction system overcomes some building weaknesses. South. Building. Feb.-Mar.: 18-19; 1981.
- Tuomi, Roger L. The truss-framed system for residential and light commercial buildings. South. Lumberman 241(2992): 114-117; 1980.
- Urbanik, Thomas J. A method for determining the effect of transportation vibration on unitized corrugated containers. In: Shock and Vibration Bull. 51(3), U.S. Department of Defense, Naval Research Laboratory, Washington, DC; 1981: 213-224.
- U.S. Department of Agriculture. Truss-framed system: design brochure. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 20 p.

- White, Robert H.; Schaffer, E. L. Thermal characteristics of thick red oak flakeboard. Res. Pap. FPL-407. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 8 p.
- White, Robert H.; Schaffer, E. L. Transient moisture gradient in fire-exposed wood slab. Wood and Fiber 13(1): 17-38; 1981.
- Wilkinson, Thomas Lee. Assessment of modification factors for a row of bolts or timber connectors. Res. Pap. FPL-376. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1980. 24 p.
- Wilkinson, Thomas L.; Rowlands, Robert E. Influence of elastic properties on the stresses in bolted joints in wood. Wood Sci. 14(1): 15-22; 1981.
- Woeste, F. E.; Schaffer, E. L., Reliability analysis of fire-exposed light-frame wood floor assemblies. Res. Pap. FPL-386. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1980. 15 p.
- Woeste, F. E.; Schaffer, E. L. Reliability analysis of fire-exposed light-frame wood floor assemblies. In: Proceedings, joint US-USSR seminar on mathematical methods for estimating the fire endurance of structural assemblies; 1980 November; Washington, DC: National Bureau of Standards; NBSIR 80-2188; 128-180; 1980.
- Wolfe, R. W.; Moody, R. C. A summary of modulus of elasticity and knot size surveys for laminating grades of lumber. Gen. Tech. Rep. FPL-31, Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 20 p.
- Zahn, John J.; Strength of lumber under combined bending and compression. Res. Pap. FPL-391. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 20 p.

Wood Chemistry and Fiber Products

Baker, Andrew J. Gasohol from wood is not yet economically feasible. For. Farmer 40(2): 21, 28, 30; 1980.

- Bar-Lev, S. S.; Kirk, T. K. Effects of molecular oxygen on lignin degradation by *Phanerochaete chrysosporium*. Biochem. Biophys. Res. Comm. 99(2): 373-378; 1981.
- Barquest, Glenn; Feist, William C. Guidelines for selecting exterior latex (waterborne) paints. Ext. Pub. A-2484. Madison, WI: University of Wisconsin; 1981. 2 p.
- Bormett, David W. Overall effective thermal resistance of corrugated fiberboard containers. Res. Pap. FPL-406. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 12 p.
- Brenden, John J.; Schaffer, Erwin L. Smoldering wave-front velocity in fiberboard. Res. Pap. FPL-367. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest-Products Laboratory; 1981. 16 p.
- Cassens, Daniel L.; Feist, William C. Wood finishing: finishing and maintaining wood floors. North Central Regional Extension Pub. 136; SEA-Extension, U.S. Department of Agriculture; 1980. 8 p.
- Cassens, Daniel L. [and others]. Wood finishing: finishing exterior wood surfaces and floors. Cooperative Extension Service, Lafayette, IN: Purdue University; 1981. 30 p.
- Cassens, Daniel L.; Feist, William C. Wood finishing: finishing exterior plywood, hardboard and particleboard. North Central Regional Extension Pub. 132; SEA-Extension, U.S. Department of Agriculture; 1980. 6 p.
- Cassens, Daniel L.; Feist, William C. Wood finishing: paint failure problems and their cure. North Central Regional Extension Pub. 133; SEA-Extension, U.S. Department of Agriculture; 1980. 6 p.
- Cassens, Daniel L.; Feist, William C. Wood finishing: discoloration of house paint—causes and cures. North Central Regional Extension Pub. 134; SEA-Extension, U.S. Department of Agriculture; 1980. 6 p.
- Cassens, Daniel L.; Feist, William C. Wood finishing: selection and application of exterior finishes for wood. North Central Regional Extension Pub. 135; SEA-Extension, U.S. Department of Agriculture; 1980. 8 p.

- Cassens, Daniel L.; Miller, Regis B. Wood anatomy of the New World *Pithecellobium* (sensu lato). J. Arnold Arboretum 62(1): 1-44; 1981.
- Conner, Anthony H. Effects of aqueous sulfur dioxide on cellulose. Biotech. Lett. 2(10): 439-444; 1980.
- Conner, Anthony H. [and others]. Decahydro-7-oxo-6aβ-methylcyclopenta[f][1] benzopyran-2-carboxylic acid—a metabolite formed from sterols by *Nocardia* species. J. Appl. Biochem. 2: 247-255; 1980.
- Conner, Anthony H.; Diehl, Marilyn A.; Rowe, John W. Tall oil precursors and turpentine in black and white spruce. Wood Sci. 13(2): 111-116; 1980.
- Conner, Anthony H.; Haromy, Tuli P.; Sundaralingam, Muttaiya. 30-nor-3β-methoxyserrat-14-en-21-one: first reported natural occurrence of a norserratene triterpene. J. Org. Chem. 46: 2987-2988; 1981.
- Durso, Donald F. Process for the preparation of cellulose ether derivatives. U.S. Patent 4,254,258. Issued March 3, 1981. 10 p.
- Eaton, David C. [and others]. The FPL/NCSU MyCoR process for treatment of bleach plant effluents. In: Proceedings, 1981 annual meeting of the Technical Association of the Pulp and Paper Industry; 1981 March 1-4; Chicago, IL: TAPPI Press; 1981: 157-161.
- Eaton, D.; Chang, H.-m.; Kirk, T. K. Fungal decolorization of kraft bleach plant effluents. TAPPI 63(10): 103-106; 1980.
- Foster, Daniel O.; Zinkel, Duane F.; Conner, Anthony H. Tall oil precursors of Douglas-fir. Tappi 63(12): 103-105; 1980.
- Hajny, George J. Biological utilization of wood for production of chemicals and foodstuffs. Res. Pap. FPL-385. Madison, WI: U.S. Deparament of Agriculture, Forest Service, Forest Products Laboratory; 1981. 64 p.
- Hemingway, Richard W.; Foo, L. Y.; Porter, Lawrence J. Polymeric proanthocyanidins: interflavanoid linkage isomerism in (epicatechin-4)-(epicatechin-4)-catechin procyanidins. J. C. S. Chem. Comm. 7: 320-322; 1981.
- Hon, David N.-S.; Feist, William C. Free radical formation in wood: the role of water. Wood Sci. 14(1): 41-48; 1981.

- Hrutfiord, Bjorn F.; Luthi, Ruth. Chemistry of Oregonin. In: Proceedings, 1981 symposium on wood and pulping chemistry; 1981 June 9-12; Stockholm, Sweden: SPCI Report No. 38(I): 95-98; 1981.
- Ingram, L. L. Jr.; McGinnis, G. D.; Gjovik, L. R. The relative amount of pentachlorophenol volatilization from treated wood. In: Proceedings, 1981 April 27-29; Kissimmee, FL: Amer. Wood Preserv. Assoc. 77: 1981. 7 p.
- Ingram, L. L. Jr.; McGinnis, G. D.; Jasperse, G.; Gjovik, L. R. The effect of solvent systems on the volatilization of pentachlorophenol from treated wood. In: Proceedings, 1981 April 27-29; Kissimmee, FL: Amer. Wood Preserv. Assoc. 77: 1981. 6 p.
- Jeffries, T. W. Conversion of xylose to ethanol under aerobic conditions by *Candida tropicalis*. Biotechnol. Lett. 3(5): 213-218; 1981.
- Jeffries, Thomas W.; Choi, Suki; Kirk, T. Kent. Nutritional regulation of lignin degradation by *Phanerochaete chrysosporium*. Appl. Environ. Microbiol. 42(2): 290-296; 1981.
- Kirk, T. Kent. Principles of lignin degradation by white-rot fungi. In: Proceedings, international symposium on wood and pulping chemistry; 1981 June 9-12; Stockholm, Sweden: SPCI Report 38(III): 66-70; 1981.
- Kirk, T. Kent. Toward elucidating the mechanism of action of the ligninolytic system in basidiomycetes. In: Trends in the biology of fermentations for fuels and chemicals; 1980 December 7-11; Upton, Long Island. New York, NY: Plenum Press; 1981: 131-148.
- Kirk, T. Kent; Chang, Hou-min. Potential applications of bio-ligninolytic systems. Enzyme Microb. Technol. 3: 189-196; 1981.
- Klungness, J. H.; Sanyer, N. Hardwood pulp utilization. Separation of nonfibrous oak components. Tappi 64(2): 109-113; 1981.
- Klungness, John H.; Fahey, Donald J. Pulp floc stability of hardwood-softwood mixtures. South. Pulp Paper 43(12): 37-39; 1980.
- Koeppen, Robert C. Silica bodies in wood of arborescent Leguminosae. Int. Assoc. Wood An. Bull. 1(4): 180-184; 1980.

- Kukachka, B. F. Wood anatomy of the neotropical Sapotaceae. XX. Manilkara.
 Res. Pap. FPL-371. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 12 p.
- Kukachka, B. F. Wood anatomy of the neotropical Sapotaceae. XXI. Barylucuma. Res. Pap. FPL-372. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 3 p.
- Kukachka, B. F. Wood anatomy of the neotropical Sapotaceae. XXII. *Pradosia*. Res. Pap. FPL-373. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981.8 p.
- Kukachka, B. F. Wood anatomy of the neotropical Sapotaceae. XXIII. *Gayella*. Res. Pap. FPL-374. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 3 p.
- Kukachka, B. F. Wood anatomy of the neotropical Sapotaceae. XXIV. *Ecclinusa*. Res. Pap. FPL-395. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 6 p.
- Kukachka, B. F. Wood anatomy of the neotropical Sapotaceae. XXV. *Ragala*. Res. Pap. FPL-396. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 5 p.
- Kukachka, B. F. Wood anatomy of the neotropical Sapotaceae. XXVI. Myrtiluma. Res. Pap. FPL-397. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 5 p.
- Kukachka, B. F. Wood anatomy of the neotropical Sapotaceae. XXVII. Sarcaulus. Res. Pap. FPL-398. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 5 p.
- Kukachka, B. F.; Miller, Regis B. A chemical spot-test for aluminum and its value in wood identification. Int. Assoc. Wood An. Bull. 1(3): 104-109; 1980.
- Kutney, James P. [and others]. New triterpenes from the bark of western white pine (*Pinus monticola* Dougl.). Helvetica Chimica Acta 64(4): 1183-1207; 1981.
- Landucci, Lawrence L. Formation of carbon-linked anthrone-lignin and anthraquinone-lignin adducts. J. Wood Chem. Tech. 1(1): 61-74; 1981.

- Landucci, Lawrence L.; Geddes, Sally A.; Kirk, T. Kent. Synthesis of 14 C labeled 3-methoxy-4-hydroxy- α -(2-methoxy-phenoxy)- β -hydroxy-propiophenone, a lignin model compound. Holzforschung 35(2): 67-70; 1981.
- Magers, Keith D.; Smith, Cecil G.; Sawyer, Donald T. Electrochemical and spectroscopic studies of tris (3,5-di-tert-butylcatecholato) manganese (IV) and its dioxygen adduct. Inorganic Chem. 19: 492-496; 1980.
- Micklewright, James T.; Gjovik, Lee R. Wood preservation statistics: Update. In: Proceedings, 1981 April 27-29; Kissimmee, FL: Amer. Wood Preserv. Assoc. 77: 1981. 9 p.
- Miller, R. B.; Baas, P., coords. Standard list of characters suitable for computerized hardwood identification. Int. Assoc. Wood An. Bull. 2(2-3): 99-145; 1981.
- Miller, Regis B. Wood identification via computer. Int. Assoc. Wood An. Bull. 1(4): 154-160; 1980.
- Nakatsubo, Fumiaki; Kirk, T. Kent; Shimada, Mikio; Higuchi, Takayoshi. Metabolism of a phenylcoumaran substructure lignin model compound in ligninolytic cultures of *Phanerochaete chrysosporium*. Arch. Microbiol. 128: 416-420; 1981.
- Obst, John R. Soda-amine pulping: a warning about phase separations. Tappi 64(3): 171-172; 1981.
- Porter, Lawrence J.; Foo, L. Y.; Hemingway, Richard W. Differences in condensed tannin structures in pine bark as a function of tree age. In: Proceedings, FRI Symposium 23; 1980 September 10-11; Rotorua, New Zealand. 1980. 10 p.
- Quirk, J. T. Semiautomated recording of wood cell dimensions. For. Sci. 27(2): 336-338; 1981.
- Quirk, J. T. Wood anatomy of the Vochysiaceae. Int. Assoc. Wood An. Bull. 1(4): 172-179; 1980.
- Rowell, Roger M. Distribution of reacted chemicals in southern pine modified with methyl isocyanate. Wood Sci. 13(2): 102-110; 1980.

- Rowell, Roger M.; Feist, William C.; Ellis, W. Dale. Weathering of chemically modified southern pine. Wood Sci. 14(4): 202-208; 1981.
- Rowell, Roger M.; Youngs, Robert L. Dimensional stabilization of wood in use. Res. Note FPL-0234; Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 8 p.
- Sachs, I. B.; Kuster, T. A. Edgewise compression failure mechanism of linerboard observed in a dynamic mode. Tappi 63(10): 69-73; 1980.
- Setterholm, Vance; Ince, Peter. The press drying concept for papermaking. South. Lumberman. 15: 104-105: 1980.
- Shimada, Mikio; Nakatsubo, Fumiaki; Kirk, T. Kent; Higuchi, Takayoshi.
 Biosynthesis of the secondary metabolite veratryl alcohol in relation to
 lignin degradation in *Phanerochaete chrysosporium*. Arch. Microbiol. 129:
 321-324; 1981.
- Springer, E. L. [and others]. Chemical treatment and storage of hardwood whole-tree chips in pile simulators. In: Proceedings, 1980 TAPPI pulping conference; 1980 November 16-19; Atlanta, GA: TAPPI Press; 1980: 379-385.
- Springer, Edward L.; Zoch, Lawrence L. Jr. Laboratory evaluation of the possibility of sulfuric acid as a wood chip preservative. Tappi 64(3): 145-150; 1981.
- Stern, Robert K. Development of an improved hardboard-lumber pallet design. Res. Pap. FPL-387. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1980. 12 p.
- Subramanian, R. V.; Williams, R. S. Glass-reinforced composites of antifouling organotin epoxy polymers. J. Appl. Poly. Sci. 26: 1681-1688; 1981.
- Sundman, Gabriel; Kirk, T. Kent; Chang, Hou-min. Fungal decolorization of kraft bleach plant effluent: fate of the chromophoric material. In: Proceedings, 1981 annual meeting of the Technical Association of the Pulp and Paper Industry; 1981 March 1-4; Chicago, IL: TAPPI Press; 1981: 163-167.
- Urbanik, Thomas J. Effect of paperboard stress-strain characteristics on strength of single-wall corrugated fiberboard: a theoretical approach. Res. Pap. FPL-401. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 15 p.

- Williams, R. S.; Subramanian, R. V. Synthesis and properties of organotin epoxy polymers and tri-n-butyltin esters of ω -amino acids. Polymer. 22: 934-942; 1981.
- Woolson, E. A.; Gjovik, L. R. The valence state of arsenic on treated wood. In: Proceedings, 1981 April 27-29; Kissimmee, FL: Amer. Wood Preserv. Assoc. 77: 1981. 5 p.
- Zerbe, John I. Developments in conversion technology. In: Proceedings, international forestry energy meeting; 1980 September 29-October 2; Jonkoping, Sweden: International Energy Agency, International Union of Forestry Research Organizations, 1981: 203-210.
- Zinkel, Duane F. Turpentine, rosin and fatty acids from conifers, chapter 9. In: Goldstein, I. S., ed. Organic chemicals from biomass. Boca Raton, FL: CRC Press; 1981. 163-187.

Utilization Potential and Processing of Wood

- Adkins, W. K.; Richards, D. B.; Lewis, D. W.; Bulgrin, E. H. Programs for computer simulation of hardwood log sawing. Res. Pap. FPL-357. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1980. 56 p.
- Anderson, Robert B. Potential for upgrading use of low-valued hardwoods. In: Research today is the key to profitability tomorrow: 9th annual hardwood symposium; 1981 May 25-28; Pipestem, WV. Asheville, NC: Hardwood Research Council; 1981: 72-77.
- Anderson, Robert B.; Reynolds, Hugh W. Simulated sawing of squares: a wood utilization research and application tool. Res. Pap. NE-473. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 7 p.
- Barger, Roland L. The forest residues utilization R&D program. In: Harvesting and utilization opportunities for forest residues in the Northern Rocky Mountains; symposium proceedings; 1979 November 28-30; Missoula, MT. Gen. Tech. Rep. INT-110. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981: 5-16.

- Barger, Roland L. The potential for environmental abuses from the use of wood for energy. In: Land-use allocations: processes, people, politics, professionals: proceedings of the 1980 convention of the Society of American Foresters. Washington, DC: Society of American Foresters; 1981: 82-85.
- Barger, Roland L.; Benson, Robert E. Intensive utilization with conventional harvesting. In: Harvesting and utilization opportunities for forest residues in the Northern Rocky Mountains: symposium proceedings; 1979

 November 28-30; Missoula, MT. Gen. Tech. Rep. INT-110. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981: 77-95.
- Bengelsdorf, Marvin; O'Halloran, Michael R. Dimensional stability of plywood composite panels. Res. Rep. 143. Tacoma, WA: American Plywood Association; 1980. 18 p.
- Benson, Robert E.; Schlieter, Joyce A. Residue characteristics in the Northern Rocky Mountains. In: Harvesting and utilization opportunities for forest residues in the Northern Rocky Mountains: symposium proceedings; 1979 November 28-30; Missoula, MT. Gen. Tech. Rep. INT-110. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981: 33-43.
- Benson, Robert E.; Schlieter, Joyce A. Volume and weight characteristics of a typical Douglas-fir/western larch stand, Coram Experimental Forest, Montana. Gen. Tech. Rep. INT-92. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 28 p.
- Bois, Paul J.; Tschernitz, John L. The effect of air velocity on reaching dry kiln saturation temperatures for oak. FPU Tech. Rep. 11. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 12 p.
- Brewbaker, J. L., ed. Giant leucaena (*Koa haole*) energy tree farm: an economic feasibility analysis for the island of Molokai, Hawaii. Manoa, HI: Hawaii Natural Energy Institute, University of Hawaii at Manoa; 1980. 90 p.
- Cahill, James M. Preliminary lumber recovery for dead and live Engelmann spruce. Res. Note PNW-365. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 12 p.

- Carll, Charles. Wood particleboard types, grades, and uses. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 12 p.
- Chen, P. Y. S.; Helmer, W. A.; Rosen, H. N. Experimental studies of solar and solar-dehumidification lumber drying. J. Energy 5(3): 130-131; 1981.
- Chen, Peter Y. S. Design and test of a 500 BF solar kiln. For. Prod. J. 31(3): 33-38; 1981.
- Chen, Peter Y. S. Insolation at Carterville, Illinois. Res. Note NC-271. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 4 p.
- Chen, Peter Y. S.; Rosen, Howard N. An inexpensive, efficient solar kiln. South. Lumberman 241(2991): 120-121; 1980.
- Chen, Peter Y. S.; Rosen, Howard N. Building an efficient solar kiln. Furniture Prod. 43(355): 36-37; 1981.
- Chen, Peter Y. S.; Rosen, Howard N.; Helmer, Wayne A. Solar-dehumidification lumber drying. In: Proceedings, 31st annual meeting of the western dry kiln clubs; 1980 May 8-9; Oregon State University, Corvallis, OR; 1980: 51-58.
- Chiang, Tze I.; Koenigshof, Gerald A. Economic feasibility study: composite panel complex in Georgia. For. Prod. J. 30(11): 24-29; 1980.
- Clark, Alexander, III [and others]. Predicted weights and volumes of northern red oak trees in western North Carolina. Res. pap. SE-209. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1980. 22 p.
- Clark, Alexander, III [and others]. Predicted weights and volumes of scarlet oak trees on the Tennessee Cumberland Plateau. Res. Pap. SE-214. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1980. 23 p.
- Clark, Alexander, III; Field, Richard C. TBCP—a computer program that estimates total tree chips, saw logs, pulpwood, and firewood from cruise summary data. Ga. For. Res. Pap. 21. Macon, GA: Georgia Forestry Commission; 1981. 11 p.
- Edwards, M. Boyd; McNab, W. Henry. Biomass prediction for young southern pines—an addendum. J. For. 79: 291; 1981.

59

- Erb, Carl. Durability of plywood composite panels. Res. Rep. 142. Tacoma, WA: American Plywood Association; 1980. 12 p.
- Fahey, Thomas D. Evaluating dead lodgepole pine for products. For. Prod. J. 30(12): 34-39; 1980.
- Fahey, Thomas D. Value ranking for utilizing lodgepole pine residues. In:
 Harvesting and utilization opportunities for forest residues in the Northern
 Rocky Mountains: proceedings of a symposium; 1979 November 28-30;
 Missoula, MT. Gen. Tech. Rep. INT-110. Ogden, UT: U.S. Department of
 Agriculture, Forest Service, Intermountain Forest and Range Experiment
 Station; 1981: 239-250.
- Fronczak, Frank J. Preventing veneer bolt spin-out. In: Modern plywood techniques: 7th plywood clinic; 1979 March; Portland, OR: 1980: 22-27.
- Gaby, Louis I.; Carter, Fairie L. Resistance of COM-PLY lumber to subterranean termites. Res. Pap. SE-225. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station, 1981. 12 p.
- Garrett, Lawrence D. Efficiency of using solid wood fuels in maple syrup evaporators. Res. Pap. NE-486. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 10 p.
- Gatchell, Charles J. A new end joint for the hardwood furniture industry—serpentine end matching. In: Proceedings, meeting of International Union of Forestry Research Organization S.5.04 for Wood Processing and Tropical Woods Subject Groups; 1977 October 3-5. Merida, Venezuela. 1980. 9 p.
- Gatchell, Charles J.; Peters, Curtis C. The serpentine end-matched joint: evaluating strength and stability. Res. Pap. NE-485. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 8 p.
- Geary, T. F. [and others]. Melaleuca as a source of boiler fuel and activated carbon. In: Proceedings of melaleuca symposium; 1980 September 23-24; Fort Myers, FL. Tallahassee, FL: Florida Department of Agriculture and Consumer Services, Florida Division of Forestry; 1981: 69-78.

- Geimer, Robert L. Predicting flakeboard properties: improvements in bending properties by aligning a mixture of flakes. In: Proceedings, 14th international particleboard symposium; 1980 April 2-5; Pullman, WA: Washington State University; 1980: 59-76.
- Gonsior, Michael J. A new concept for using the unusable. In: Land-use allocations: processes, people, politics, professionals: proceedings of the 1980 convention of the Society of American Foresters. Washington, DC: Society of American Foresters; 1981: 289-293.
- Gonsior, Michael J. Outlook for new harvesting technology. In: Harvesting and utilization opportunities for forest residues in the Northern Rocky Mountains: symposium proceedings; 1979 November 28-30; Missoula, MT. Gen. Tech. Rep. INT-110. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981: 113-146.
- Grantham, John B.; Howard, Jack [James] O. Logging residue as an energy source. In: Sarkanen, Kyosti V.; Tillman, David A., eds., Progress in biomass conversion. New York: Academic Press, Inc.; 1980: 1-35. Vol. 2.
- Hallock, Hiram. Cutting yields from standard hardwood lumber grades when gang ripping. Res. Pap. FPL-370. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1980. 12 p.
- Hallock, Hiram; Giese, Pamela. Does gang ripping hold the potential for higher clear cutting yields. Res. Pap. FPL-369. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory: 1980. 6 p.
- Hanks, Leland F.; Gammon, Glenn L.; Brisbin, Robert L.; Rast, Everette D. Hardwood log grades and lumber grade yields for factory lumber logs. Res. Pap. NE-468. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1980. 92 p.
- Hansen, Bruce G.; Reynolds, Hugh W. The SHOrt LOg process for producing pallet parts and pulpwood chips from southern hardwoods. In: Utilization of low-grade southern hardwoods: FPRS Symposium; 1980 October 6-8; Nashville, TN; Forest Products Research Society, Madison, WI; 1980: 156-162.

- Hart, C. Arthur. SIMSOR: a computer simulation of water sorption in wood. Wood and Fiber 13(1): 46-71; 1981.
- Harvey, A. E.; Jurgensen, M. F.; Larsen, M. J. Clearcut harvesting and ectomycorrhizae: survival of activity on residual roots and influence on a bordering forest stand in western Montana. Can. J. For. Res. 10(3): 300-303; 1981.
- Harvey, A. E.; Larsen, M. J.; Jurgensen, M. F. Forest management implications of improved residue utilization: biological implications in forest ecosystems. In: Harvesting and utilization opportunities for forest residues in the Northern Rocky Mountains: symposium proceedings; 1979 November 28-30; Missoula, MT. Gen. Tech. Rep. INT-110. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981: 259-267.
- Harvey, A. E.; Larsen, M. J.; Jurgensen, M. F. Partial cut harvesting and ectomycorrhizae; early effects in Douglas-fir-larch forests of western Montana. Can. J. For. Res. 10(3): 436-440; 1981.
- Howard, James. Wood biomass availability in the Pacific Northwest. In: Biofuel potential in the Pacific Northwest: proceedings of a technical workshop; 1981 February 24-25; Moscow, ID. Moscow, ID: Cooperative Extension Service, University of Idaho; Moscow, ID: Agricultural Experiment station, College of Agriculture, University of Idaho; 1981: 115-121.
- Huffman, J. B. Melaleuca wood and bark utilization research—a progress report. In: Proceedings, melaleuca symposium; 1980 Septemer 23-24; Ft. Myers, FL. Tallahassee, FL: Florida Division of Forestry; 1981: 37-68.
- Hunt, Douglas L.; Henley, John W. Uphill falling of old-growth Douglas-fir. Gen. Tech. Rep. PNW-122. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 48 p.
- James, William L.; Boone, R. Sidney. Capacitive electronic kiln monitors: some observations of their principles of operation. In: Proceedings western dry kiln clubs 31st annual meeting; 1980 May 8-9; Portland, OR. Portland, OR: Western Dry Kiln Clubs, Oregon State University Press; 1981: 59-89.

- Jokerst, Ronald W. Finger-jointed wood products. Res. Pap. FPL-382. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 25 p.
- Jokerst, R. W.; Lutz, J. F. Oak-cottonwood plywood: no delamination after five years. Plywood and Panel 22(1): 17-18; 1981.
- Jung, Joseph; Day, Judy. Strength of fasteners in parallel laminated veneer. Res. Pap. FPL-389. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 21 p.
- Kallio, Edwin; Benzie, John W. Red pine, an American wood. FS-255. Washington, DC: U.S. Department of Agriculture, Forest Service; 1980. 6 p.
- Kent, Albert C.; Rosen, Howard N.; Crotty, David A. Energy conservation in wood dryers using vent air energy recovery devices. For. Prod. J. 31(2): 43-49; 1981.
- Kent, Albert C.; Rosen, Howard N.; Hari, Bakshi M. Determination of equilibrium moisture content of yellow poplar sapwood above 100° C with the aid of an experimental psychrometer. Wood Sci. Tech. 15: 93-103; 1981.
- Koch, Peter. A concept for southern pine plantation operation in the year 2020. In: Proceedings, Weyerhaeuser Science Symposium No. 1, "Forest plantations—the shape of the future;" 1979 April 30-May 3; Tacoma, WA. Tacoma, WA: Weyerhaeuser Co. 1980: 69-85.
- Koch, Peter. Some thoughts on wood utilization research. Wood and Fiber 12: 215-216; 1980.
- Koch, Peter. Ways to burn wood for industrial use. In: Cutting energy costs. 1980 Yearbook of Agriculture. Washington, DC: U.S. Department of Agriculture; 1980: 314-322.
- Koch, Peter; Savage, Thomas E. Development of the swathe-felling mobile chipper. Amer. Logger and Lumberman 5(7): 15-18; 1980.
- Kozlik, Charles J.; Ward, James C. Properties and kiln-drying characteristics of young-growth western hemlock dimension lumber. For. Prod. J. 31(6): 45-53; 1981.

- Levi, M. P. A guide for using beetle-killed southern pine based on tree appearance. Agric. Handb. 572. Washington, DC: U.S. Department of Agriculture; 1981. 14 p.
- Lindell, Gary R. Opportunities for utilization research. In: Land-use allocation: processes, people, politics, professionals: proceedings, 1980 convention of Society of American Foresters; 1980 October 5-8, Spokane, WA: Society of American Foresters; 1981: 294-298.
- Lowery, David P. Extended use of residue for conventional solid wood products. In: Harvesting and utilization opportunities for forest residues in the Northern Rocky Mountains: symposium proceedings; 1979 November 28-30; Missoula, MT. Gen. Tech. Rep. INT-110. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountan Forest and Range Experiment Station; 1981: 181-189.
- Maeglin, Robert R. Forest Products Labs research provides warp free studs from Wisconsin hardwoods. Woodland Manage. 11(3): 8; 1981.
- Maeglin, Robert R.; Boone, R. Sidney. High quality studs from small hardwoods by the S-D-R process. In: Proceedings 23rd annual joint meeting Midwest Wood Seasoning Association and Wisconsin-Michigan Wood Seasoning Association; 1980 May 15-16; Mishicot, Wl. Madison, Wl: Midwest Wood Seasoning Association; 1980: 36-51.
- Maeglin, Robert R.; Bulgrin, Erwin H.; Hallock, Hiram Y. Yield comparisons between 4/4 lumber and SDR studs from small woods-run yellow-poplar logs. For. Prod. J. 31(3): 45-48; 1981.
- Marra, George G.; Youngquist, John A. Wood composites. Chemtech July: 418-421: 1981.
- Martens, David G.; Hansen, Bruce G. Manufacturing hardwood parquet flooring from southern hardwoods. In: Utilization of low grade southern hardwoods: FPRS Symposium; 1980 October 6-8; Nashville, TN; Forest Products Research Society, Madison, WI: 1980: 138-144.
- McAlister, Robert H. Evaluation of veneer yields and grades from yellow-poplar, white oak, and sweetgum from the Southeast. Res. Pap. SE-220. Asheville, NC: U.S Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981. 12 p.

- McDonald, Kent A.; Giese, Pamela J.; Woodfin, Richard O. 5/4 Ponderosa pine shop grade cutting yields. Res. Pap. FPL-394. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 12 p.
- McDonald, Kent A.; Szymani, Ryszard. Lumber defect detection using ultrasonics, microwaves and/or x-ray. In: Proceedings Du Bois D'Origine Vivante a la Matiere Premiere Industrielle (From silviculture through logging to our industrial raw material); 1980 November 27-28; Paris France: Centre Technique du Bois Press; 1981. 19 p.
- McMillin, Charles W.; Manwiller, Floyd G. The wood and bark of hardwoods growing on southern pine sites—a pictorial atlas. Gen. Tech. Rep. SO-20. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1980. 58 p.
- McMinn, James W. Available energy from wood. In: Conference proceedings and manual: Wood as an alternate energy resource for Appalachian industry and institutions; Raleigh, NC. Industrial Extension Service, North Carolina State University; 1981: 5-11.
- McMinn, James W.; Nutter, Wade L. Energy wood harvesting: a study of promises and pitfalls. Ga. For. Res. Pap. 17. Macon, GA: Georgia Forestry Commission; 1981. 6 p.
- McNab, W. Henry. Additional harvest available from windrows. South. Lumberman 241(2991): 106-107; 1980.
- McNab, W. Henry. A technique for inventorying volume and weights of windrowed forest residues. Res. Pap. SE-215. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Staton; 1980. 8 p.
- McNab, W. Henry. Inventorying windrowed logging residues. In: Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 234-237.

- McNatt, J. Dobbin; Galligan, William L. Wood diaphragm materials. In: Proceedings, Applied Technology Council workshop on horizontal wood diaphragms; 1979 November 19-20; Los Angeles, CA: Applied Technology Council: 1980: 17-49.
- Messina, M. G. [and others]. Biomass and nutrient relationships in Coastal Plain hardwoods. In: Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 242-247.
- Myers, George E. Investigation of urea-formaldehyde polymer cure by infrared. J. Appl. Polym. Sci. 26: 747-764; 1981.
- Myers, George E.; Nagaoka, Muneo. Emission of formaldehyde by particleboard: effect of ventilation rate and loading on air-contamination levels. For. Prod. J. 31(7): 39-44; 1981.
- Myers, George E.; Nagaoka, Muneo. Formaldehyde emission: methods of measurement and effects of several particleboard variables. Wood Sci. 13(3): 140-150; 1981.
- Nanko, H.; Côté, W. A. Bark structure of hardwoods grown on southern pine sites. Syracuse, N.Y.: Syracuse University Press; 1980. 56 p.
- Oderwald, Richard G.; Yaussy, Daniel A. Main stem green and dry weights of red oak, white oak, and maple in the Appalachian region of Virginia. Publ. FWS-3-80. Blacksburg, VA: Virginia Polytechnic Institute and State University; 1980. 34 p.
- O'Halloran, Michael R. Predicting buckling performance of plywood composite panels. Res. Rep. 144. Tacoma, WA: American Plywood Association; 1981. 24 p.
- Peterson, Theodore A.; Ermer, Donald S. Evaluation of alternative statistical techniques in use for monitoring sawmill machine-centers. Staff Pap. Series 12; Madison, WI: University of Wisconsin-Madison, Department of Forestry; 1981. 29 p.

- Phelps, J. E.; McGinnes, E. A. Jr. Color of black walnut—macroscopic and microscopic studies. In: Proceedings, 1980 IUFRO All Division 5 Conference; 1980 April 8-16; Oxford, UK. IUFRO Working Party S.5.01-02; 1980: 169-193.
- Phelps, J. E.; McGinnes, E. A. Jr. Discolorations and streaks in black walnut a microscopic evaluation. In: Proceedings, 1980 IUFRO All Division 5 Conference; 1980 April 8-16; Oxford, UK. IUFRO Working Party S.5.01-02; 1980: 99-112.
- Phillips, Douglas R. Predicted total-tree biomass of understory hardwoods. Res. Pap. SE-223. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981. 22 p.
- Phillips, Douglas R.; Saucier, Joseph R. Cruising procedures for estimating total stand biomass. Ga. For. Res. Pap. 14. Macon, GA: Georgia Forestry Commission; 1981. 7 p.
- Plank, Marlin E. Estimating value and volume of ponderosa pine trees by equations. Res. Pap. PNW-283. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 13 p.
- Price, Eddie W. Structural flakeboards from southern hardwoods. In:
 Proceedings, IUFRO S5.04, Wood Processing Subject Group; 1977 October
 3-7; Merida, Venezuela. Merida, Venezuela: Laboratorio Nacional de
 Productos Forestales; 1980. 12 p.
- Price, Eddie W.; Koch, Peter. A note on effects of kiln stick thickness and air velocity on drying time of southern pine 2 by 4 and 2 by 6 lumber. Wood and Fiber 13: 115-119; 1981.
- Price, Eddie W.; Koch, Peter. Kiln time and temperature affect shrinkage, warp, and mechanical properties of southern pine lumber. For. Prod. J. 30(8): 41-47; 1980.
- Risbrudt, Christopher D.; Ellis, Thomas H. Mill Residues. In: CRC handbook of biosolar resources, Vol. 11, resource materials. Boca Raton, FL: CRC Press, Inv; 1981: 527-536.

- River, Bryan H.; Gillespie, Robert H. Behavior of construction adhesives under long-term load. Res. Pap. FPL-400. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 14 p.
- River, Bryan H.; Gillespie, Robert H.; Baker, Andrew J. Accelerated aging of phenolic-bonded hardboards and flakeboards. Res. Pap. FPL-393. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 28 p.
- Rosen, Howard N. Drying hardwoods with impinging jets. Gen. Tech. Rep. NC-59. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 7 p.
- Rosen, Howard N. Drying lumber above atmospheric pressure—development of a prototype dryer. In: Proceedings, IUFRO Division V Conference; 1980 April 8-16; Oxford, England; 1980: 45-58.
- Rosen, Howard N. Drying of hardwoods with impinging jets. In: Proceedings, high density tropical woods: meeting of the Wood Gluing Working Party of IUFRO; 1977 October 2-9; Merida, Venezuela; National Laboratory of Forest Products; 1980: 24 p.
- Rosen, Howard N. Psychrometric relationships and equilibrium moisture content of wood at temperatures above 212° F. Wood and Fiber 12(3): 153-171; 1980.
- Rosen, Howard N.; Bodkin, Robert E. Development of a schedule for jet-drying yellow-poplar. For. Prod. J. 31(3): 39-44; 1981.
- Rosen, Howard N.; Chen, Peter Y. S. Drying lumber in a kiln with external solar collectors. In: American Institute of Chemical Engineers Symposium Series 76(200): 82-89; 1980.
- Rosen, Howard N.; Simpson, William T. Evaluating humidity at dry bulb temperatures above the normal boiling point of water—a research note. Wood and Fiber 13(2): 97-101; 1981.
- Rosen, Howard N.; Stewart, Harold A.; Polak, David J. Dimension yields from short logs of low-quality hardwood trees. Res. Pap. NC-184. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 22 p.

- Sampson, George R. Evaluating in-woods chipping feasibility. In: Proceedings of symposium on harvesting and utilization opportunities for forest residues in the Northern Rocky Mountains; 1979 November 28-30; Missoula, MT. Gen. Tech. Rep. INT-110. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981: 159-167.
- Sampson, George R.; Betters, David R.; Love, Robert. Processing potential for insect-infected Front Range forests. Resour. Bull. RM-1. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1980. 4 p.
- Sandoval, Antonio; River, Bryan H. Optimization of hot-melt bond strength through response surface analysis of several bonding variables. In: Proceedings, IUFRO Div. 5, forest products; 1977 October 2-9; Merida, Venezuela: 1980. 32 p.
- Satter, Larry D.; Baker, Andrew J.; Millett, Merrill A. Increasing the nutritive value of wood and forest products through chemical and physical treatments. In: Huber, John T., ed. Upgrading residues and by-products for animals. Boca Raton, FL: CRC Press, Inc.; 1981: 61-75.
- Saucier, Joseph R. Diversified use of wood for fuel—its potential and limitations. In: Timber demand: the future is now, P-80-29. Forest Products Research Society, Madison, WI. 1981: 154-157.
- Saucier, Joseph R. Effects of fast growth rate on wood quality and product yields. In: Proceedings of Technical Association of Pulp and Paper Industry. 1981: 435-437.
- Saucier, Joseph R. [and others]. Green weight, volume, board foot and cord tables for the major southern pine species. Ga. For. Res. Pap. 19. Macon, GA: Georgia Forestry Commission; 1981. 63 p.
- Saucier, Joseph R.; Phillips, Douglas R. Weight loss of summer stored sweetgum, yellow-poplar, red oak, and loblolly pine sawlogs. Ga. For. Res. Pap. 18. Macon, GA: Georgia Forestry Commission; 1981. 7 p.
- Schink, Bernhard; Ward, James C.; Zeikus, J. G. Microbiology of wetwood: role of anaerobic bacterial populations in living trees. J. Gen. Microb. 123: 313-322; 1981.

- Sendak, Paul E.; Morrow, Robert R.; Statts, Lewis J. Modified oil burners. Maple Syrup Dig. 21(1): 15-18; 1981.
- Simpson, W. Sorption theories applied to wood. Wood and Fiber 12(3): 183-195; 1980.
- Simpson, William T. Accelerating the kiln drying of oak. Res. Pap. FPL-378. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 8 p.
- Simpson, William T. Radio-frequency dielectric drying of short lengths of northern red oak. Res. Pap. FPL-377. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 8 p.
- Simpson, William T.; Rosen, Howard N. Equilibrium moisture content of wood at high temperatures. Wood and Fiber 13(3): 150-158; 1981.
- Simpson, William T.; Schroeder, James G. Kiln-drying hardwood dimension parts. Res. pap. FPL-388. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1980. 7 p.
- Simpson, William T.; Tschernitz, John L. Design and performance of a solar lumber dryer for tropical latitudes. In: Proceedings, wood drying group; IUFRO Div. 5; 1980 April 8-16; Oxford, England. Rotorua, New Zealand: New Zealand Forest Service. Forest Research Institute: 1981: 59-70.
- Sinclair, S.; Govett, R.; Bowyer, J. Potential lumber grade yields from balsam fir and spruce budworm killed balsam fir. Timber Bull. 36: 10-11; 1981.
- Snellgrove, Thomas A.; Cahill, James M. Dead western white pine: characteristics, product recovery, and problems associated with utilization. Res. Pap. PNW-270. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 94 p.
- Steele, Philip H.; Hallock, Hiram; Lunstrum, Stanford. Procedure and computer program to calculate machine contribution to sawmill recovery. Res. Pap. FPL-383. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 18 p.
- Stewart, Harold A. Some surfacing defects and problems related to wood moisture content. Wood and Fiber 12(3): 175-182; 1980.

- Skolmen, Roger G. Forest products utilization research needs. In: Proceedings, Hawaii Forestry/Wildlife Conference; 1980 October 2-4, Honolulu, HI. Honolulu, HI: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1981. 28-30.
- Talbott, John W. [and others]. Linear expansion design theory for COM-PLY panels. Res. Pap. SE-224. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981. 12 p.
- Vick, Charles B. Structural bonding of CCA-treated wood for foundation systems. For. Prod. J. 30(9): 25-32; 1981.
- Vick, Charles B. Structural bonding of CCA-treated wood foundations. Adhesive Age. 24(1): 31-35; 1981.
- Ward, J. C.; Pong, W. Y. Wetwood in trees: a timber resource problem. Gen. Tech. Rep. PNW-112. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980, 55 p.
- Ward, J. C.; Zeikus, J. G. Bacteriological, chemical and physical properties of wetwood in living trees. In: Natural variations of wood properties: IUFRO Working Party S.5.01-02, Div. 5; 1980 April 8-16; Oxford, England. Hamburg, West Germany: Buchhandlung Max Wiedebusch; 1980: 133-165.
- Wengert, Eugene M.; Donnelly, Dennis M. Lumber yield potential of aspen in the Rocky Mountains. Res. Pap. RM-227. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1980. 7 p.
- Westbrook, R. F.; Hertel, G. D.; Searcy, J. L. Wood products from beetle-killed wood. South. Lumberman 239: 8-9; 1981.
- White, M. S.; Curtis, M. L.; Green, D. W. Sampling probe for monitoring changes in storage piles of wood and bark particles. For. Prod. J. 30(8): 36-37; 1980.
- Wittenburg, Dick C. End bearing and joint strength of COM-PLY joists. Res. Pap. SE-222. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981. 10 p.
- Woodfin, Richard O. Jr. Care to compare your yields with results from research? For. Ind. 107(3): 36-37; 1980.

- Youngs, R. L. Forest products research in the Forest Service. For. Prod. J. 29(10): 56-60; 1979.
- Youngquist, John A. Laminated wood-based composites. In: Encycl. Chem. Tech. 14(3), New York: John Wiley & Sons; 1981: 1-41.
- Zerbe, John I. The contribution of wood to the energy picture. In: Proceedings, Wood: an alternate energy resource for Appalachian industry and institutions conference; 1981 April 7-8; Winston-Salem NC. Raleigh NC: Industrial Extension Service, North Carolina State University; 1981: 1-4.
- Zerbe, John I. Turning farm wastes into usable energy. In: Cutting energy costs. The 1980 Yearbook of Agriculture. Washington, DC: U.S. Department of Agriculture; 1980: 323-329.
- Zerbe, John I. Wood residue potential for energy. In: Proceedings, Bio-Energy '80; 1980 April 21-24; Atlanta, GA: The Georgia world congress center; 1980: 51-52.

Resource Economics

Forest Resource Evaluation

- Aldrich, Robert C. Limits of aerial photography for multiresource inventories. In: Lund, H. Gyde [and others], tech. coords. Arid land resource inventories: developing cost-efficient methods: an international workshop; 1980 November 30-December 6; La Paz, Mexico. Gen. Tech. Rep. WO-28. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 221-229.
- Alig, Ralph J.; Mills, Thomas J.; Shackelford, Robert L. Survey of soil bank plantations shows very high retention rate. For. Farmer 39(10): 8-9; 1980.
- Allison, Ray P. A low-cost x/y stereo carrier. Field Eng. Notes 13(2): 1-3; 1981.

- Amidon, Elliot L. DETECTIT: An algorithm for enhancing and editing images of wildlands. In: Lund, H. Gyde [and others], tech. coords. Arid land resource inventories: developing cost-efficient methods: an international workshop; 1980 November 30-December 6; La Paz, Mexico. Gen. Tech. Rep. WO-28. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 251-255.
- Anderson, Robert L. [and others]. Incidence and impact of damage to South Carolina's timber, 1979. Resour. Bull. SE-56. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station, 1981. 34 p.
- Barnard, Joseph E. Accessing existing data. In: Nonindustrial private forests: data and information needs conference proceedings; 1980 April 17-18; Durham, NC: Center for Resource and Environmental Policy Research, School of Forestry and Environmental Studies, Duke University; 1981: 121-122.
- Bassett, Patricia M.; Oswald, Daniel D. Timber resource statistics for Southwest Washington. Resour. Bull. PNW-91. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 24 p.
- Bechtold, William A.; Sheffield, Raymond M. Forest statistics for Florida, 1980. Resour. Bull. SE-58. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981. 41 p.
- Bellamy, Thomas R.; Hutchins, Cecil C., Jr. Southern pulpwood production, 1979. Resour. Bull. SE-57. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981. 22 p.
- Beltz, Roy C.; Keith, George C. Portable data recorders. In: Lund, H. Gyde [and others]. Arid land resource inventories: developing cost-efficient methods: an international workshop; 1980 November 30-December 6; La Paz, Mexico. Gen. Tech. Rep. WO-28. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 519-521.
- Birch, Thomas W.; Dennis, Donald F. The forest-land owners of Pennsylvania. Resour. Bull. NE-66. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1980. 90 p.

- Birdsey, Richard A., van Hees, Willem W. S.; Beltz, Roy C. Pine regeneration in Southwest Arkansas. Res. Pap. SO-165. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 10 p.
- Blyth, James E.; Bones, James T. Pulpwood production in the Northeast and North Central States in 1979. North. Logger and Timber Proc. 29(4): 16-17; 1980.
- Blyth, James E.; Smith, W. Brad. Pulpwood production in the North Central Region by county, 1978. Resour. Bull. NC-50. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station, 1980. 23 p.
- Blyth, James E.; Smith, W. Brad. Pulpwood production in the North Central Region by county, 1979. Resour. Bull. NC-56. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 22 p.
- Blyth, James E.; Whipple, James H.; Boelter, Allen H.; Wilhelm, Steven. Lake States primary forest industry and timber use, 1975. Resour. Bull. NC-49. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 39 p.
- Blyth, James; Zollner, Jack; Smith, W. Brad. Primary forest products industry and timber use, Michigan, 1977. Resour. Bull. NC-55. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 54 p.
- Bolsinger, Charles L. California forests: trends, problems, and opportunities. Resour. Bull. PNW-89; Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 230 p.
- Bolsinger, Charles L. Oaks in California's commercial forests—volume, stand structure, and defect characteristics. In: Proceedings of the symposium on the ecology, management, and utilization of California oaks. Gen. Tech. Rep. PSW-44. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980: 101-106.

- Bones, James T. Availability of wood for energy production in Kentucky. South. Lumberman 241(2992): 99-102; 1980.
- Bullard, Steven H.; Weaver, G. H.; van Hees, Willem W. S. Stand-age analysis of timber on Mississippi's private, nonindustrial forest. Bull. 896.
 Mississippi State, MS: Mississippi State University, Mississippi Agricultural and Forestry Experiment Station; 1981. 11 p.
- Carpenter, Eugene M. Wood fuel potential from harvested areas in the eastern United States. Resour. Bull. NC-51. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station, 1980. 14 p.
- Considine, Thomas J. Maryland's forests past and present. MD Conserv. 57(2): 22-25; 1981.
- Considine, Thomas J.; Powell, Douglas S. Forest statistics for Pennsylvania—1978. Resour. Bull. NE-65. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1980. 88 p.
- Cortner, Hanna J.; Schweitzer, Dennis L. Forest resource planning and reality: institutional problems and limitations. In: Proceedings, International Union of Forestry Research Organizations; symposium on forest management and planning; School of Forestry and Wildlife Res. Pub. FWS-1-81, Virginia Polytechnic Institute and State University; Blacksburg, VA; 1981: 11-26.
- Cortner, Hanna J.; Schweitzer, Dennis L. Institutional limits to national public planning for forest resources: the resources planning act. Nat. Resour. J. 21: 203-222; 1981.
- Cost, Noel D.; Craver, Gerald C. Distribution of melaleuca in South Florida measured from the air. In: Geiger R. K., compiler. Proceedings of melaleuca symposium; 1980 September 23-24; Fort Myers, FL. Tallahassee, FL: Florida Department of Agriculture and Consumer Services, Division of Forestry; 1981: 1-8.
- Dennis, Donald F. Estate planning for forest-landowners. Am. For. 81(1): 11-14: 1981.

- Dennis, Donald D. Maryland's forest-land owners. MD Conserv. 57(2): 4-7; 1981.
- Driscoll, Richard S. The quest for a uniform classification system for landuse allocation. In: Land-use allocations: processes, people, politics, professionals. Proceedings, 1980 Convention, Society of American Foresters; 1980 October 7; Spokane, WA: Society of American Foresters; 1981: 179-185.
- Driver, B. L.; Harris, Charles C. Improving measurement of the benefits of public outdoor recreation programs. In: Proceedings, Division 4, XVII World Forestry Congress; 1981 September 6-12; Kyoto, Japan. International Union of Forestry Research Organizations; 1981: 525-538.
- Felt, Dorothy, G. Forest area and timber resources statistics for the Beartooth working circle, Montana, 1977. Res. Bull. INT-24. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 22 p.
- Greentree, Wallace J.; LaBau, Vernon J. Considerations in using metric measurement units for timber inventories. Resour. Eval. Newsl. 9: 5-9; 1981.
- Hahn, Jerold T.; Smith, W. Brad. Timber resource of Minnesota's prairie unit, 1977. Resour. Bull. NC-45. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 66 p.
- Hann, David W. Development and evaluation of an even- and uneven-aged ponderosa pine/Arizona fescue stand simulator. Res. Pap. INT-267. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1980. 95 p.
- Howard, James O. Ratios for estimating logging residue in the Pacific Northwest. Res. Pap. PNW-288.Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 26 p.
- Hrubes, Robert J.; Rensi, Giuseppe. Implications of goal programming in forest resource allocation: some comments. For. Sci. 27(3): 454-459; 1981.

- Hutchins, Cecil C., Jr. Pulpwood prices in the Southeast, 1979. Res. Note SE-306. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981. 3 p.
- Jacobi, William R. [and others]. Multiresource inventories: procedures for assessing the damage caused by insects and diseases. Res. Pap. SE-221. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981. 11 p.
- Jakes, Pamela J. Minnesota's aspen resource. Res. Note NC-268. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 4 p.
- Jakes, Pamela J. Minnesota forest statistics: 1977. Resour. Bull. NC-53. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 85 p.
- Jakes, Pamela J. The fourth Minnesota forest inventory: area. Resour. Bull. NC-54. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 37 p.
- Jakes, Pamela J.; Smith, W. Brad. Predicted yields from selected cutting prescriptions in northern Minnesota. Res. Pap. NC-188. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 29 p.
- Kimes, D. S.; Smith, J. A. Simulation of solar radiation absorption in vegetation canopies. Applied Optics 19(16): 2801-2811; 1980.
- Kimes, D. S.; Smith, J. A.; Ranson, K. J. Vegetation reflectance measurements as a function of solar zenith angle. Photogramm. Eng. and Remote Sensing 46(12): 1563-1573; 1980.
- Kingsley, Neal P. The northeastern forest-land ownership study. In:
 Proceedings, nonindustrial private forests: data and information needs
 conference; 1980 April 17-18; Durham, NC: Center for Resource and
 Environmental Policy Research, School of Forestry and Environmental
 Studies, Duke University; 1981: 83-96.

- Kingsley, Neal P. The 1980-81 forest survey of Maine. In: The forest and Maine's future: proceedings of the 1981 Blaine House Conference on Forestry; 1981 January 21-22; Augusta, ME: Maine Department of Conservation; 1981: 80-84.
- LaBau, Vernon J. An application of two-phased sampling methods for determining sample intensities in multiresource vegetation assessments. In: Lund, H. Gyde [and others], tech. coords. Arid land resource inventories: developing cost-efficient methods: an international workshop; 1980 November 30-December 6; La Paz, Mexico. Gen. Tech. Rep. WO-28. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 369-376.
- Lund, H. Gyde [and others], tech. coords. Arid land resource inventories: developing cost-efficient methods: an international workshop; 1980 November 30-December 6; La Paz, Mexico. Gen. Tech. Rep. WO-28, Washington, DC: U.S. Department of Agriculture, Forest Service; 1981. 620 p.
- Lund, H. Gyde; Caballero-Deloya, Miguel. Arid land resource inventories: developing cost efficient methods. J. For. 79(6): 387-388; 1981.
- MacLean, Colin D. Opportunities for silvicultural treatment in western Oregon.
 Resour. Bull. PNW-90. Portland, OR: U.S. Department of Agriculture, Forest
 Service, Pacific Northwest Forest and Range Experiment Station; 1980.
 52 p.
- MacLean, Colin D. Walk-through inventory: a short-cut substitute for remeasuring slow-growing inventory plots. In: Lund, H. Gyde [and others], tech. coords. Arid land resource inventories: developing cost-efficient methods: an international workshop; 1980 November 30-December 6; La Paz, Mexico. Gen. Tech. Rep. WO-28. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 389-393.
- Merkel, Daniel L. The USA national site (land) classification system. In: Lund, H. Gyde [and others], tech. coords. Arid land resource inventories: developing cost-efficient methods; an international workshop; 1980 November 30-December; La Paz, Mexico. Gen. Tech. Rep. WO-28. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 56-60.

- Mroczynski, R. P.; Hoffer, R. M.; Nelson, R. F. Evaluation of Landsat data analysis for forest survey. In: LARS Tech. Rep. 101880. Purdue University Laboratory for Applications of Remote Sensing; West Lafayette, IN: 1980; 42 p.
- Murphy, Dennis L. Database management: a forest inventory application. Gen. Tech. Rep. NC-67. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 9 p.
- Nevel, Robert L.; Bones, James T. Northeastern pulpwood, 1979: an annual assessment of regional timber output. Resour. Bull. NE-67. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 28 p.
- Nevel, Robert L.; Redett, Robert B. Ohio timber industries—a periodic assessment of timber output. Resour. Bull. NE-64. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 33 p.
- Ostrom, Arnold J. Timber volume in Minnesota, 1977. Res. Note NC-262. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 6 p.
- Raile, Gerhard K.; Jakes, Pamela J. Tree biomass estimates for Minnesota's aspen-birch forest survey unit. Res. Note NC-267. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 6 p.
- Risbrudt, Christopher, D.; Ellis, Thomas H. Mill residues. In: CRC Handbook of Biosolar Resources. vol. II. Boca Raton, FL: CRC Press; 1981: 527-536.
- Rudis, Victor A. Tennessee forest industries, 1979. Resour. Bull. SO-81. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 16 p.
- Rudis, Victor A.; Jones, J. Greg. Oklahoma forest industries, 1978. Resour. Bull. SO-78. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 10 p.
- Schreuder, Hans T.; Lund, H. Gyde. Improved estimates through sample selection and estimation. Resour. Eval. Newsl. 8: 6-9; 1981.

- Schweitzer, Dennis L. Wildlife values information Forest Service requirements and availability. In: Shaw, W. W.; Zube, E. H., eds. Wildlife values. Instit. Series Rep. 1. Tucson, AZ: Center for Assessment of Noncommodity Natural Resource Values, School of Renewable Natural Resources, University of Arizona; 1980: 91-98.
- Scott, Charles T. Northeastern forest survey revised cubic foot volume equations. Res. Note NE-304. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981, 3 p.
- Sheffield, Raymond M. Forest statistics for Central Florida, 1980. Resour. Bull. SE-55. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981. 33 p.
- Sheffield, Raymond M. Forest statistics for Northeast Florida, 1980. Resour. Bull. SE-53. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1980. 33 p.
- Sheffield, Raymond M. Multiresource inventories: techniques for evaluating nongame bird habitat. Res. Pap. SE-218. Asheville, NC: U.S. Department of Ariculture, Forest Service, Southeastern Forest Experiment Station; 1981. 28 p.
- Sheffield, Raymond M. Virginia's pine resource: an interim assessment, 1981. Resour. Bull. SE-60. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981.16 p.
- Sheffield, Raymond M.; Bechtold, William A. Forest statistics for South Florida, 1980. Resour. Bull. SE-59. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981. 33 p.
- Smith, J. A.; Lin, Tzeu Lie; Ranson, K. J. The Lambertian assumption and Landsat data. Photogram. Eng. and Remote Sensing 46(9): 1183-1189; 1980.
- Smith, W. Brad; Weist, Carol A. Getting more out of word-processing. Resour. Eval. Newsl. 10: 2-4; 1981.
- Snell, J. A. Kendall; Anholt, Brian F. Predicting crown weight of coast Douglasfir and western hemlock. Res. Pap. PNW-281. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station: 1981. 21 p.

- Southern Forest Experiment Station. Forest statistics for Arkansas counties. Resour. Bull. SO-76. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1980. 77 p.
- Southern Forest Experiment Station. Forest statistics for Central Tennessee counties. Resour. Bull. SO-79. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 21 p.
- Spencer, John S., Jr. Factors influencing the hardwood timber supply in the North. In: Proceedings, eighth annual hardwood symposium; 1980 April 23-26. Cashiers, NC. Asheville, NC: Hardwood Research Council; 1980: 136-143.
- Spencer, John S., Jr. The latest look at lowa's forest. Iowa Conserv. 39(9): 5-6; 1980.
- Spencer, John S., Jr. Michigan's timber resource. In: Proceedings, Governor's Forestry Conference; 1980 September 25-26; Houghton, MI. Lansing, MI: Upper Great Lakes Regional Commission; 1981: 20-28.
- Spencer, John S.; Jakes, Pamela J. Iowa's forest resources, 1974. Resour. Bull. NC-52. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 90 p.
- Stoll, Robert J., Jr.; Donohoe, Robert W.; Worley, David P. Proceedings of Ohio private woodlands workshop, Ohio Department of Natural Resources, Division of Wildlife; 1980. 25 p.
- Thomas, Charles E.; Hedlund, Mary S. Thinning opportunities in the Midsouth. In: Proceedings, first biennial southern silvicultural research conference. Gen. Tech. Rep. SO-34. Atlanta, GA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 137-148.
- USDA Forest Service. Proceedings of Minnesota forest resource inventory conferences, May 14 and 16, 1980. Gen. Tech. Rep. NC-64. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 121 p.
- van Hees, Willem W. S. Arkansas forest: trends and prospects. Resour. Bull. SO-77. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 32 p.

- Van Hooser, Dwane D. Resource evaluation and residue: where we've been and where we're going. In: Harvesting and utilization opportunities for forest residues in the Northern Rocky Mountains: symposium proceedings; 1979 November 28-30; Missoula, MT. Gen. Tech. Rep. INT-110. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981: 27-32.
- Van Hooser, Dwane D.; Green, Alan W. Standardization, coordination, and cooperation among resource agencies. In: Lund, H. Gyde [and others], tech. coords. Arid land resource inventories: developing cost-efficient methods: an international workshop; 1980 November 30-December 6; La Paz, Mexico. Gen. Tech. Rep. WO-28. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 85-90.
- Wall, Brian R. Trends in commercial timberland area in the United States by State and ownership, 1952-77, with projections to 2030. Gen. Tech. Rep. WO-31, Washington, DC; U.S. Department of Agriculture, Forest Service; 1981. 42 p.
- Welch, Richard L.; Bellamy, Thomas R. Changes in output of industrial timber products in Virginia, 1976-1978. Resour. Bull. SE-54. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1980. 21 p.
- Wikstrom, John H.; Hoekstra, Thomas W. The analytical basis for integrated forest and rangeland ecosystem inventory. In: Lund, H. Gyde [and others], tech. coords. Arid land resource inventories: developing cost-efficient methods: an international workshop; 1980 November 30-December 6; La Paz, Mexico. Gen. Tech. Rep. WO-28. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 56-60.

Forest Economics

Alig, Ralph J.; Kurtz, William B.; Mills, Thomas J. Financial return estimates of alternative management strategies for 9- to 15-year-old southern pine plantations in Mississippi. South. J. Appl. For. 5(1): 3-7; 1981.

- Baumgras, John E. The yield of sawbolts and sawlogs from thinnings in Appalachian hardwoods. In: Research today is the key to profitability tomorrow: 9th annual hardwood symposium; 1981 May 25-28; Pipestem, WV. Asheville, NC: Hardwood Research Council; 1981: 46-52.
- Betters, David R.; Schaefer, James C. A generalized Monte Carlo simulation model for decision risk analyses. Can. J. For. Res. 11: 342-350; 1981.
- Blackburn, W. H.; DeHaven, M. G.; Hickman, C. A.; Jackson, B. D. Forest conservation practices in east Texas. MP-1488. College Station, TX: Texas A&M University, Texas Agricultural Experiment Station; 1981; 6 p.
- Brown, Thomas C. Tradeoff analysis in local land management planning. Gen. Tech. Rep. RM-82. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 12 p.
- Buongiorno, Joseph; Stier, Jeffrey C.; Gilless, James K. Economics of plant and firm size in the United States pulp and paper industries. Wood and Fiber 13(2): 102-114; 1981.
- Craft, E. Paul. Pallet stock yields from hardwood thinnings. In: Research today is the key to profitability tomorrow: 9th annual hardwood symposium; 1981 May 25-28; Pipestem, WV. Asheville, NC: Hardwood Research Council; 1981: 53-54.
- Craft, E. Paul; Emanuel, David M. Yield of pallet cants and lumber from hardwood poletimber thinnings. Res. Pap. NE-482. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 6 p.
- Cubbage, Frederick W.; Ellefson, Paul V. State forest practice laws: a major policy force unique to the natural resources community. Nat. Resour. Lawyer 13(2): 421-468; 1980.
- Dennis, Donald F. Estate planning for forest land owners. Am. For. 81(1): 11-14; 1981.
- Dutrow, G. F.; Devine, Hugh A. Economics of forest management for multiple outputs: timber and turkey. In: Habitat requirements and habitat management for the wild turkey in the Southeast; proceedings of the symposium; 1981 March 5-6; Richmond, VA. 1981: 114-121.

- Ferrante, Lynn M.; Thor, Edward C. Predicting events in the development of a coal surface mine in the West. Gen. Tech. Rep. PSW-41. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980. 11 p.
- Fight, Roger D. Planners guide for estimating cost per user-day of proposed recreational facilities. Gen. Tech. Rep. PNW-110. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 9 p.
- Fight, Roger D.; Dutrow, George F. Financial comparison of forest fertilization in the Pacific Northwest and the Southeast. J. For. 79(4): 214-215; 1981.
- Gansner, D. A. Estimating forest stand vulnerability to gypsy moth. In: Hazard-rating systems in forest insect pest management: symposium proceedings; 1980 July 30 August 1; Athens, GA. Gen. Tech, Rep. WO-27. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981; 150-155.
- Garrett, Lawrence D. Evaluating feedstock requirements of a 50-megawatt wood-fired electric generating plant. For. Prod. J. 31(1): 26-30; 1981.
- Gove, William G.; Nolley, Jean W. Vermont's secondary wood industry. Vermont Agency of Environmental Conservation; Department of Forests, Parks, and Recreation; 1981. 43 p.
- Guldin, Richard W. Predicting costs of eastern national forest wildernesses. J. Leisure Res. 13(2): 112-128; 1981.
- Harpole, George B.; McDonald, Kent A. Investment opportunity: A scanning-ultrasonics cut stock manufacturing system. Res. Pap. FPL-390. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 8 p.
- Hauenstein, Eric B.; Siegel, William C. Air quality laws in Southern States: effects on prescribed burning. South. J. Appl. For. 5(3): 132-145, 1981.
- Hauenstein, Eric B.; Siegel, William C. Forest and timber taxes in Louisiana, 1966-1977. Res. Pap. SO-168. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1980. 15 p.

- Herrick, O. W. Damage susceptability ratings as a catalyst to cost-effective forest pest management. In: Hazard-rating systems in forest insect pest management: symposium proceedings; 1980 July 30 August 1; Athens, GA. Gen. Tech. Rep. WO-27. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981; 156-159.
- Herrick, Owen W. Forest pest management economics application to the Gypsy Moth. For. Sci. 27(1): 128-138; 1981.
- Hickman, Clifford A. Cost-effectiveness of forestry nonpoint source pollution control measures. In: Proceedings, U.S. forestry and water quality: what course in the 80's? An analysis of environmental and economic issues; 1980 June 19-20; Richmond, VA. Washington, DC: Water Pollution Control Federation; 1980: 162-182.
- Hickman, Clifford A. Taxing rural land present use valuation helps prevent forced development. Tenn. Conserv. 47(5): 22-24; 1981.
- Hickman, Clifford A. Yours for the savings: Tennessee's land act. In: Tennessee Forestry Association, annual meeting magazine. Nashville, TN: Tennessee Forestry Association, 1981: 2 p.
- Hickman, Clifford A.; Gehlhausen, Randy J. Landowner interest in forestry assistance programs in East Texas. J. For. 79(4): 211-213; 1981.
- Hrubes, Robert J.; Rensi, Giuseppe. Implications of goal programming in forest resource allocation: some comments. For. Sci. 27(3): 454-459; 1981.
- Ince, Peter J. FPL press drying process: wood savings in linerboard manufacture. TAPPI 64(4): 107-109; 1981.
- Kaiser, H. Fred; Dutrow, George F. An agency perspective. In: Nonindustrial private forests: data and information needs; conference proceedings; 1980 April 17-18; Duke University, Durham, NC; Center for Resources and Environmental Policy Research, Duke University, Durham, NC; 1981: 19-25.
- Keegan, Charles E., III. The economic availability of forest residue in the Northern Rocky Mountains: a preliminary analysis. In: Harvesting and utilization opportunities for forest residues in the Northern Rocky Mountains: symposium proceedings; 1979 November 28-30; Missoula, MT. Gen. Tech. Rep. INT-110. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981: 55-63.

- Kierulff, Niel C.; Adams, Thomas C. Feasibility of generating electric power from forest residue. Portland, OR: U.S. Department of Energy, Bonneville Power Administration; 1980.
- Lothner, David C.; Rose, Dietmar; Zavitkovski, J.; Ferguson, Karen. A financial analysis of poplar intensive cultures in the Lake States. In: Proceedings, energy from biomass and wastes, V. 1981 January 26-30, Lake Buena Vista, Florida. Institute of Gas Technology, Chicago; 1981: 145-163.
- Loveless, Robert S., Jr.; Jackson, David H. Some economic aspects of the deadwood harvest on the Bitterroot National Forest. Res. Note 17.

 Missoula MT: University of Montana, Montana Forest and Conservation Experiment Station; 1981. 8 p.
- Marcin, Thomas C. Improved utilization of wood products for low-cost housing. In: Proceedings, second workshop on quality housing environment for rural low-income families; 1978 March 20-22; Knoxville, TN: Muscle Shoals, AL: National Fert. Dev. Center; 1980: 63-68.
- Marcin, Thomas C. Population change as related to long-term cycles in residential construction in the United States. Res. Pap. FPL 392. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 12 p.
- Massey, Joseph G.; McCollum, Michael P.; Anderson, Walter C. Cost of whole-tree chips for energy—Louisiana case study. For. Prod. J. 31(2): 34-38; 1981.
- Musser, Lloyd A.; Morse, Eric; Sassaman, Robert W. Environmental analysis: a ranger district's approach to NEPA. J. For. 79(2): 83-84; 1981.
- Navon, D. Integrating timber and transportation planning. In: Vodak, Mark C.; Leuschner, William A.; Navon, Daniel I., eds. Proceedings, symposium on forest management planning: present practice and future decisions. 1980 August 18-20; Blacksburg, VA.; School of Forest and Wildlife Resources. Pub. FWS-1-81; 1981; 94-107.
- Olson, Scott C.; Haney, Harry L., Jr.; Siegel, William C. State death tax implications for private nonindustrial forestry. For. Prod. J. 31(7): 28-38; 1981.

- Olson, Scott C.; Siegel, William C.; Haney, Harry L., Jr. Potential death tax implications for future timber supply from the nonindustrial private sector. In: 1981 workshop of the southern forest economics workers proceedings; 1981 March 16-19; Mt. View, AK. 1981: 8-22.
- Quink, Thomas F.; Nolley, Jean W.; Descamps, Peter B. Massachusetts' secondary wood industry: a utilization summary and directory. Department of Environmental Management; Division of Forests and Parks; 1980. 79 p.
- Richardson, Mary Lou; Betters, David R.; Sampson, George R. Productivity equations for forest vegetation treatment projects in the Colorado Front Range. Res. Pap. RM-230. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981.8 p.
- Rose, Dietmar; Ferguson, Karen; Lothner, David C.; Zavitkovski, J. An economic and energy analysis of poplar intensive cultures in the Lake States. Res. Pap. NC-196. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 44 p.
- Row, Clark; Kaiser, H. Fred; Sessions, John. Discount rate for long term Forest Service investments. J. For. 79(6): 367-369, 376; 1981.
- Rowe, Blake S.; Ellefson, Paul V. Development and management of Minnesota county administered forest land. St. Paul, MN: College of Forestry, University of Minnesota; 1981; Staff Paper Series 25. 57 p.
- Sassaman, Robert W. Threshold of concern: a technique for evaluating environmental impacts and amenity values. J. For. 79(2): 84-86; 1981.
- Schallau, C. H.; Wirth, M. E. Reinvestment rate and the analysis of forestry enterprises. J. For. 78(12): 740-742; 1980.
- Schallau, Con H. Stages of growth theory and money flows from commercial banks in timber-dependent communities. Res. Pap. PNW-279. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 16 p.

- Schweitzer, Dennis L. An economist's perspective of residues. In: Proceedings, symposium on harvesting and utilization opportunities for forest residues in the Northern Rocky Mountains. Gen. Tech. Rep. INT-110. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981: 273-279.
- Siegel, William C. Landowner liability law implications for public use of private forest land. In: Integrating timber and wildlife management in Southern States: 29th annual forestry symposium; 1980 April 9-10; Baton Rouge, LA: Louisiana State University, Division of Continuing Education; 1980: 17-24.
- Siegel, William C. The landowner liability puzzle. For. and People 31(3): 9-12, 38-41; 1981.
- Skog, Kenneth E. The economics of wood fuel use. In: Proceedings, 1979 Mid-America wood combustion conference; 1979 November 8-9; Traverse City, MI: Bloomington, MN: Mid-American Solar Energy Complex; 1980: 25-31.
- Spelter, Henry. FORDAT An economic data base and information retrieval system. Gen. Tech. Rep. FPL 33, Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 16 p.
- Sutherland, Charles F., Jr.; Siegel, William C.; Palena, David A. Using insurance to pay forest taxes at death. For. Farm. 40(3): 10, 15; 1981.
- Thompson, Jeffrey L.; Nolley, Jean W. Maryland's secondary wood industry. Maryland Forest Service; 1981. 70 p.
- Thor, Edward C. Playing the management game. West. Wildlands 7(2): 10-14; 1981.
- Vasievich, J. M. Timber stand improvement a method for determining profitaiblity. In: Research and research dissemination to encourage hardwood management and utilization of small ownerships: proceedings of the eighth annual hardwood symposium. 1980 April 23-26; Cashiers, NC: Hardwood Research Council; 1980: 100-117.

- Vasievich, J. M., Kaiser, H. F.; Dutrow, G. F. Public planning for nonindustrial forest ownerships in the United States: an example of changing needs in nationwide planning. In: Proceedings, International Union of Forestry Research Organizations symposium on forest management planning: present practices and future decisions; 1980 August 18-20; FWS-1-81: Blacksburg, VA: Department of Forestry, Virginia Polytechnic Institute and State University; 1981: 200-209.
- Withycombe, Richard. Applications of a cost model to Northern Rocky Mountain residues. In: Harvesting and utilization opportunities for forest residues in the Northern Rocky Mountains: symposium proceedings; 1979 November 28-30; Missoula MT. Gen. Tech. Rep. INT-110. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981: 45-54.

Supply, Demand, and Price Analysis

- Adams, Darius M.; Haynes, Richard W. The demand-supply price outlook for U.S. timber. In: Timber demand: the future is now: proceedings of a conference; 1980 September 9-11; New Orleans. P-80-29. Madison, WI: Forest Products Research Society; 1981: 43-55.
- Adams, Darius M.; Haynes, Richard W. The 1980 softwood timber assessment market model: structure, projections and policy simulations. For. Sci. Monogr. 22; 1980.
- Bilek, Edward M.; Ellefson, Paul V. The wood-based industry: trends in selected structural and economic factors through 1977. Staff Pap. Series 22. St. Paul, MN: Department of Forest Resources, College of Forestry, and Agricultural Experiment Station, Institute of Agriculture, Forestry, and Home Economics, University of Minnesota; 1981. 21 p.
- Carpenter, Eugene M. Flakeboard developments and effects on markets for roundwood in Minnesota. The Consultant 26(1): 17-21; 1981.
- Darr, David R.; Haynes, Richard; Adams, Darius M. The impact of the export and import of raw logs on domestic timber supplies and prices. Res. Pap. PNW-277. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 38 p.

- Donnelly, Dennis M.; Worth, Harold E. Potential for producing ponderosa pine plywood in the Black Hills. Resour. Bull. RM-4. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 43 p.
- Eisenman, Eric; Wensel, Lee C.; Thor, Edward C.; Stuart, Thomas W. Economic data for wildland planning and management in the Western United States: a source guide. Gen. Tech. Rep. PSW-42. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980; 125 p.
- Gallagher, Paul. An analysis of the softwood log trade between the United States and Japan. Tech. Bull. 330, For. Ser. 34. Minneapolis, MN: Agriculture Experiment Station, University of Minnesota; 1980. 19 p.
- Garrett, Lawrence D. Forests and woodlands—stored energy for our use. In: Cutting Energy Costs, The 1980 Yearbook of Agriculture. Washington, DC: U.S. Department of Agriculture; 1980: 101-108.
- Haynes, Richard W.; Connaughton, Kent P.; Adams, Darius M. Stumpage price projections for selected western species. Res. Note PNW-367. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 14 p.
- Hickman, Clifford A.; Jackson, Ben D. Economic outlook for the East Texas timber market. College Station, TX: Texas A&M University, Texas Agricultural Experiment Station; 1981; MP-1478. 13 p.
- Hof, John G. Problems in projecting recreation resource use through supply and demand analysis. In: Hawkins, D. D. [and others], eds. Tourism planning and development issues. Washington, DC: George Washington University Press; 1980: 443-461.
- Hutchins, Cecil C., Jr. Pulpwood prices in the Southeast, 1979. Res. Note SE-306. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981. 3 p.
- Ince, Peter J.; Galligan, William L.; Kallio, Edwin. Mills may profit with MSR grading. For. Ind. 107(11): 56; 1980.
- Kallio, Edwin. Marketing research and the small forest product manufacturer. For. Prod. J. 30(10): 65-70; 1980.

- Kallio, Edwin. Some trends in the production and marketing of wood trusses: 1975-1977. In: Proceedings, metal plate wood truss conference; 1979 November 14-16; St. Louis, MO. Madison, WI: Forest Products Research Society 1981; 190-197.
- Kallio, Edwin. The truss lumber research program. In: Proceedings, metal plate wood truss conference; 1979 November 14-16; St. Louis, MO. Madison, WI: Forest Products Research Society; 1981: 17-19.
- Luppold, William G.; Havlicek, Joseph, Jr. Demand, supply and price of hardwood lumber. Res. Rep. SP-81-6, Blacksburg, VA: Virginia Polytechnic Institute and State University, Department of Agricultural Economics; 1981. 12 p.
- Marcin, Thomas C.; Spelter, Henry. Trends in lumber used for housing. In: Proceedings, metal plate truss conference; 1979 November 14-16; St. Louis, MO: Madison, WI: Forest Products Research Society; 1981: 173-180.
- Markstrom, Donald C.; Worth, Harold E. Economic potential for particleboard production in the Black Hills. Resour. Bull. RM-5. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 30 p.
- Meadows, Dennis L.; Marshall, Norman. A simulation model to forecast growth in residential wood energy use. In: Proceedings, timber demand conference; 1980 September 9-11; New Orleans, LA: Madison, WI: Forest Products Research Society; 1981: 70-76.
- Phelps, Robert B. Outlook for timber products. In: 1981 agricultural outlook. Washington, DC: U.S. Senate Committee on Agriculture, Nutrition and Forestry; 1981: 298-305.
- Risbrudt, Christopher D.; Stone, Robert N. Trends and patterns in wood products consumption and production. In: Proceedings, timber demand conference; 1980 September 9-11; New Orleans, LA: Madison, WI: Forest Products Research Society; 1981: 24-34.
- Ruderman, Florence K. Production, prices, employment, and trade in Northwest forest industries, first quarter 1980. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 57 p.

- Ruderman, Florence K. Production, prices, employment, and trade in Northwest forest industries, fourth quarter 1980. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 46 p.
- Ruderman, Florence K. Production, prices, employment, and trade in Northwest forest industries, second quarter 1980. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 71 p.
- Ruderman, Florence K. Production, prices, employment, and trade in Northwest forest industries, third quarter 1980. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 47 p.
- Rudis, Victor A. Pulpwood prices jump a record 19% in 1979. South. Pulp and Paper 44(4): 14; 1981.
- Stone, Robert N. Forecasting timber demand: State-of-the-art. In: Proceedings P-80-29, timber demand: the future is now; 1980 September 9-11; New Orleans, LA: Madision, WI: Forest Products Research Society; 1981: 65.
- Stone, Robert N. Projected timber demand—where are we headed. In:
 Proceedings P-80-29, timber demand: the future is now; 1980 September
 9-11; New Orleans, LA: Madision, WI: Forest Products Research Society;
 1981: 23.
- Stone, Robert N.; Phelps, Robert B. Prospective U.S. wood use situation. For. Prod. J. 30(10): 51-56; 1980.
- Ueda, Michihiko; Darr, David R. The outlook for housing in Japan to the year 2000. Res. Pap. PNW-276. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 46 p.
- Ulrich, Alice H. U.S. Timber production, trade, consumption and price statistics, 1950-80. Misc. Pub. 1408. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981. 81 p.
- Watts, Myles J.; Downer, Ronald J. Public and private grazing resources in Montana with emphasis on Forest Service administered grazing. Res. Rep. 164. Bozeman, MT: Montana Agricultural Experiment Station; 1980. 16 p.

Insects and Diseases

Insect Detection and Evaluation

- Ballard, Richard G.; Walsh, Michael A.; Cole, Walter E. Beetle kill in the lodgepole pine. Utah Science 41(3): 77-81; 1981.
- Batzer, Harold O.; Hastings, Arthur R. How to rate spruce-fir vulnerability to budworm in Minnesota. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 4 p.
- Carolin, V. M. Jr.; Stevens, Robert E. Key to large Lepidopterous larvae on new foliage of Douglas-fir and true firs. Res. Note RM-401. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 4 p.
- Cole, Walter E. Some risks and causes of mortality in mountain pine beetle populations: a long-term analysis. Res. Population Ecol. 23(1): 116-144; 1981.
- Cole, Walter E.; Amman, Gene D. Mountain pine beetle dynamics in lodgepole pine forests. Part 1: course of an infestation. Gen. Tech. Rep. INT-89. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1980. 56 p.
- Corneil, Jeffrey A.; Wilson, Louis F. How to identify and control pales weevil in Christmas tree plantations. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station, 1981. 6 p.
- Coster, J. E.; Searcy, J. L., eds. Site, stand and host characteristics of southern pine beetle infestations. Tech. Bull. 1612. Washington, DC: U.S. Department of Agriculture; 1981. 115 p.
- Coulson, R. N. [and others]. Continuous population estimates for *Dendroctonus frontalis* Zimm. (Coleoptera:Scolytidae) occurring in infestations. Res. Pop. Ecol. 22: 117-135; 1980.
- Donley, D. E. Number, size and location of red oak borer, *Enaphalodes rufulus* (Hald.), attack sites on red oaks in Indiana. In: Proceedings, 1980 central hardwood forestry conference III; Columbia, MO, 1980: 458-465.

- Donley, D. E.; Acciavatti, R. E. Red oak borer. For. Insect and Disease Leafl. 163. Washington, DC: U.S. Department of Agriculture, Forest Service, 1980. 7 p.
- Dull, C. W. LORAN-C radio navigation systems as an aid to southern pine beetle surveys. Agric. Handb. 567. Washington, DC: U.S. Department of Agriculture; 1980. 15 p.
- Ebel, Bernard H. [and others]. Seed and cone insects of southern pines. Gen. Tech. Rep. SE-8. rev. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station and Atlanta, GA: Southeastern Area State and Private Forestry; 1980. 43 p.
- Fatzinger, Carl W. [and others]. Identification and sequential occurrence of mortality factors affecting seed yields of southern pine seed orchards. Res. Pap. 216. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1980. 43 p.
- Ferrell, George T. Growth of white fir defoliated by Modoc budworm in northeastern California. Res. Pap. PSW-153. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980; 9 p.
- Fowler, G. W.; Simmons, G. A. More accurate estimators for spruce budworm egg mass density (Lepidoptera:Tortricidae). Great Lakes Entomol. 13(3): 151-7; 1980.
- Gagne, J. A. [and others]. An analysis of estimators of trends in southern pine beetle populations. Environ. Entomol. 10: 31-38; 1981.
- Gold, H. J.; Mawby, W. D.; Hain, F. P. A modeling hierarchy for southern pine beetle. In: Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture, Forest Service; 1980: 119-131.
- Hain, F. P. Sampling and predicting population trends. In: The southern pine beetle. Tech. Bull. 1631. Washington, DC: U.S. Department of Agriculture; 1980: 107-135.

- Hedden, R. L. [and others]. Impact of Nantucket pine tip moth attack on young loblolly pine biomass. In: Barnett, James P., ed. Proceedings of the first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 238-241.
- Heller, Robert C.; Sadar, Steven A. Rating the risk of tussock moth defoliation using aerial photographs. Agric. Handb. 569. Washington, DC: U.S. Department of Agriculture; 1980. 22 p.
- Heyd, Robert L.; Wilson, Louis F. Predicting Iosses from the Saratoga spittlebug for red pine management decisions. In: Proceedings, 1980 Society of American Foresters, Wisconsin-Michigan Section Meeting; 1980 September 18-19; Marquette, MI. Marquette, MI: Society of American Foresters, Upper Peninsula Chapter; 1981: 14-23.
- Hicks, R. R., Jr.; Howard, J. E.; Watterston, K. G.; Coster, J. E. Rating east Texas stands for southern pine beetle susceptibility. South. J. Appl. For. 5: 7-10; 1981.
- Hines, G. S.; Taha, H. A.; Stephen, F. M. Model for predicting southern pine beetle population growth and tree mortality. In: Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture, Forest Service; 1980: 4-12.
- Holsten, Edward H.; Werner, Richard A.; Laurent, Thomas H. Insects and diseases of Alaskan forests. Alaska Reg. Rep. 75. Juneau, AK: U.S. Department of Agriculture, Forest Service, Alaska Region; 1980. 157 p.
- Kucera, D. R.; Orr, P. W. Spruce budworm in the eastern United States. Forest Insect and Disease Leaflet 160. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981. 7 p.
- Leuschner, W. A. Impacts of the southern pine beetle. In: The southern pine beetle. Tech. Bull. 1631. Washington, DC: U.S. Department of Agriculture; 1980: 137-151.

- Mahunka, Sandor; Moser, John C. *Scutacarus scolyti* sp. n. a new scutacarid species (Acari: Tarsonemina) from Germany. Parasit. Hung 13: 99-102; 1980.
- Marsden, Michael A.; Furniss, Malcolm M.; Kline, LeRoy N. Modeling seasonal abundance of Douglas-fir beetle in relation to entomophagous insects and location in trees. Gen. Tech. Rep. INT-111. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 22 p.
- Martignoni, M. E. A catalogue of viral diseases of insects, mites and ticks. In: Burges, H. D., ed. Microbial control of pests and plant diseases 1970-1980. New York: Academic Press; 1981: 899-913.
- Mason, R. R. Host foliage in the susceptibility of forest sites in central California to outbreaks of the Douglas-fir tussock moth, *Orgyia pseudotsugara* (Lepidoptera: Lymantriidae). Can. Entomol. 113: 325-332; 1981.
- Mason, Richard R. Numerical analysis of the causes of population collapse in a severe outbreak of the Douglas-fir tussock moth. Ann. Entomol. Soc. Am. 74(1): 51-57; 1981.
- McCambridge, W. F. What's that chewing in my woodpile? Colorado Outdoors 29: 34-35; 1980.
- McManus, M. L. The gypsy moth. Forest Insect and Disease Leafl. 162. Washington, DC: U.S. Department of Agriculture; Forest Service. 1980. 10 p.
- Moore, Gordon E. [and others]. Emergence: attack ratio as a predictor of southern pine-beetle-caused tree mortality. In: Modeling southern pine beetle populations symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture, 1980: 169-171.
- Mosher, D. G. [and others]. 1980 Michigan forest pest report. Annual Report 80-1; East Lansing, MI: Michigan forest pest management program; 1981. 33 p.

- Nebeker, T. E. How to interpret radiographs of bark samples from beetleinfested pines. Agric. Handb. 577. Washington, DC: U.S. Department of Agriculture, 1981. 14 p.
- Porterfield, R. L.; Rowell, C. W. Characteristics of southern pine beetle infestations southwide. In: Site, stand and host characteristics of southern pine beetle infestations. Tech. Bull. No. 1612. Washington, DC: U.S. Department of Agriculture; 1981: 87-108.
- Reed, D. D. [and others]. A regional southern pine beetle damage projection system. In: Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22. Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture, 1980: 132-144.
- Reed, D. D.; Burkhart, H. E.; Leuschner, W. A. Long term, regional projections of southern pine beetle damages. In: Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture, 1980: 152-156.
- Rexrode, Charles O. Gum spots in black cherry caused by natural attacks of peach bark beetle. Res. Pap. NE-474. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981 5 p.
- Rexrode, Charles O. Insects that deform black cherry. J. N.Y. Entomol. Soc. 88(1): 67-68; 1980.
- Ryan, George W. [and others]. Attack:emergence ratio as an indicator of area southern pine beetle population trends and expected timber mortality in the Piedmont of Georgia. In: Modeling southern pine beetle populations symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture. 1980: 164-167.
- Samuelson, G. A. A synopsis of Hawaiian Xyloborini (Coleoptera: Scolytidae). Pacific Insects 23(1,2): 50-92; 1981.
- Schreuder, H. T.; Clerke, W. H.; Barry, P. J.; Holland, D. Two-stage stratified sampling with regression to assess southern pine beetle damage. Res. Pap. SE-212. Asheville, N.C., U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station, 1981. 6 p.

- Solomon, J. D. [and others]. OAK PESTS—a guide to major insects, diseases, air pollution and chemical injury. Gen. Rep. SA-GR11. Atlanta, GA: U.S. Department of Agriculture, Forest Service, Southeastern Area State and Private Forestry; 1980. 69 p.
- Srivastava, Nilima; Beckwith, Roy C.; Campbell, Robert W.; Torgersen, Torolf R. A method for sampling western spruce budworm pupae. Res. Note PNW-372. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 12 p.
- USDA Forest Service. Spruce budworm and elk: can they live together? U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, CANUSA Program, June 1980.
- Van Epps, Gordon A.; Furniss, Malcolm M. Walnut spanworm: a new defoliator of Utah's bitterbrush. Utah Sci. 42(2): 80-85; 1981.
- Weber, Barbara C.; Anderson, Robert L.; Hoffard, William H. How to diagnose black walnut damage. Gen. Tech. Rep. NC-57. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 21 p.
- Wickman, B. E.; Henshaw, D. L.; Gollob, S. K. Radial growth in grand fir and Douglas-fir related to defoliation by the Douglas-fir tussock moth in the Blue Mountains outbreak. Res. Pap. PNW-269. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 50 p.
- Wilson, Louis F.; Corneil, Jeffrey A. Distinguishing pales weevil from other dead-stump insects. Michigan Christmas Tree J. 22: 15; 1980.
- Wilson, Louis F; Mosher, Daniel G. How to identify and control pine spittlebug. U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station, Pamphlet HT-52; 1981.
- Wilson, Louis F.; Ostry, Michael E. How to identify and prevent injury by the poplar-gall saperda. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 5 p.
- Witter, J. A. [and others]. The spruce budworm with emphasis on impact and damage assessment studies in Michigan's Upper Peninsula. Univ. Michigan School Nat. Res. News 19:5-7, 1980.

Insect Biology

- Albert, P. J. Morphology and innervation of mouthpart sensilla in larvae of the spruce budworm *Choristoneura fumiferana* (Clem.) (Lepidoptera:Tortricidae). Can. J. Zool. 58: 842-51; 1980.
- Batzer, Harold O.; Jennings, Daniel T. Numerical analysis of a jack pine budworm outbreak in various densities of jack pine. Environ. Entomol. 9(5): 514-524; 1980.
- Bedard, William D. [and others]. Effects of verbenone and *trans*-verbenol on the response of *Dendroctonus brevicomis* to natural and synthetic attractant in the field. J. Chem. Ecol. 6(6): 997-1013; 1980.
- Berisford, C. W. Natural enemies and associated organisms. In: The southern pine beetle. Tech. Bull. 1631. Washington, DC: U.S. Department of Agriculture; 1980: 31-52.
- Bridges, J. Robert. Nitrogen-fixing bacteria associated with bark beetles. Microb. Ecol. 7: 131-137; 1981.
- Bunt, W. D.; Coster, J. E.; Johnson, P. C. Behavior of the southern pine beetle on the bark of host trees during mass attack. Ann. Entomol. Soc. Amer. 73: 647-652; 1980.
- Byers, J. A.; Wood, D. L. Antibiotic-induced inhibition of pheromone synthesis in a bark beetle. Science 213: 763-64; 1981.
- Byers, J. A.; Wood, D. L. Interspecific effects of pheromones on the attraction of the bark beetles, *Dendroctonus brevicomis* and *Ips paraconfusus* in the laboratory. J. Chem. Ecol. 7(1): 9-18; 1981.
- Cole, Walter E.; Guymon, E. Park; Jensen, Chester C. Monoterpenes of lodgepole pine phloem as related to mountain pine beetles. Res. Pap. INT-281. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 10 p.
- Coulson, R. N. Population dynamics. In: The southern pine beetle. Tech. Bull. 1631. Washington, DC: U.S. Department of Agriculture; 1980: 71-105.

- DeBarr, Gary L.; Berisford, C. Wayne. Attraction of webbing coneworm males to female sex pheromone. Environ. Entomol. 10: 119-121; 1981.
- DeMars, C. J.; Hain, F. P. Bark beetle dispersal related to patterns of tree mortality and wind. Proceedings, 2nd IUFRO conference on disperal of forest insects: evaluation, theory and management implications; 1979 August 27-31; Sandpoint, ID. Pullman, WA: Washington State Univ.; 1980: 67-78.
- Dix, M. E.; Franklin, R. T. Observations on the behavior of the southern pine beetle parasite *Roptrocerus eccopogastri* Ratz. (Hymenoptera: Torymidae). J. Ga. Entomol. Soc. 16: 239-248; 1981.
- Dixon, W. N.; Payne, T. L. Attraction of entomophagous and associate insects of the southern pine beetle to beetle- and host tree-produced volatiles. J. Ga. Entomol. Soc. 15: 378-389; 1980.
- Donley, D. E. Pennsylvania oak borers. Penn. For. 71(2): 9-10; 1981.
- Drooz, A. T.; Solomon, J. D. Rearing the egg parasite *Ooencyrtus ennomophagus* (Hymenoptera: Encyrtidae) on eggs of *Clostera inclusa* (Lepidoptera: Notodontidae) kept below freezing. Can. Entomol. 122: 739-740; 1980.
- Ebel, Bernard H. [and others]. Nymphal instars of *Leptoglossus corculus* (say) with comparisons to the adult (Hemiptera: Coreidae). J. Ga. Entomol. Soc. 16: 157-171: 1981.
- Elkinton, J. S.; Wood, D. L. Feeding and boring behavior of the bark beetle *lps* paraconfusus (Coleoptera: Scolytidae) on the bark of a host and non-host tree species. Can. Entomol. 122: 797-809. 1981.
- Elkinton, J. S.; Wood, D. L.; Browne, L. E. Feeding and boring behavior of the bark beetle, *Ips paraconfusus*, in extracts of ponderosa pine phloem. J. Chem. Ecol. 7(1): 209-220. 1981.
- Elkinton, J. S.; Wood, D. L.; Hendry, L. B. Pheromone production by the bark beetle, *Ips paraconfusus*, in the nonhost, white fir. J. Chem. Ecol. 6(6): 979-987, 1980.

- Fares, Y.; Goeschl, J. D.; Sharpe, P. J. H. Dynamics of bark beetle-fungus symbiosis. I. Pine tree anatomy and fungus growth pattern. In: Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Ariculture; 1980: 54-61.
- Fares, Y.; Magnuson, C. E.; Doraiswamy, P. C.; Sharpe, P. J. H. Dynamics of bark beetle-fungus symbiosis. II. Pine tree drying model. In: Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture; 1980: 61-74.
- Fares, Y.; Sharpe, P. J. H.; Magnuson, C. E. Pheromone dispersion in a forested ecosystem. In: Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture; 1980: 75-93.
- Fedde, Vicki H. Development of the elm spanworm, *Ennomos subsignarius*, on artificial diet. Ann. Entomol. Soc. Am. 73: 668-670; 1980.
- Feldman, R. M.; Curry, G. L.; Coulson, R. N. The use and structure of the TAMBEETLE spot dynamics model. In: Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture; 1980: 20-29.
- Foltz, J. L.; Pulley, P. E.; Pope, D. N. Evaluating the contribution of component processes in the dynamics of southern pine beetle infestations. In: Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture; 1980: 109-118.
- Force, Don C. Postfire insect succession in southern California chaparral. Amer. Nat. 117: 575-582; 1981.
- Frazier, J. L.; Nebeker, T. E.; Mizell, R. F.; Calvert, W. H. Predatory behavior of the clerid beetle *Thanasimus dubius* (Coleoptera: Cleridae) on the southern pine beetle (Coleoptera:Scolytidae). Canad. Entomol. 115: 35-43; 1981.

- Furniss, M. M. Pruebas de cruzamiento entre poblaciones de *Dendroctonus*Hopk. Procedentes de Chihuahua, Mexico, e Idaho, EUA. In: Ier Symposio
 nacional sobre parasitologia forestal; 1980 February 18-19; Urapan,
 Mexico; 1981: 178-180.
- Furniss, M. M.; Cibrian, Tovar D. [Reproductive compatibility and insect associates of *Dendroctonus pseudotsugae* Hopkins from Chihuahua, Mexico and Idaho, United States.] Folia Entomol. Mexicana 14: 129-142; 1980.
- Gagne, J. A.; Sharpe, P. J. H.; Coulson, R. N.; Wagner, T. L. Modeling southern pine beetle reemergence and emergence as functions of temperature. In: Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture; 1980: 30-39.
- Garguillo, P. M.; Berisford, C. W. Effects of host density and bark thickness on the densities of parasites of the southern pine beetle. Environ. Entomol. 10: 392-399; 1981.
- Gosling, N. W. Understanding the spruce budworm in Michigan. Nat'l. Woodlands, March-April, 8-10; 1981.
- Hanula, James L. [and others]. Response of *Dioryctria amatella* males to crude pheromone extracts in laboratory bioassays. Environ. Entomol. 10: 230-232; 1981.
- Harrington, T. C.; Furniss, M. M.; Shaw, Charles Gardner. Dissemination of hymenomycetes by *Dendroctonus pseudotsugae* (Coleoptera:Scolytidae). Phytopathology. 71(5): 551-554; 1981.
- Hedden, R. L.; Reed, D. D. Southern pine beetle: Factors influencing the growth and decline of summer infestations. In: Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture; 1980: 145-151.
- Howard, Ralph W.; McDaniel, C. A.; Nelson, Dennis R.; Blomquist, Gary. Chemical ionization mass spectrometry. Application to insect-derived cuticular alkanes. J. Chem. Ecol. 6(3): 609-623; 1980.

- Hynum, B. G. Models of the attack process for the southern pine beetle on individual loblolly pines. In: Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture; 1980: 94-97.
- Kennedy, Bruce H. Oviposition by *Dendrosoter protuberans* (Hymenoptera: Braconidae) on larvae of *Scolytus multistriatus* (Coleoptera: Scolytidae) occupied by larvae of *Entedon leucogramma* (Hymenoptera: Eulophidae). Great Lakes Entomol. 14: 109-112; 1981.
- Kinn, D. N. Mutualism between *Dendrolaelaps neodisetus* and *Dendroctonus frontalis*. Environ. Entomol. 9(6): 756-758; 1980.
- Kinn, D. N.: Stephen, F. M. The incidence of endoparasitism of *Dendroctonus* frontalis Zimm. (Coleoptera: Scolytidae) by Contortylenchus brevicomi (Massey) Ruhm. Z. ang. Entomol. 91: 452-458; 1981.
- Kinn, Donald N.; Miller, Mitchel C. A phloem sandwich unit for observing bark beetles, associated predators, and parasites. Res. Note SO-269. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 3 p.
- Kudon, L. H.; Berisford, C. W. Identification of host origin of parasites of bark beetles (Coleoptera:Scolytidae) by fatty acid composition. Can. Entomol. 113: 205-212; 1981.
- Kudon, L. H.; Berisford, C. W. An olfactometer for bark beetle parasites. J. Chem. Ecol. 7: 359-366; 1981.
- Lanier, Gerald N.; Peacock, John W. Vectors of the pathogen. In: Stipes, R. Jay; Campana, Richard J. eds. Compendium of elm diseases. Am. Phytopath. Soc.; 1981: 14-16.
- Lewis, Robert E.; Maser, Chris. Invertebrates of the H. J. Andrews Experimental Forest, western Cascades, Oregon: 1. An annotated checklist of fleas. Res. Note PNW-378. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 10 p.

- Look, Melvin. Liquid chromatographic determination of submicrogram amounts of ipsenol and ipsdienol, pheromone compounds of *lps paraconfusus* Lanier. J. Chromatogr. 202: 148-150; 1980.
- Lorimer, Nancy. Long-term survival of introduced genes in a natural population of *Aedes aegypti* (L.) (Diptera: Culicidae). Bull. Ent. Res. 71: 129-132; 1981.
- Lorio, Peter L., Jr. Loblolly pine stocking levels affect potential for southern pine beetle infestation. South. J. Appl. For. 4: 162-165; 1980.
- Martignoni, Mauro E.; Iwai, Paul J.; Rohrmann, George F. Serum neutralization of nucleopolyhedrosis virus (*Baculovirus* subgroup A) pathogenic for *Orgyia pseudotsugara*. J. Invertebr. Pathol. 36: 12-20; 1980.
- Mattson, William J., Jr. Cone resources and the ecology of the red pine cone beetle, *Conophthorus resinosae* (Coleoptera: Scolytidae). Annals Entomol. Soc. Am. 73(4): 390-396; 1980.
- Mattson, William J., Jr. Herbivory in relation to plant nitrogen content. Ann. Rev. Ecol. Syst. 11: 119-161; 1980.
- McDonald, Geral I. Differential defoliation of neighboring Douglas-fir trees by western spruce budworm. Res. Note INT-306. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 10 p.
- McPherson, J. E.; Weber, B. C. Seasonal flight patterns of Hemiptera in a North Carolina black walnut plantation. 1. Pentatomoidea. Great Lakes Entomol. 13(4): 177-183; 1980.
- McPherson, J. E.; Weber, B. C. Seasonal flight patterns of Hemiptera in a North Carolina black walnut plantation. 2. Coreoidea. Great Lakes Entomol. 14(1): 11-13; 1981.
- McPherson, J. E.; Weber, B. C. Seasonal flight patterns of Hemiptera in a North Carolina black walnut plantation. 3. Reduvioidea. Great Lakes Entomol. 14(1): 15-17; 1981.
- McPherson, J. E.; Weber, B. C. Seasonal flight patterns of Hemiptera in a North Carolina black walnut plantation. 4. Cimicoidea. Great Lakes Entomol. 14(1): 19-22; 1981.

- Merritt, Richard M.; Wallace, J. Bruce. Filter-feeding insects. Sci. Am. 244: 131-144; 1981.
- Miller, M. C. Evaluation of enzyme-linked immunosorbent assay of narrow- and broad-spectrum anti-adult southern pine beetle serum. Ann. Entomol. Soc. Am. 74: 279-282; 1981.
- Mizell, R. F. III; Nebeker, T. E. Within-tree distribution of the pupae of *Thanasimus dubius* (Coleoptera:Cleridae), a predator of the southern pine beetle (Coleoptera:Scolytidae). Can. Entomol. 113: 387-394; 1981.
- Moeck, H. A.; Wood, D. L.; Lindahl, K. Q. Host selection behavior of bark beetles (Coleoptera: Scolytidae) attacking *Pinus ponderosa*, with special emphasis on the western pine beetle, *Dendroctorius brevicomis*. J. Chem. Ecol. 7(1): 49-83; 1981.
- Moser, John C.; Dell, T. R. Weather factors predicting populations of a clerid predator and its prey, the southern pine beetle. In: Proceedings of the second IUFRO conference; 1979 September 27-31; Sandpoint, ID. Pullman, WA: Washington State University; Cooperative Extension Service, 1980: 266-278.
- Muggli, Jocelyn M.; Miller, William E. Instar head widths, individual biomass, and development rate of forest tent caterpillar, *Malacosoma disstria* (Lepidopteria: Lasiocampidae) at two densities in the laboratory. Great Lakes Entomol. 13(4): 207-209, 1980.
- Nebeker, T. E.; Hackney, O. P.; Hocking, R. R. Indirect estimation of southern pine beetle (Coleoptera:Scolytidae) gallery length utilizing host characteristics. Can. Entomol. 113: 119-203; 1981.
- Nebeker, T. E.; Mizell, R. F. III. Behavioral considerations in quantifying the impact of *Thanasimus dubius* (F.) adults on bark beetle populations. In: Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture; 1980: 98-108.
- Nelson, Dennis R. [and others]. Re-analysis of the cuticular methylalkanes of *Solenopsis invicta* and *S. richteri*. Insect Biochem. 10: 409-418; 1980.
- O'Dell, T. M.; Mastro, V. C. Crepuscular activity of gypsy moth adults. Environ. Entomol. 9(5): 613-617; 1980.

- Paine, T. D.; Birch, M. C.; Svihra, P. Niche breadth and resource partitioning by four sympatric species of bark beetles (Coleoptera: Scolytidae). Oecologia 48: 1-6; 1981.
- Papp, Richard P. Notes on the reproductive biology of the parasitoid *Doryctes palliatus* (Cameron) (Hymenoptera: Braconidae) in Hawaii. Proc. Hawaiian Entomol. Soc. 23(3): 435-436; 1981.
- Payne, T. L. Life history and habits. In: The southern pine beetle. Tech. Bull. 1631. Washington, DC: U.S. Department of Agriculture; 1980: 7-28.
- Poinar, G. O., Jr.; Deschamps, N. Susceptibility of *Scolytus multistriatus* to Neoaplactanid and Heterorhabditid nematodes. Environ. Entomol. 19: 85-87; 1981.
- Pope, D. N. [and others]. The allocation process and between-tree survival probabilities in *Dendroctonus frontalis* infestations. Res. Pop. Ecol. 22: 197-210; 1980.
- Richmond, James A. [and others]. Influence of thermal units on the Julian day of eclosion of diapause *Rhyacionia frustrana* pupae in North Carolina. In: 15th conference on agriculture and forest meteorology and 5th conference on biometeorology; 1981 April 1-3; Anahaim, CA. Boston, MA; Am. Meteorol. Soc.; 1981: 6-8.
- Ross, D. H.; Wallace, J. B. Production of *Brachycentrus spinae* Ross. (Trichoptera: Brachycentridae) and its role in seston dynamics of a southern Appalachian stream (USA). Environ. Entomol. 10: 240-246; 1981.
- Ross, D. H.; Wallace, J. B. Production of *Brachycentrus spinae* Ross (Trichoptera: Brachycentridae) and its role in seston dynamics of a southern Appalachian stream (USA). Environ. Entomol. 10: 240-246; 1981.
- Ryan, R. B. Rearing methods and biological notes for seven species of European and Japanese parasites of the larch casebearer (Lepidoptera: Coleophoridae). Can. Entomol. 112(12): 1239-1248; 1980.
- Ryan, R. B.; Mortensen, R. W.; Torgersen, T. R. Reproductive biology of Telenomus californicus Ashmead, an egg parasite of the Douglas-fir tussock moth: laboratory studies. Ann. Entomol. Soc. Am. 74: 213-26; 1981.

- Schmid, J. M.; Mitchell, James C.; Stevens, Robert E. Cydia youngana (Kearfott) (Lepidoptera: Tortricidae) and associates in Engelmann spruce cones, Fraser Experimental Forest, Colorado 1974-1977. Res. Note RM-394. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 5 p.
- Schmitz, Richard F. Dispersal of pine engraver beetles in second growth ponderosa pine forests. In: Dispersal of forest insects: evaluation, theory and management implications: IUFRO symposium proceedings; 1979 August 27-31; Sandpoint, ID. Pullman, WA: Washington State University, Cooperative Extension; 1981: 41-50.
- Schmitz, Richard F.; McGregor, Mark D.; Amman, Gene D. Mountain pine beetle response to lodgepole pine stands of different characteristics. In: Dispersal of forest insects: evaluation, theory and management implications: IUFRO symposium proceedings; 1979 August 27-31; Sandpoint, ID. Pullman, WA: Washington State University, Cooperative Extension; 1981: 234-243.
- Seliskar, Carl E. Virus and viruslike diseases in Europe. In: Stipes, R. Jay; Campana, Richard J., eds. Compendium of elm diseases; American Phytopathol. Soc.; 1981: 51-52.
- Solomon, J. D. Cottonwood borer (*Plectrodera scalator*)—A guide to its biology, damage and control. Res. Pap. SO-157. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1980. 10 p.
- Stein, John D. Notes on the biology of the western spruce budworm Choristoneura occidentalis (Lepidoptera: Tortricidae), in north central Washington. Pacific Insects 23: 101-106; 1981.
- Stephen, F. M.; Coulson, R. N. The southern pine beetle modeling symposium—an introduction and overview. In: Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22, Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture; 1980: 1-3.
- Stephen, F. M.; Kinn, D. N. Spatial distribution of mite associates of within-tree populations of *Dendroctonus frontalis* Zimm. Environ. Entomol. 9: 714-715; 1980.

- Stephen, F. M.; Searcy, J. L.; Hertel, G. D., eds. Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture; 1980. 174 p.
- Stimac, J. L.; Campbell, R. W. Summary remarks and evaluation. In: Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture; 1980: 172-174.
- Stock, M. W.; Amman, G. D. Genetic differentiation among mountain pine beetle populations from lodgepole pine and ponderosa pine in northeast Utah. Ann. Entomol. Soc. Am. 73: 472-478: 1980.
- Taha, H. A.; Stephen, F. M.; Motamedi, M. Sensitivity analysis and uncertainty in estimation of rates for a southern pine beetle model. In: Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture; 1980: 13-19.
- Thatcher, R. C. Introduction. In: The southern pine beetle. Tech. Bull. 1631. Washington, DC: U.S. Department of Agriculture; 1980: 1-4.
- Thomas, H. A. [and others]. Bioassay of pine bark extracts as biting stimulants for the southern pine beetle. Res. Note SE-302. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981. 5 p.
- Tilden, Paul E.; Bedard, William D.; Wood, David L.; Stubbs, Harrison A. Interruption of response of *Dendroctonus brevicomis* to its attractive pheromone by components of the pheromone. J. Chem. Ecol. 7(1): 183-196; 1981.
- Torgersen, T. R.; Ryan, R. B. Field biology of *Telenomus californicus* Ashmead, an important egg parasite of Douglas-fir tussock moth. Ann. Entomol. Soc. Am. 74(2): 185-186; 1981.
- Torgersen, Torolf R. Parasite records for the Douglas-fir tussock moth. Gen. Tech. Rep. PNW-123. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 38 p.

- Valentine, Harry T.; Talerico, Robert L. Gypsy moth larval growth consumption on red oak. For. Sci. 26: 599-605; 1980.
- Van Sambeek, J. W.; Bridges, J. Robert. Influence of the juvenile hormone analogue methoprene on reproduction of the southern pine beetle, *Dendroctonus frontalis* Zimm. J. Ga. Entomol. Soc. 16(1): 83-90; 1981.
- Van Sambeek, J. W.; Kile, B. W. Egg gallery excavation and brood production by reemerged and newly emerged females of *Dendroctonus frontalis* Zimm. J. Ga. Entomol. Soc. 16(3): 345-352; 1981.
- Wagner, T. L. [and others]. Factors affecting gallery construction, oviposition, and reemergence of *Dendroctonus frontalis* in the laboratory. Ann. Entomol. Soc. Am. 74: 255-273; 1981.
- Wagner, T. L.; Feldman, R. M.; Gagne, J. A.; Coulson, R. N. Models describing gallery construction and oviposition by *Dendroctonus frontalis*. In: Modeling southern pine beetle populations, symposium proceedings; 1980 February 20-22; Asheville, NC. Tech. Bull. 1630. Washington, DC: U.S. Department of Agriculture; 40-53.
- Weber, B. C.; Wilson, S. W. Seasonal and vertical distributions of planthoppers (Homoptera: Fulgoroidea) within a black walnut plantation. Great Lakes Entomol. 14(2): 71-75; 1981.
- Werner, Richard A.; Furniss, Malcolm M.; Yarger, Larry C.; Ward, Thomas. Effects on eastern larch beetle of its natural attractant and synthetic pheromones in Alaska. Res. Note PNW-371. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 7 p.
- Whitehead, Armand T. Ultrastructure of sensilla of the female mountain pine beetle, *Dendroctonus ponderosae* Hopkins. (Coleoptera:Scolytidae). Int. J. Insect Morphol. & Embryol. 10(1): 19-28; 1981.
- Wickman, Boyd E.; Mason, Richard R.; Trostle, Galen C. Douglas-fir tussock moth. For. Insect and Dis. Leafl. 86. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981. 10 p.
- Wilson, S. W.; McPherson, J. E. Life histories of *Acanalonia bivittata* and *A. conica* with descriptions of immature stages. Ann. Entomol. Soc. Am. 74(3): 289-298; 1981.

- Wilson, S. W.; McPherson, J. E. Life histories of *Anormenis septentrionalis*, *Metcalfa pruinosa*, and *Ormenoides venusta* with descriptions of immature stages. Ann. Entomol. Soc. Am. 74(3): 299-311; 1981.
- Wilson, S. W.; McPherson, J. E. Mixed species feeding assemblages of planthopper nymphs (Homoptera: Fulgoroidea). Great Lakes Entomol. 13(4): 185-187; 1980.

Insect Control and Management Strategies

- Barry, J. W.; Millers, I.; Richardson, E. M. Spray characterization trials for the 1979 Maine Spruce Budworm Control Program. MAG Rep. 80-4, U.S. Department of Agriculture, Forest Service; Davis, CA. 1980: 16 p.
- Bedard, William D.; Wood, David L. Suppression of *Dendroctonus brevicomis* by using a mass-trapping tactic. In: Mitchell, E. E., ed. Management of insect pests with semiochemicals: concepts and practice. New York Plenum Press; 1981: 103-114.
- Belanger, R. P. Silvicultural considerations in developing integrated southern pine beetle management procedures. In: Barnett, James P., ed. Proceedings of the first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Southern Forest Experiment Station; 1981: 279-286.
- Belanger, R. P.; Malac, B. F. Silviculture can reduce losses from the southern pine beetle. Agric. Handb. 576. Washington, DC: U.S. Department of Agriculture; 1980. 17 p.
- Berisford, C. W. [and others]. A technique for field testing insecticides for long-term prevention of bark beetle attack. J. Econ. Entomol. 73: 694-697; 1980.
- Billings, P. D.; Roberts, E. A.; Payne, T. L. Controlled-release device for southern pine beetle behavioral chemicals. J. Ga. Entomol. Soc. 16: 181-185; 1981.

- Billings, R. F. Direct Control. In: Thatcher, R. C.; Searcy, J. L.; Coster, J. E.; Hertel, G. D., eds. The southern pine beetle. Tech. Bull. 1631. Washington, DC: U.S. Department of Agriculture; 1980: 179-192.
- Birch, Martin C.; Paine, Timothy D.; Miller, Jeffrey C. Effectiveness of pheromone mass-trapping of the smaller European elm bark beetle. Calif. Agric. 35 (1&2): 6-7: 1981.
- Brady, U. E.; Berisford, C. W.; Hall, T. L.; Hamilton, J. S. Efficacy and persistence of chlorpyrifos, chlorpyrifos-methyl, and lindane for preventive and remedial control of the southern pine beetle. J. Econ. Entomol. 73: 639-641; 1980.
- Cameron, E. A.; McManus, M. L. The gypsy moth (*Lymantria dispar*) in the United States: Current status of pest management. In: Proceedings, 1980 international symposium on integrated control in agriculture and forestry; 1979 October 8-12; 1980: 537-538.
- Campbell, Robert W.; Torgersen, Torolf R.; Forrest, Steven C.; Youngs, Lorna C. Bird enclosures for branches and whole trees. Gen. Tech. Rep. PNW-125. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 12 p.
- Corneil, Jeffrey A.; Wilson, Louis F. Pales weevil—rationale for its injury and control. Michigan Christmas Tree J. 22: 16-17; 1980.
- Coster, J. E. Developing integrated management strategies. In: The southern pine beetle. Tech. Bull. 1631. Washington, DC: U.S. Department of Agriculture; 1980: 195-203.
- Coulson, R. N. Evolution of concepts of integrated pest management in forests. J. Ga. Entomol. Soc. 16: 301-315; 1981.
- Coulson, R. N. [and others]. Approach to research and forest management for southern pine beetle control. In: Huffaker, C. Ged. New Technol. of pest control. New York: John Wiley & Sons; 1980: 449-469.
- Crisp, Carl E.; Hertel, Gerard D.; Buffam, Paul E.; Williams, Carroll B. Field evaluation of phloem-mobile acephate for suppression of southern pine beetle. Res. Note PSW-352. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1981; 4 p.

- Daterman, Gary E. Pheromone responses of forest lepidoptera: implications for dispersal and pest management. In: Berryman, A. A.; Safranyik, L., eds. Dispersal of forest insects: evaluation, theory and management implications: Proceedings, 2d IUFRO conference. 1980: 251-265.
- Daterman, Gary E.; Sartwell, Charles; Lower, Lonne L. Prospects for controlling forest lepidoptera with controlled release pheromone formulations. In: Baker, Richard, ed. Controlled release of bioactive materials. New York, NY: Academic Press; 1980: 213-226.
- DeBarr, Gary L.; Fedde, Vicki H. Contact toxicity of 17 insecticides to larvae of *Dioryctria amatella* (Lepidoptera: Pyralidae). Can. Entomol. 112: 521-523; 1980.
- Dimond, J. B.; Spies, C. J. III; O'Neal, J. Spruce budworm: evaluations of *B.t.* trials in Maine, 1980. Misc. Rep. 237, Life Sci. Agr. Expt. Sta., Univ. Maine, Orono; 15 p.; 1981.
- Dix, Mary Ellen; Richmond, Charles E.; VanDeusen, James L. Acephate residues in second year cones of *Pinus sylvestris* L. sprayed to prevent damage by *Dioryctria disclusa* Heinrich. Res. Note RM-403. Ft. Collins, CO: Rocky Mountain Forest and Range Experiment Station, Forest Service, U.S. Department of Agriculture; 1981. 4 p.
- Doskotch, R. W.; Cheng, H. Y.; ODell, T. M.; Girard, L. Nerolidol: an antifeeding sesquiterpene alcohol for gypsy moth larvae from *Melaleuca leucadendron*. J. Chem. Ecol. 6(4): 845-851. 1980.
- Dubois, N. R. [and others]. Insecticidal activity of isolates of *Bacillus* thuringiensis and their potential for pest control. In: Burgess, H. D., ed. Chapter II, microbial control of pests and plant diseases 1970-1980. Acad. Press. NY; 1980; 914 p.
- Dubois, N. R.; Lewis, F. B. What is *Bacillus thuringiensis*. J. Arboriculture. September 1981.
- El-Naggar, S. F.; Doskotch, R. W.; ODell, T. M.; Girard, L. Antifeedant diterpenes for the gypsy moth larvae from *Kalmia latifolia*: Isolation and characterization of ten grayanoids. J. Nat. Prod. 43(5): 617-631. 1981.

- Elner, J. K.; Wildish, D. J. Seasonal data on the microbial community of four New Brunswick ponds, including a period of experimental spraying with Matacil. Can. Tech. Rep. Fish. Aquat. Sci. 933, 21 p. 1981.
- Fatzinger, C. W.; Miller, Thomas. Seed orchard pest management. In: Proceedings of SAF symposium on pest management; Gainesville, FL: University of Florida: 1980: 21-29.
- Ferrell, George T. Developing risk-rating systems for mature red fir and white fir in Northern California. Proceedings, 1980 SAF national convention; 1980 October 5-8; Spokane, WA. Washington, DC: Soc. Am. For.; 1980; 129-133.
- Franklin, C. K. [and others]. Efficacy studies: prevention. In: Field and laboratory evaluations of insecticides for southern pine beetle control. Gen. Tech. Rep. SE-21. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981: 3-8.
- Furniss, Malcolm M. An improved nonsticky trap for field testing scolytid pheromones. Environ. Entomol. 10: 161-163; 1981.
- Furniss, Malcolm M., [and others]. Effectiveness of Douglas-fir beetle antiaggregative pheromone applied by helicopter. Gen. Tech. Rep. INT-101. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 6 p.
- Furniss, Malcolm M.; Livingston, R. Ladd; McGregor, Mark D. Development of a stand susceptibility classification for Douglas-fir beetle. In: Hedden, R. L.; Barras, S. J.; Coster, J. E., tech. coords. Hazard-rating systems in forest insect pest management: symposium proceedings; 1980 July 31-August 1; Athens, GA. Gen. Tech. Rep. WO-27. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 110-121.
- Granett, J.; Robertson, J.; Retnakaran, A. Metabolic basis of differential susceptibility of two forest lepidopterans to diflubenzuron. Ent. Exp. and Appl. 28: 295-300; 1980.
- Grimble, D. G. The Canada-United States Spruce budworms Program. Maine Forest Review 13: 21-2; 1980.
- Hastings, F. L. [and others]. Comparision of lindane and chlorpyrifos-methyl for preventive control of the southern pine beetle. J. Ga. Entomol. Soc. 16: 396-407; 1981.

- Hastings, F. L. [and others]. Observations on phytotoxicity. In: Field and laboratory evaluations of insecticides for southern pine beetle control. Gen. Tech. Rep. SE-21. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981: 18-19.
- Hastings, F. L. [and others]. Screening tests. In: Field and laboratory evaluations of insecticides for southern pine beetle control. Gen. Tech. Rep. SE-21. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981: 1-2.
- Hastings, F. L. [and others]. Soil and litter mesofauna studies. In: Field and laboratory evaluations of insecticides for southern pine beetle control. Gen. Tech. Rep. SE-21. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981: 15.
- Hastings, F. L.; Coster, J. E.; eds. Field and laboratory evaluations of insecticides for southern pine beetle control. Gen. Tech. Rep. SE-21. Asheville, NC: U.S. Department of Agricultural, Forest Service, Southeastern Forest Experiment Station; 1981: 40 p.
- Haverty, Michael I.; Wood, John R. Residual toxicity of eleven insecticide formulations to the mountain pine cone beetle, *Conophthorus monticolae* Hopkins. J. Ga. Entomol. Soc. 16: (1)77-83; 1981.
- Hertel, G. D. Recommendations for future work. In: The southern pine beetle. Tech. Bull. 1631. Washington, DC: U.S. Department of Agriculture; 1980: 205-213.
- Hodges, John D.; Elam, William W.; Bluhm, Donald R. Influence of resin duct size and number on oleoresin flow in the southern pines. Res. Note SO-266. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 3 p.
- Howitt, A. J. [and others]. Studies on the parameters which affect spray spectra characteristics from rotary sleeve nozzles. J. Econ. Entomol. 73: 477-83; 1980.
- Hoy, James B. Effects on [sic] lindane, carbaryl, and chlorpyrifos on non-target soil arthropod communities. In: Dindal, D. L., ed. Soil biology as related to land use practices. Proceedings VII international soil zoology colloquim of the International Society of Soil Sciences; 1979; July 29-Aug. 3; Syracuse, N.Y. Pesticide & Toxic Substances: 71-81; 1980.

- Jennings, Daniel T. Forest protection research. In: 1980 Annual Report. Forest Resources Research Advisory Committee, School of Forest Resources, Life Sciences and Agriculture Experiment Station, University of Maine, Misc. Report 238: 16-20; 1980.
- Johnson, David R.; Markin, George P. Western spruce budworm control by aerial application with SIR-8514, 1979-1980. Insecticide and Acaricide Tests 6: 158; 1981.
- Jones, A. S. [and others]. Evaluation of 12 insecticides for remedial efficacy against southern pine beetle adults. J. Econ. Entomol. 73: 736-738; 1980.
- Jones, A. S.; Hastings, F. L. Soil microbe studies. In: Field and laboratory evaluations of insecticides for southern pine beetle control. Gen. Tech. Rep. SE-21. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981: 13-14.
- Jones, M. J. The spruce-budworm disaster: an integrated approach. Amer. For. 86(b): 5; 1980.
- Kaya, Harry K.; Hara, Arnold H.; Reardon, Richard C. Laboratory and field evaluation of *Neoaplectana carpocapsae* (Rhabditida:Steinernematidae) against the elm leaf beetle (Coleoptera:Chrysomelidae) and the western spruce budworm (Lepidoptera: Tortricidae). Can. Entomol. 113(9): 787-793; 1981.
- Lautenschlager, R. A.; Podgwaite, J. D.; Watson, D. E. Natural occurrence of the nucleopolyhedrosis virus of the gypsy moth *Lymantria dispar* (Lep: Lymantriidae) in wild birds and mammals. Entomophaga 25: 261-267; 1980.
- Lewis, F. B. Control of the gypsy moth by a baculovirus. In: Burges, H. D., ed. Microbial Control of Pests and Plant Diseases 1970-1980. Acad. Press. NY; 1980; 914 p.
- Logan, J. A.; Schmid, J. M.; Mehl, M. S. A computer program to calculate the susceptibility of spruce-fir stands to spruce beetle outbreaks. Res. Note RM-393. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1980. 7 p.
- Look, Melvin. An improved analysis of the pheromone 3-methyl-2-cyclohexen-1-one in a controlled release formulation by using liquid chromatography. J. Liq. Chromatogr. 4(1): 165-170; 1981.

- Look, Melvin; White, Larry R. Synthesis of *O,O*-dimethyl 2,2-dichloro-1-(acyloxy) ethenephosphonates, major constituents in acylated trichlorfons. J. Agr. Food Chem. 29(3): 673-674; 1981.
- Lorio, Peter L., Jr. Rating stands for susceptibility to SPB. In: Thatcher, R. C.: Searcy, J. L.; Coster, J. E.; Hertel, G. D., eds. The southern pine beetle. Tech. Bull. 1631. Washington, DC: U.S. Department of Agriculture; 1980: 153-163.
- Markin, George P.; Johnson, David R. Western spruce budworm aerial field tests. 1980. Insecticide and Acaricide Tests 6: 159; 1981.
- Mazzone, H. M. [and others]. Electronmicroscopic analysis of a cabbage moth virus. In: Bailey, G. W., ed. 39th Ann. Proc. Electron Microscopy Soc. Amer.; Atlanta, GA; 1980: 398-399.
- Mazzone, H. M.; Wray, G.; Zerillo, R. T. Studies on the fungal pathogen of dutch elm disease. In: Bailey, G. W., ed. 39th Ann. Proc. Electron Microscopy Soc. Amer.; Atlanta, GA; 1981: 400-401.
- McCambridge, W. F. Duration of effectiveness of carbaryl in protecting ponderosa pines from attack by mountain pine beetles. Res. Note RM-408. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 3 p.
- Merkel, Edward P.; Clark, Edgar W. Insecticides for preventing insect-caused mortality of paraquat-treated slash pines. Res. Pap. SE-219. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1980. 6 p.
- Millers, I. Reduced application rates of Orthene Forest Spray give less effective spruce budworm control in Maine 1974. Rep. NA-TP-4, Broomall, PA: U.S. Department of Agriculture, Forest Service, Northern Area. 1980. 10 p.
- Mizell, R. F., III; Neel, W. W.; Lashomb, J. H. Field evaluation of fenitrothion for prevention of tree mortality from southern pine beetle attack. J. Econ. Entomol. 74: 30-32; 1981.
- O' Dell, T. M. Trees versus the gypsy moth: forest lab tries to even odds. Citizens' Bull. 8(7): 16-18. 1981.

- Palmer, Marguerita A.; Nicholls, Thomas H. How to identify and control cutworm damage on conifer seedlings. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station, 1981. 5 p.
- Payne, T. L. Disruption of southern pine beetle infestations with attractions and inhibitors. In: Mitchell, E. R., ed. Management of insect pest with semiochemicals. New York: Plenum Pub. Corp.: 1981: 365-383.
- Peacock, J. W.; Cuthbert, R. A.; Lanier, G. N. Deployment of traps in a barrier strategy to reduce populations of the European elm bark beetle, and the incidence of Dutch elm disease. In: Mitchell, E. R., ed. Management of insect pests with semiochemicals; Plenum Publishing Corp., New York, NY; 1981: 155-173.
- Pieper, G. René. Analyzing carbaryl residue in ponderosa pine bark by HPLC. Res. Note PSW-351. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1981; 3 p.
- Rappaport, N. G.; Robertson, J. L. Lethal effects of five molt inhibitors fed to the western spruce budworm (*Choristoneura occidentalis* Freeman) (Lepidoptera:Tortricidae) and the Douglas-fir tussock moth (*Orgyia pseudotsugata* [McDonnough]) (Lepidoptera:Lymantriidae). Z. fur Ang. Entomol. 91: 459-463; 1981.
- Reardon, R. C.; Haskett, M. J. Effects of Orthene medicaps on populations of western spruce budworm on grand fir and Douglas-fir. J. Econ. Entomol. 74(3): 266-270; 1981.
- Retnakaran, Arthur: Granett, Jeffrey; Robertson, Jacqueline. Possible physiological mechanisms for the differential susceptibility of two forest lepidoptera to diflubenzuron. J. Insect Physiol. 26: 385-390; 1980.
- Robertson, Jacqueline L. Contact and feeding toxicities of acephate and carbaryl to larval stages of the western spruce budworm, *Choristoneura occidentalis* (Lepidoptera:Tortricidae). Can. Entomol. 112: 1001-1006; 1980.
- Robertson, Jacqueline L.; Haverty, Michael I. Multiphase laboratory bioassays to select chemicals for field-testing on the western spruce budworm. J. Econ. Entomol. 74: 148-153; 1981.

- Ryan, Roger B. Recent (1977-1980) releases of imported larch casebearer parasites for biological control. Res. Note PNW-377. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 10 p.
- Schmid, J. M. Incidence of western spruce budworm parasites in New Mexico after aerial spraying with carbaryl. Res. Note RM-397. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 6 p.
- Schmid, J. M.; Thomas, L.; Rogers, T. J. Prescribed burning to increase mortality of pandora moth pupae. Res. Note RM-405. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 3 p.
- Smith, Richard H. Preserving the green sale value of dying ponderosa pine with lindane. Res. Note PSW-350. Berkeley, CA. U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1981; 3 p.
- Solomon, J. D. Management of insect pests in midsouth upland hardwoods. In: Proceedings, Mid-South upland hardwoods symposium for the practicing forester and land manager; 1980 April 30-May 2; Harrison, AR. Tech. Pub. SA-TP 12. Atlanta, GA: U.S. Department of Agriculture, Forest Service, 1980: 152-160.
- Sower, L. L. Control of moth reproduction by disruption of the pheromone communication: problems and promise. In: Clark, W. H., Jr.; Adams, T. S., eds. Advances in invertebrate reproduction: proceedings, 2d international symposium on invertebrate reproduction. Elseview North Holland, Ind.; 1980: 197-212.
- Sower, L. L.; Daterman, G. E.; Sartwell, C. Control of moth pests by mating disruption in forests of the western United States. In: Mitchell, Everett R., ed. Management of insect pests with semiochemicals: concepts and practice. New York: Plenum Press; 1981: 351-363.
- Stage, Albert R.; Hamilton, David A., Jr. Sampling and analytical methods for developing risk rating systems for forest pests. In: Hedden, R. L.; Barras, S. J.; Coster, J. E., tech. coords. Hazard-rating systems in forest insect pest management: symposium proceedings; 1980 July 31-August 1; Athens, GA. Gen. Tech. Rep. WO-27. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 87-87.

- Stevens, Robert E. [and others]. Western *Rhyacionia* (Lepidoptera: Tortricidae, Olethreutinae) pine tip moths trapped using synthetic sex attractants. Can. Entomol. 112: 591-603; 1980.
- Stock, M.; Robertson, J. L. Inter- and intraspecific variation in selected *Choristoneura* species (Lepidoptera: (tor tricidae): a toxicological and genetic survey. Can. Entomol. 112: 1019-1027; 1980.
- Swain, K. M.; Remion, M. C. Direct control methods for the southern pine beetle. Agric. Handb. 575. Washington, DC: U.S. Department of Agriculture; 1981. 15 p.
- Thomas, H. A. Pine regeneration insects and integrated pest management. In: Forest pest management: 12th spring symposium for the Florida Section, Society of American Foresters. Resour. Rep. 7. Gainesville, FL: University of Florida; 1980: 42-46.
- Thompson, C. G.; Scott, D. W.; Wickman, B. E. Long-term persistence of the nuclear polyhedrosis virus of the Douglas-fir tussock moth, *Orgyia pseudotsugata* (Lepidoptera: Lymantriidae), in forest soil. Environ. Entomol. 10: 254-255; 1981.
- U.S. Department of Agriculture Forest Service. Southern Pine Beetle Program accomplishments report. Agric. Info. Bull. 438. Washington, DC; 1981. 23 p.
- Valentine, Harry T.; Houston, D. R. Stand susceptibility to gypsy moth defoliation. In: Hazard rating systems in forest insect pest management: symposium proceedings. Washington, DC: Gen. Tech. Rep. WO-27, U.S. Department of Agriculture, Forest Service; 1981: 137-144.
- Werner, Richard A.; Furniss, Malcolm M.; Yarger, Larry C.; Ward, Thomas.

 Effects on eastern larch beetle of its natural attractant and synthetic pheromones in Alaska. Res. Note PNW-371. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 7 p.
- Williams, Isadore L. Management of southern bark beetles. In: Proceedings of SAF symposium on pest management; Gainesville, FL: University of Florida; 1980: 64-69.

- Wood, D. L., Collator. Approach to research and forest management for western pine beetle control. In: Huffaker, C. B., ed. New technology of pest control. New York: Wiley Interscience; 1980: 418-448.
- Zinkl, Joseph G.; Roberts, Richard B.; Shea, Patrick J.; Lasmanis, Janis. Toxicity of acephate and methamidophos to dark-eyed Juncos. Arch. Environ. Contam. Toxicol. 10: 185-192; 1981.

Disease Detection and Evaluation

- Anderson, R. L.; Powers, H. R. Jr.; Snow, G. A. How to identify fusiform rust and what to do about it. For. Bull. SA-FB/P24. Atlanta, GA: U.S. Department of Agriculture, Forest Service, Southeastern Area; 1980.
- Bedunah, D.; Trlica, M. J. Carbon dioxide exchange of ponderosa pine as affected by sodium chloride and polyethylene glycol. For. Sci. 27(1): 139-146; 1981.
- Blakeslee, G. M. [and others]. Pitch canker of southern pines: identification and management considerations. For. Rep. SA-FR11. Washington, DC: U.S. Department of Agriculture, Forest Service and Southern Area, 1980. 15 p.
- Burdsall, H. H., Jr.; Nakasone, K. K. New or little known lignicolous Aphyllophorales (Basidiomycotina) from southeastern United States. Mycologia 73: 454-476; 1981.
- Burdsall, Harold H., Jr. Taxonomy of *Sporotrichum pruinosum* and *sporotrichum pulverulentum/Phanerochaete chrysosporium*. Mycologia 73: 675-680; 1981.
- DeMars, Donald J. Estimates of the occurrence of dwarf mistletoe on the Deschutes National Forest. Res. Note PNW-364. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 11 p.
- Gedney, Donald R. The occurrence of laminated root rot on non-Federal timberland in northwest Oregon, 1976. Res. Note PNW-381. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 7 p.

- Gibson, Lester P.; Hastings, Arthur R.; LaMadeleine, Leon A. How to differentiate Dutch elm disease from elm phloem necrosis. NA-FB/P-11.

 Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 9 p.
- Hawksworth, F. G.; Laut, J. G. Scots pine is susceptible to Southwestern dwarf mistletoe. Plant Dis. 65: 263; 1981.
- Hawksworth, Frank G. Los muerdagos enanos (*Arceuthobium*) y su importancia en la silvicultura de Mexico. In: Memoria del primer simposio de parasitologia forestal; 1980 Febrero 18-19; Uruapan, Michoacan, Mexico. Sociedad Mexicana de Entomologia y Patologia Forestal; Universidad Autonoma de Champingo, Departmento de Bosques, Champingo, Mexico. 1981.
- Hawksworth, Frank G. Modeling and prediction of losses caused by dwarf mistletoes. In: Crop loss assessment: Proceedings of the E. C. Stakman Commemorative Symposium; St. Paul, MN. Agric. Exp. Stn. Misc. Publ. 7; University of Minnesota; 1980: 23-28.
- Hawksworth, Frank G.; Scharpf, Robert F. Phoradendron on conifers. Forest Insect and Dis. Leafl. 164, Washington, DC: U.S. Department of Agriculture; 1981. 7 p.
- Hodges, Charles S. *Korunomyces*, a new genus of Fungi Imperfecti from Brazil. Mycologia 73(2): 334-342; 1981.
- Johnson, David W.; Hawksworth, Frank G.; Drummond, David B. 1979 Dwarf mistletoe loss assessment survey on National Forest lands in Colorado. Rep. 80-6. Davis, CA: U.S. Department of Agriculture, Forest Service, Forest Pest Management, Methods Application Group; 1980. 18 p.
- Johnson, David W.; Hawksworth, Frank G.; Drummond, David B. Yield loss of lodgepole pine stands to dwarf mistletoe in Colorado and Wyoming National Forests. Plant Dis. 65: 437-438; 1981.
- Kais, Albert G. Scirrhia acicola on Pinus palustris. In: Proceedings of a conference of the International Union of Forest Research Organization working party on needle diseases. 1980 September 15-19. Sarajeov, Bosnia, Yugoslavia. 1980: 17-24.

- Kuhlman, E. G.; Cordell, C. E.; Filer, T. H., Jr. Cylindrocladium root rots of sweetgum seedlings in southern forest tree nurseries. Plant Dis. 64(12): 1079-1080; 1980.
- Mathiasen, Robert L.; Hawksworth, Frank G. Taxonomy and effects of dwarf mistletoe on bristlecone pine on the San Francisco Peaks, Arizona. Res. Pap. RM-224. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1980. 10 p.
- Miller, Orson K., Jr.; Burdsall, Harold H., Jr.; Laursen, Gary A.; Sachs, Irving B. The status of *Calvatia cretacea* (Berk.) Lloyd in artic and alpine tundra. Can. J. Bot. 58(24): 2533-2542; 1980.
- Nelson, D. L.; Krebill, R. G. A sagebrush wilt disease of unknown cause. Great Basin Nat. 41(2): 184-191; 1981.
- Nelson, E. E. Laminated root rot damage in a young Douglas-fir stand. Res. Note PNW-359. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 25 p.
- Nicholls, Thomas H.; Ostry, Michael E.; Fuller, Mark R. Marking ground targets with radio transmitters dropped from aircraft. Res. Note NC-274. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 4 p.
- Ostry, Michael E. How to identify *Septotinia* and *Phyllosticta* leaf spots of poplars. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 5 p.
- Ostry, Michael E. How to identify shoot blight of poplars. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 5 p.
- Rexrode, Charles O.; Allison, J. R. How to identify oak wilt. NA-GR-4. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 7 p.
- Riffle, J. W.; Ostrofsky, W. D.; James, R. L. *Fomes fraxinophilus* on green ash in Nebraska windbreaks. Plant Dis. 65: 667-669; 1981.

- Shigo, Alex L.; Hawksworth, Frank G. A dwarf mistletoe on red spruce in New Hampshire. Forest Notes; Society for Protection of New Hampshire Forests. 142: 22-23; 1980.
- Singh, Pritman; Dorworthy, C. E.; Skilling, Darroll, D. *Gremmeniella abietina* in New Foundland. Plant Dis. 64: 1117-1118; 1980.
- Skelly, J. M.; Alexander, S. A.; Webb, R. S. Gulf Coastal Plain. Association of annosus root rot with southern pine beetle attacks. In: Site, stand, and host characteristics of southern pine beetle infestations. Tech. Bull. 1612. Washington, DC: U.S. Department of Agriculture; 1981: 50-67.
- Skilling, Darroll D. Scleroderris canker—the situation in 1980. J. For. 79(2): 95-97: 1980.
- Walla, James A.; Riffle, Jerry W. Fomes fraxinophilus on green ash in North Dakota windbreaks. Plant Dis. 65: 669-670: 1981.
- Webb, Roger S. [and others]. A survey for *Heterobasidion annosum* among residual slash pine stumps at the Bradford Experimental Watersheds. IMPAC Reports 5(6): 1980; 11 p.
- Wendler, P. B.; Gotlieb, A. R.; Bergdahl, D. R. A newly discovered serotype of *Gremmeniella abietina*. Can. J. Botany 58: 1923-1928; 1980.
- Wicker, E. F. Quantifying and modeling growth and mortality losses in forestry. Proc. E. C. Stakman Commemorative Symposium on Crop Loss Assessment, Univ. Minnesota Agric. Exp. Station, Misc. Pub. 7: 219-222; 1980.

Disease Biology

- Alexander, S. A.; Skelly, J. M.; Webb, R. S. Effects of *Heterobasidian annosum* on radial growth in southern pine beetle infested loblolly pine. Phytopathology 71: 479-481; 1981.
- Anderson, Gerald W.; Martin, Margaret P. Factors related to incidence of hypoxylon cankers in aspen and survival of cankered trees. For. Sci. 27(3): 461-476; 1981.

- Anderson, N. A.; Ostry, M. A. The role of insects in the infection of aspen by Hypoxylon mammatum. In: Joint symposium on resistance mechanisms in poplar diseases. F.A.O. International Poplar Commission, working party on diseases. XXI Conference; 1980 September 1-5; Kornik, Poland. 1981: 215-219.
- Barrows-Broaddus, J.; Dwinell, L. D. Decay and colonization of gladiolus corms by the pine pitch canker fungus. Phytopathology 70: 847-850; 1980.
- Barrows-Broaddus, J.; Kerr, T. J. Inhibition of *Fusarium moniliforme* var. *subglutinans*, the causal agent of pine pitch canker, by the soil bacterium *Arthrobacter* sp. Can. J. Microbiol. 27: 20-27; 1981.
- Bauch, Josef; Shigo, Alex; Starck, M. Wound effects in the xylem of Acer and Betula species. Holzforschung 34: 153-160; 1980.
- Beard, T. H.; Martin, N. E. Sites characteristic of lodgepole pine and stalactiform blister rust. Tech. Rep. 13. Moscow, ID: University of Idaho, Forest, Wildlife and Range Experiment Station; 1981. 19 p.
- Blanchette, Robert A. Wood decay: a submicroscopic view. J. For. 78(12): 134-137; 1980.
- Blanchette, Robert A. Wood decomposition by *Phellinus (Fomes) pini*: a scanning electron microscopy study. Can. J. Bot. 58: 1496-1503; 1980.
- Butin, Heinz; Shigo, Alex. Radial shakes and "frost cracks" in living oak trees. Res. Pap. NE-478. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 21 p.
- Chappelka, A. H.; Schmidt, R. A. The phenology of aeciospore production by fusiform rust on slash pine in north Florida and south Georgia. IMPAC Reports 6(1): 1981; 16 p.
- Gibbs, J. N. Survival of *Ceratocystis fagacearum* in branches of trees killed by oak wilt in Minnesota. Eur. J. For. Pathol. 10: 218-224; 1980.
- Gibbs, J. N.; French, D. W. The transmission of oak wilt. Res. Pap. NC-185. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 17 p.

- Gotwols, T. A.; Blanchard, R. O.; Shortle, W. C. Some factors affecting canker formation in American beech inoculated with *Nectria coccinea* var. *faginata*. *Eur. J. For. Pathol.* 10: 365-370; 1980.
- Highley, Terry L. Cellulose degradation by cellulose-clearing and non-cellulose-clearing brown-rot fungi. Applied Environ. Microbiol. 40(6): 1145-1147; 1980.
- Highley, Terry L. Degradation of cellulose by *Poria placenta* in the presence of compounds which affect hydrogen peroxide. Mat. μ Org. 15(2): 81-90; 1980.
- Hosford, David R.; Trappe, James M. Taxonomic studies on the genus *Rhizopogon*, II. Notes and new records of species from Mexico and Caribbean countries. Bol. Soc. Mex. Mic. 14: 3-15; 1980.
- Houston, David R. Stress triggered tree disease The diebacks and declines. Forest Service Bull. NE-INF-41-81. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981. 36 p.
- Houston, David R. The trouble with beech is . . . Conn. Woodlands XLVI(1): 12-15; 1981.
- Jewell, F. F.; Jewell, D. C.; Walkinshaw, C. H. Histopathology of the initiation of resistance-zones in juvenile slash pine to *Cronartium quercuum* f. sp. *fusiforme*. Phytopath. Medit. 19: 8-12; 1980.
- Jones, E.; Griffin, G. J.; Elkins, J. R. Association of climatic stress with blight on Chinese chestnut in the eastern United States. Plant Disease 64: 1001-1004, 1980.
- Jurgensen, Martin F.; Larsen, Michael J.; Harvey, Alan E. Microbial processes associated with nitrogen cycling in northern rocky mountain forest soils. In: Proceedings, environmental consequences of timber harvesting in Rocky Mountain coniferous forests; 1979 September 11-13. General Technical Report INT-90. Missoula, MT: U.S. Department of Agriculture, Forest Service Intermountain Forest and Range Experiment Station; 1980: 175-188.
- Kessler, Kenneth J., Jr. Considerations of microclimate-leaf disease relations in arboriculture. J. Arboric. 7(2): 169-173; 1981.

- Knutson, Donald M.; Hutchins, Anita Stiebrs; Cromack, Kermit, Jr. The association of calcium oxalate-utilizing Streptomyces with conifer ectomycorrhizae. Antonie van Leewenhoek; J. Microbiol. Serol. 46: 611-619; 1980.
- Knutson, Donald M.; Tinnin, Robert. Dwarf mistletoe and host tree interactions in managed forests of the Pacific Northwest. Gen. Tech. Rep. PNW-111.
 Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 19 p.
- Kuhlman, George E. Mycoparasitic effects of *Scytalidium uredinicola* on aeciospore production and germination of *Cronartium quercuum* f. sp. *fusiforme*. Phytopathology 71: 186-188; 1981.
- Kuhlman, George E. Parasites interacting with sporulation by *Cronartium quercuum* f. sp. *fusiforme* on loblolly pines. Phytopathology 71: 348-350; 1981.
- Kuhlman, George E. Sporulation by *Cronartium quercuum* f. sp. *fusiforme* on loblolly and slash pines. Phytopathology 71: 345-347; 1981.
- Largent, David L.; Sugihara, Neil; Wishner, Carl. Occurrence of mycorrhizae on ericaceous and pyrolaceous plants in northern California. Can. J. Bot. 58(21): 2274-2279; 1980.
- Larsen, M. J.; Harvey, A. E.; Jurgensen, M. F. Residue decay processes and associated environmental functions in northern rocky mountain forests. In: Proceedings, environmental consequences of timber harvesting in Rocky Mountain coniferous forests; 1979 September 11-13. General Technical Report INT-90. Missoula, MT: U.S. Department of Agriculture, Forest Service Intermountain Forest and Range Experiment Station; 1980: 157-174.
- Malajczuk, Nicholas; Linderman, Robert G.; Kough, John; Trappe, James M. Presence of vesicular-arbuscular mycorrhizae in *Eucalyptus* spp. and *Acacia* sp., and their absence in *Banksia* sp. after inoculation with *fasciculatus*. New Phytol. 87: 567-572; 1981.
- Mark, Walter R.; Hawksworth, Frank G. Taxonomic implications of branching patterns in the dwarf mistletoes (*Arceuthobium*). Phytologia 47: 441-444; 1981.

- Marx, Donald H. Role of mycorrhizae in forestation of surface mines. In:
 Proceedings, symposium on trees for reclamation in the eastern United
 States. 1980 October 27-29; Lexington, KY; Broomall, PA: Gen. Tech. Rep.
 NE-61. U.S. Department of Agriculture, Forest Service, Northeastern Forest
 Experiment Station. 1980: 109-116.
- McCauley, Kevin J., Cook, S. A. *Phellinus weirii* infestation of two mountain hemlock forests in the Oregon Cascades. For. Sci. 26(1): 23-29; 1980.
- Miller, T. [and others]. Mode of infection and early colonization of slash pine seedlings by *Cronartium quercuum* f. sp. *fusiforme*. Phytopathology 70: 1206-1208; 1980.
- Molina, Randy. Ectomycorrhizal specificity in the genus *Alnus*. Can. J. Bot. 59(3): 325-334; 1981.
- Mulhern, J.; Stavish, B. M.; Shortle, W.; Shigo, A. Voltage changes along geranium petioles after leaf blade incision. J. Experimental Bot. 32. 573-579; 1981.
- Nakasone, K. K. Cultural studies on *Poria cinerascens*, *P. rivulosa*, and *P. subvermispora* (Aphyllophorales, Basidiomycotina). Mycotaxon 13: 105-111; 1981.
- Peterson, Glenn W. Research in the United States on Dothistroma needle blight of pines. In: Current research on conifer needle diseases: Proceedings International Union of Forestry Research Organizations working party on needle disease; 1980 September 15-19, Sarajevo, Yugoslavia: Aberdeen University Press; 1981: 25-36.
- Riffle, Jerry W. Cankers. In: Stipes, Jay R.; Campana, Richard J., eds. Compendium of elm diseases. St. Paul, MN: American Phytopathological Society, 1981: 34-42.
- Rose, Sharon L. Mycorrhizal associations of some actinomycete nodulated nitrogen-fixing plants. Can. J. Bot. 58(13): 1449-1454; 1980.
- Roth, D. A.; Griffin, G. J. Cylindrocladium root rot of black walnut seedlings and inoculum pattern in nursery soil. Can. J. Plant. Pathol. 3(1): 1-5; 1981.

- Roth, Lewis F.; Shaw, Charles G., III; MacKenzie, Martin; Crockett, Frank. Early patterns of Armillaria root rot in New Zealand pine plantations converted from indigenous forest—an alternative interpretation. N. Z. J. For. Sci. 9(3): 316-323; 1979.
- Ruehle, John L. Growth of containerized loblolly pine with specific ectomycorrhizae after 2 years on an amended borrow pit. Reclam. Rev. 3: 95-101; 1980.
- Ruehle, John L. Nematodes. In: Stipes, R. J.; Campana, R. J., eds. Compendium of elm diseases. American Phytopathological Society; St. Paul, MN: 1980.
- Scharpf, Robert F.; Bega, Robert V. Elytroderma disease reduces growth and vigor, increases mortality of Jeffrey pines at Lake Tahoe Basin, California. Res. Pap. PSW-155. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1981. 6 p.
- Shaw, C. G., III; Dick, M. Verticicladiella root disease of *Pinus strobus* in New Zealand. Plant Dis. 64(1): 96-98; 1980.
- Shaw, Charles G., III. Characteristics of *Armillaria mellea* on pine root systems in expanding centers of root rot. Northwest Sci. 54(2): 137-145; 1980.
- Tippett, Joanna; Shigo, Alex. Barrier zone anatomy in red pine roots invaded by *Heterobasidion annosum*. Can. J. For. Res. 10: 224-232; 1980.
- Tippett, Joanna; Shigo, Alex. Barriers to decay in conifer roots. Eur. J. For. Pathol. 11: 51-59; 1981.
- Trappe, James M. Mycorrhizae and productivity of arid and semiarid rangelands. In: Advances in food producing systems for arid and semi-arid lands. New York: Academic Press; 1981: 581-599.
- Trappe, James M. Truffles in North America. McIlvainea. 4(2): 2-5; 1980.
- Walker, Christopher; Trappe, James M. Acqulospora spinosa sp. nov. with a key to the species of Acaulospora. Mycotaxon. 12(2): 515-521; 1981.
- Wargo, Philip M. Armillaria mellea: An opportunist. J. Arbor. 6: 276-278; 1980.

- Wargo, Philip M. Defoliation and secondary-action organism attack with emphasis on *Armillaria mellea*. J. Arbor. 7: 64-69; 1981.
- Wargo, Philip M.; Houston, D. R. Root rots and damping off. In: Compendium of elm disease. Phytopathology 1981: 45-48.
- Widin, K. D.; Schipper, A. L., Jr. Epidemiology of *Melampsora medusa* leaf rust of poplars in the north central United States. Can. J. For. Res. 10(3): 257-263; 1980.
- Wolter, Karl E.; Highley, Terry L.; Evans, Faye J. A unique polysaccharidedegrading enzyme complex from the wood-decay fungus *Poria placenta*. Biochem. Biophys. Res. Comm. 97(4): 1499-1504; 1980.
- Woo, J. Y.; Martin, N. E. Scanning electron microscopy of *Cronartium ribicola* infecting *Ribes* leaves. Eur. J. For. Pathol. 11: 7-15; 1981.

Disease Control and Management Strategies

- Anderson, Robert L.; Martin, Margaret B.; Peterson, Glenn W. How to identify and control Phomopsis blight of junipers. Forestry Bull. SA-FB/P 25. U.S. Department of Agriculture, Forest Service, Southeastern Area; 1980. 6 p.
- Anderson, Robert L.; Powers, Harry R.; Snow, Glenn A. How to identify fusiform rust and what to do about it. Forestry Bull. SA-FB/P24; U.S. Department of Agriculture, Forest Service, Southeastern Area, 1980.
- Coggeshall, M. V.;[and others]. Genetic variation in resistance to canker disease of young American sycamore. Plant Dis. 65(2): 140-142; 1981.
- Davis, Weston; Shortle, Walter; Shigo, Alex. Potential hazard rating system for fir stands infested with budworm using cambial electrical resistance. Can. J. For. Res. 10: 541-544; 1980.
- Elkins, J. R. [and others]. Vegetative propagation of large surviving American chestnut trees. 71st Annual Report Northern Nut Growers Association 71: 56-61; 1981.

- Filer, T. H., Jr.; Solomon, J. D.; Cooper, D. T.; Hubbes, M. Integrated pest management of poplar species: In: IX International Congress Plant Protection, Vol. II, Integrated Plant Protection for Agricultural Crops and Forest Trees. Proceedings of the symposium; 1979 Aug. 5-11, Washington, D.C. Minneapolis, MN. Entomological Society of America; 1979: 618-20.
- Hawksworth, Frank G.; Edminster, Carleton B. Carlos Bates' mistletoe resistant ponderosa pines: A postscript after half a century. Res. Note RM-412. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 6 p.
- Hawksworth, Frank G.; Shigo, Alex L. Dwarf mistletoe on red spruce in the White Mountains of New Hampshire. Plant Dis. 64: 880-882; 1980.
- Hodges, Charles S. Forest protection research needs. Proceedings of the Hawaii forestry wildlife conference; 1980 October 2-4; Honolulu, HI. Honolulu, HI: Forest Service, U.S. Department of Agriculture; 1981; 36-39.
- Houston, David R. Some dieback and decline disease of northeastern forest trees: Forest management considerations. In: Proceedings, national silviculture workshop; 1981 June; Roanoke, VA; 1981.
- Hutchins, Anita Stiebrs. In vitro inhibition of root-rot pathogens *Phellinus* weirii, Armillariella mellea, Fomes annosus, and *Phytophthora cinnamomi* by a newly isolated *Bacillus* sp. Microb. Ecol. 6: 253-259; 1980.
- Kuhlman, E. G. Hypovirulence and hyperparatisitism. In: Horsefall, J. G.; Cowling, E. G., eds. Plant disease: an advanced treatise 5: 363-380; 1980.
- Lewis, R., Jr. Disease management in southern upland hardwoods. In:
 Proceedings, Mid-South upland hardwood symposium for the practicing
 forester and land manager: 1980 April 30-May 2; Harrision, AR. Tech. Pub.
 SA-TP 12. Atlanta, GA: U.S. Department of Agriculture, Forest Service,
 Southeastern Area 1980: 161-167.
- Marx, Donald H.; Rowan, S. J. Fungicides influence growth and development of specific ectomycorrhizae on loblolly pine seedlings. For. Sci. 27: 167-176; 1981.

- McDonald, Geral I.; Hoff, Raymond J.; Wykoff, W. R. Computer simulation of white pine blister rust epidemics. Res. Pap. INT-258. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 136 p.
- Neeley, Dan. Application of nitrogen fertilizer to control anthracnose of black walnut. Plant Dis. 65(7): 580-581; 1981.
- Ostry, Michael E. *Hypoxylon* canker of aspen: the possible role of insects and some management implications. In: Proceedings, 1980 Society of American Foresters Wisconsin-Michigan Section Meeting; 1980 September 18-19; Marquette, MI. Marquette, MI: Society of American Foresters, Upper Peninsula Chapter; 1981: 64-70.
- Palmer, J. G., Sr.; Kuntz, J. E.; Palmer, J. G., Jr.; Camp, R. F. Mycorrhizal development on red pine in nursery beds treated with an herbicide. For. Res. Note No. 240; University of Wisconsin-Madison, 1980; 5 p.
- Palmer, Marguerita; Ostry, Michael E.; Schipper, Arthur L. How to identify and control *Marssonina* leaf spot of poplars. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 5 p.
- Palmer, Marguerita A.; Schipper, Arthur L.; Ostry, Michael E. How to identify and control *Septoria* leaf spot and canker of poplar. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 5 p.
- Peterson, Glenn W. Control of Diplodia and Dothistroma blights of pines in the urban environment. J. Arboric. 7: 1-5; 1981.
- Peterson, Glenn W. Diplodia blight of pines. Forest Insect & Dis. Leafl. 161.
 Washington, DC: U.S. Department of Agriculture, Forest Service; 1981. 7 p.
- Powers, H. R., Jr. Control strategies for fusiform rust. In: Forest pest management: 12th spring symposium for the Florida Section, Society of American Foresters. Res. Rep. 7. Gainesville, FL: University of Florida; 1980. 47-52.

- Powers, H. R., Jr. Developing fusiform rust-resistant seed orchard using survivors of artificial inoculation tests. In: Barnett, James P., ed. Proceedings of the first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 34-37.
- Powers, H. R., Jr. The use of survivors of artificial inoculation tests in developing rust resistant orchards. Phytopathol. Mediterr. 19: 17-20; 1980.
- Powers, H. R., Jr.; Matthews, F. R. Comparision of six geographic sources of loblolly pine for fusiform rust resistance. Phytopathology 70: 1141-1143; 1980.
- Powers, H. R., Jr.; Schmidt, R. A.; Snow, G. A. Current status and management of fusiform rust on southern pines. In: Annual Review of Phytopathology 19; 1981: 353-371.
- Rowan, S. J. Soil furnigants and fungicide drenches for control of root rot of loblolly pine seedlings. Plant Dis. 65: 53-55; 1981.
- Rowan, S. J.; Muse, David. Latent fusiform rust infections in slash and loblolly pine nursery stock. In: Barnett, James P., ed. Proceedings of the first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 38-40.
- Schmidt, R. A.; Powers, H. R., Jr.; Snow, G. A. Application of genetic disease resistance for the control of fusiform rust in intensively managed southern pine. Phytopathology 71: 993-997; 1981.
- Shaw, C. G., III; MacKenzie, M.; Toes, E. H. A. Pentachlorophenol fails to protect seedlings of *Pinus radiata* from Armillaria root rot. Eur. J. For. Pathol. 10: 344-346; 1980.
- Sherald, J. L.; Gregory, G. F. Dutch elm disease therapy. J. Arboric. 5: 287-290; 1980.
- Shigo, Alex Branches. J. of Arboric. 6: 300-304; 1980.

- Shigo, Alex L. Dags för ny syn pa tradbeskärning. Vtemiljö 7: 9; 1981.
- Shigo, Alex. Discoloradion and decay. In: Compendium of elm diseases. Stipes, R. J.; Campana, R. J., eds. 48-49; 1981.
- Shortle, Walter. Tree injections and wound response. Proc. Tree Wardens, Arborists, and Utilities Conf. 36-37; 1979.
- Skilling, Darroll D. Control of Swiss needlecast in Douglas-fir Christmas trees. Am. Christmas Tree J. 25: 34-37; 1981.
- Skilling, Darroll D. Recent developments on Scleroderris canker. In:
 Proceedings, 1980 Society of American Foresters, Wisconsin-Michigan
 Section Meeting; 1980 September 18-19; Marquette, Ml. Marquette, Ml.
 Society of American Foresters, Upper Peninsula Chapter; 1981: 71-76.
- Smith, H. Clay. U.S. Forest Service American chestnut cooperators' meeting. Gen. Tech. Rep. NE-64. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 20 p.
- Smith, K. T.; Blanchard, R. O.; Shortle, W. C. Postulated mechanisms of biological control of decay fungi in red maple wounds treated with *Trichoderma harzianum*. Phytopathology 71: 496-498; 1981.
- Snow, G. A.; Griggs, M. M. Relative virulence of *Cronartium quercuum* f. sp. *fusiforme* from seven resistant families of slash pine. Phytopath. Medit. 19: 13-16; 1980.
- Staley, John [and others]. Control of Lophodermium needlecast in Pacific Northwestern Scotch pine. Northwest Lookout; May 1981: 36-40; 1981.
- Thies, Walter G.; Owston, Peyton W.; Hansen, Dian. Effects of four fungicides on survival and growth of containerized Douglas-fir seedlings: greenhouse performance. Can. J. For. Res. 10(3): 423-425; 1980.
- Wicker, E. F. Biocontrol of conifer stem rusts: the purple mold. Phytopathologia Medit. 19: 21-26; 1980.
- Wicker, E. F. Natural control of white pine blister rust by *Tuberculina maxima*. Phytopathology 71: 997-1000; 1981.

Air Pollution

- Bringi, Sreedevi K.; Seliga, Thomas A.; Dochinger, Leon S. Method of selecting forest sites for air pollution study. Res. Pap. NE-472. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 15 p.
- Cowling, Ellis B.; Dochinger, Leon S. Effects of acidic precipitation on health and the productivity of forests. In: Effects of air pollutants on mediterranean and temperate forest ecosystems. Gen. Tech. Rep. PSW-43. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980: 165-173.
- Dochinger, Leon S. Effects of acid precipitation on terrestrial ecosystems. BioScience 30: 776-777; 1980.
- Eckert, Robert T.; Houston, Daniel B. Photosynthesis and needle elongation response of *Pinus strobus* to low level sulfur dioxide exposure. Can. J. For. Res. 10: 357-361; 1980.
- Fosberg, M. A.; Record, H. Emissions and air resource management within forests. Proceedings, symposium on effects of air pollutants on mediterranean and temperate forest ecosystems. Gen. Tech. Rep. PSW-43. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980; 13-23.
- Harkov, R.; Brennan, E. An ecophysiological analysis of the response of trees to oxidant pollution. J. Am. Poll. Cont. Assoc. 29: 157-161; 1979.
- Harkov, R.; Brennan, E. The influence of soil fertility and water stress on the ozone response of hybrid poplar trees. Phytopathology 70: 991-994; 1980.
- Jensen, Keith F. Air pollutants affect the relative growth rate of hardwood seedlings. Res. Pap. NE-470. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 5 p.
- Karnosky, D. F. Chamber and field evaluations of air pollution tolerances of urban trees. J. Arbor. 7: 99-105; 1981.

- McClenahen, J. R.; Dochinger, L. S. Tree seedling growth and leaf element accumulation in open top chambers near an urban-industrial area. Can. J. For. Res. 11: 274-280; 1981.
- Miller, Paul R.; Longbotham, Gail J.; Van Doren, Robert E.; Thomas, M. A. Effect of chronic oxidant air pollution exposure on California black oak in the San Bernardino Mountains. Proceedings, symposium on ecology, management, and utilization of California oaks; 1979 June 26-28; Claremont, CA. Gen. Tech. Rep. PSW-44. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980; 220-229.
- Patton, Roy L. Effects of ozone and sulfur dioxide on height and stem specific gravity of *Populus* hybrids. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981, 4 p.
- Rhoads, A.; Harkov, R.; Brennen, E. Trees and shrubs relatively insensitive to oxidant pollution in New Jersey and southeastern Pennsylvania. Plant Dis. 64: 1106-1108; 1980.

Wood Products Organisms

- Amburgey, Terry L.; Johnson, Glen N.; Etheridge, Joel L. A method to mass-produce decayed-wood termite bait blocks. J. Georgia Entomol. Soc. 16(1): 112-115; 1981.
- Beal, Raymond H. New materials for termite control. Pest Control 48(11): 46, 48, 50, 52, 54; 1980.
- Beal, Raymond H.; Miller, W. O. Termite control investigations with broad spectrum insecticides. Ind. Veg. Turf and Pest Manage. 12(2): 17-22; 1980.
- Beal, Raymond, H.; Williams, Lonnie H. Will electromagnetic pest control devices inhibit activities of termites and wood-destroying beetles? In: Investigation of efficacy and enforcement activities relating to electromagnetic pest control devices, Proc. EPA 340/05-80-001. Washington, DC: U.S. Environmental Protection Agency, Pesticides and Toxic Substances Enforcement Div.; 1980: 195-209.

- De Groot, Rodney C.; Gjovik, Lee R.; Baker, Andrew J. Preservative-treated wood for foundations. Res. Note FPL 0245; Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 5 p.
- Eslyn, Wallace E.; Bultman, John D.; Jurd, Leonard. Wood decay inhibition by tropical hardwood extractives and related compounds. Phytopathology 71(5): 521-524; 1981.
- Gaby, Louis I.; Carter, Fairie Lyn. Resistance of COM-PLY lumber to subterranean termites. Res. Pap. SE-225, COM-PLY Rep. 22. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station, Southern Forest Experiment Station, and U.S. Department of Housing and Urban Development; 1981. 6 p.
- Haverty, M. I.; Howard, R. W. Production of soldiers and maintenance of soldier proportions by laboratory experimental groups of *Reticulitermes flavipes* (Kollar) and *Reticulitermes virginicus* (Banks) (Isoptera:Rhinotermitidae). Insectes Sociaux 28(1): 32-39; 1981.
- Highley, Terry L. In-place treatments for control of decay in waterfront structures. For. Prod. J. 30(9): 45-51; 1980.
- Howard, Ralph W.; Haverty, Michael I. Reproductives in mature colonies of *Reticulitermes flavipes:* abundance, sex-ratio, and association with soldiers. Environ. Entomol. 9(4): 458-460; 1980.
- Howard, Ralph; Haverty, Michael I. Seasonal variation in caste proportions of field colonies of *Reticulitermes flavipes* (Kollar). Environ. Entomol. 10(4): 546-549; 1981.
- Howard, Ralph W.; McDaniel. C. A.; Blomquist, Gary J. Chemical mimicry as an integrating mechanism: Cuticular hydrocarbons of a termitophile and its host. Science 210: 431-433; 1980.
- Johnson, Bruce R.; Gutzmer, David I. Marine exposure of preservative-treated small wood panels. Res. Pap. FPL 399; Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1981. 14 p.
- Owens, Charles; Shortle, Walter; Shigo, Alex. Preliminary evaluation of silicon tetrachloride as a wood preservative. Holzforschung 34: 223-225; 1980.

- USDA Forest Service. Protecting your home from termites. South. Living 16(5): 194, 196; 1981.
- Williams, Lonnie H.; Mauldin, Joe K. Survival and growth of the anobiid beetle *Xyletinus peltatus* (Coleoptera: Anobiidae) on various woods. Can. Entomol. 113: 651-657; 1981.

Forest Environment Research

Watershed Management

- Armstrong, B. R. A quantitative analysis of avalanche hazard on U.S. Highway 550, southwestern Colorado. In: Proceedings, 49th annual western snow conference; 1981 April 14-16; St. George, UT. Fort Collins, CO: Colorado State University; 1981: 95-104.
- Berg, Neil H. Prediction of snowdrift accumulation of alpine sites. In: Ives, J.D., ed. Geoecology of the Colorado Front Range: a study of alpine and subalpine environments. Boulder, CO: Westview Press; 1980: 254-258.
- Berg, Neil H., [and others]. An evaluation of possible effects of weather modification on hydrologic processes in the American River Basin, California. Proceedings of workshop IV. The Sierra ecology project, volume 2; 1978, September 5-8, Berkeley, CA. Denver, CO: U.S. Department of Interior, Office of Atmospheric Resources Management; 1980; IV-i-IV-43.
- Bergen, James D. An inexpensive photoelectric remote tilt meter. Res. Note PSW-347. Berkeley CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980. 4 p.
- Bergen, James D. A slip-velocity hypothesis applied to hydraulically smooth wind flow over a snow cover. J. Glaciol. 26(94): 447-452; 1980.

- Bergen, J. D.; Miller, D. R.; Neuroth, G. Correlation of air temperatures, windspeeds, and inversion heights observed in a forested mountain canyon by means of a simple air speed model. In: 15th conference on agriculture and forest meteorology and 5th conference on biometeorology; 1981 April 1-3; Anaheim, CA. Boston, MA: Am. Meteor. Soc.; 1981; 177-179.
- Blackburn, W. H. Assessment of nonpoint source pollution from intensive forest practices in the south central region, Texas. In: Research and field investigation on the impact of southern forestry management practices on receiving water quality and utility. Tech. Bull. 337. New York: National Council of the Paper Industry for Air and Stream Improvement; 1980: 16-22.
- Brickler, Stanley K; Tunnicliff, Brock. Water quality analyses of the Colorado River corridor of Grand Canyon. College of Agric. pap. 350. Tucson: University of Arizona; 1980. 134 p.
- Brown, Ray W.; Collins, James M. A screen-caged thermocouple psychrometer and calibration chamber for measurements of plant and soil water potential. Agron. J. 72: 851-854; 1980.
- Clayton, James L. Magnitude and implications of dissolved and sediment elemental transport from small watersheds. In: Baumgartner, David M., ed. Interior West watershed management: proceedings of a symposium; 1980 April 8-10; Spokane, WA. Pullman, WA: Washington State University, Cooperative Extension; 1981: 83-98.
- Clayton, James L. Soil disturbance caused by clear-cutting and helicopter yarding in the Idaho batholith. Research Note INT-305. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 7 p.
- Cole, Gene F.; Megahan, Walter F. South Fork Salmon River future management. In: Symposium on watershed management, volume I. New York: American Society of Civil Engineers; 1980: 396-405.
- Cooley, John H. Christmas trees enhanced by sewage effluent. Compost Sci./Land Util.(Nov-Dec): 28-30; 1980.

- Corbett, Edward S. Hydrologic evaluation of the stormflow generation process on a forested watershed. PB80-129133. Springfield, VA: National Technical Information Service; 1980: 139 p.
- Davis, E. A. Tebuthiuron residues in stream water from a spot-treated chaparral watershed in Arizona. In: Western Society of Weed Science: 1981 Research Progress Report; 1981 March 17-19; San Diego, CA. 1981: 52-53.
- Davis, E. A.; Gottfried, G. J. Response of New Mexico locust and Gambel oak to picloram pellets. In: Western Society of Weed Science: 1981 Research Progress Report; 1981 March 17-19; San Diego, CA. 1981: 54-55.
- DeBano, Leonard F. Water repellent soils: a state-of-the-art. Gen. Tech. Rep. PSW-46. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980; 4 p.
- Dent, J. D.; Lang, T. E. Modeling of snow flow. J. Glaciol. 26(94): 131-140; 1980.
- Doty, R. D.; Wood, H. B.; Merriam, R. A. Suspended sediment production from forested watersheds on Oahu, Hawaii. Water Resour. Bull. 17(3):399-405; 1981.
- Doty, Robert D. Soil and water research needs, Proceedings, Hawaii Forestry/Wildlife Conference; 1980 October 2-4, Honolulu, Hawaii. Honolulu, Hawaii: U.S. Department of Agriculture, Forest Service; 1981: 25-27.
- Douglass, James E.; Goodwin, O. C. Runoff and soil erosion from forest site preparation practices. In: Proceedings of U.S. forestry and water quality: what course in the 80's? 1980 June 19-20; Richmond, VA; 1980: 50-74.
- Durgin, Phillip B. Organic matter content of soil after logging of fir and redwood forests. Res. Note PSW-346. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980. 3 p.
- Ferguson, Robert B. Potting media for *Atriplex* production under greenhouse conditions. Res. Note INT-301. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1980. 7 p.

Environment

- Fletcher, Joel E. [and others]. Precipitation characteristics of summer storms of Straight Canyon barometer watershed, Utah. Res. Pap. INT-274. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 11 p.
- Fowler, W. B. The use of biological indicators as an index of stream health. In: Baumgartner, David M., ed. Interior West watershed management: proceedings of a symposium; 1980 April 8-10; Spokane, WA. Pullman, WA: Washington State University; 1981: 69-80.
- Fowler, W. B.; Helvey, J. D. Soil and air temperature and biomass after residue treatment. Res. Note PNW-383. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 8 p.
- Gary, Howard L. Patch clearcutting to manage snow in lodgepole pine. In: Proceedings, 1980 watershed management symposium, Vol. I; 1980 July 21-23; Boise, ID. New York, NY: Irrigation and Drainage Division American Society of Civil Engineers; 1980: 335-346.
- Gary, Howard L.; Ponce, Stanley L.; Dedrick, Jim D. Effects of mountain home developments on surface water quality: A case study. Res. Note RM-396. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 6 p.
- Gosz, James R. Biomass distribution and production budget for a nonaggrading forest ecosystem. Ecology 61(3): 507-514; 1980.
- Gosz, James R. Nutrient budget studies for forest along an elevational gradient in New Mexico. Ecology 61(3): 515-521; 1980.
- Gosz, James R.; White, Carleton S.; Ffolliott, Peter F. Nutrient and heavy metal transport capabilities of sediment in the Southwestern United States. Water Resour. Bull. 16(5): 927-933; 1980.
- Gray, Donald H.; Megahan, Walter F. Forest vegetation removal and slope stability in the Idaho Batholith. Res. Pap. INT-271. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 23 p.

- Halverson, Howard G.; Potts, Donald F. Water requirements of honey locust (*Gleditsia triacanthos f. inermis*) in the urban forest. Res. Pap. NE-487. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 4 p.
- Hamala, James A.; Duncan, Scott W.; Blinn, Dean W. A portable pump sampler for lotic periphyton. Hydrobiologia 80: 189-191; 1981.
- Hansen, Edward A.; Harris, Alfred Ray. An improved technique for spatial sampling of solutes in shallow groundwater systems. Water Resour. Res. 16(4): 827-829; 1980.
- Harr, R. Dennis. Scheduling timber harvest to protect watershed values. In: Baumgartner, David M., ed. Proceedings, Interior West watershed management symposium; 1980 April 8-10; Spokane, WA. Pullman, WA: Washington State University; 1981: 269-280.
- Harris, A. R.; Urie, D. H.; McQuilkin, R. A.; Sander, I. L. Water quality implications of forest fertilization in the Missouri Ozarks. In: Proceedings, third meeting of the central hardwood forest conference; 1980 September 16-17; Columbia, MO: University of Missouri; 1980: 21-37.
- Hart, George E.; DeByle, Norbert V.; Hennes, Robert W. Slash treatment after clearcutting lodgepole pine affects nutrients in soil water. J. For. 446-450; 1981.
- Heede, Burchard H. Dynamics of selected mountain streams in the western United States of America. Z. Geomorph. N.F. 25(1): 17-32; 1981.
- Heede, Burchard H. Rehabilitation of disturbed watersheds through vegetation treatment and physical structures. In: Proceedings, Interior West watershed management; 1980 April 8-10; Spokane, WA. Pullman, WA: Washington State University Cooperative Extension; 1981: 257-268.
- Helvey, J. D. Effects of a north central Washington wildfire on runoff and sediment production. Water Resour. Bull. 16(4): 627-634; 1980.
- Helvey, J. D. Flood frequency and culvert sizes needed for small watersheds in the Central Appalachians. Gen. Tech. Rep. NE-62. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 8 p.

- Helvey, J. D.; Fowler, W. B. A new method for sampling snow melt and rainfall in forests. Water Resour. Bull. 16(5): 938-940; 1980.
- Hibbert, Alden R. Opportunities to increase water yield in the Southwest by vegetation management. In: Proceedings, Interior West watershed management; 1980 April 8-10; Spokane, WA. Pullman, WA: Washington State University Cooperative Extension; 1981: 223-230.
- Hornbeck, James W. Acid rain: facts and fallacies. J. For. 79(9): 438-443; 1981.
- Hornbeck, James W. Forest Management. In: Parker, Sybil B., ed. McGraw-Hill 1981 Yearbook of Science and Technology. p. 184-187. McGraw-Hill Book Co., NY; 1981.
- Jackson, Ben D.; Hickman, Clifford A.; Blackburn, Wilbert H.; Walterscheidt, Michael J. Water quality guidelines for east Texas timber producers. College Station, TX: Texas A&M University, Texas Agricultural Extension Service; 1981; L-1780. 4 p.
- Johnson, Michael G.; Beschta, Robert L. Seasonal variation of infiltration capacities of soils in western Oregon. Res. Note PNW-373. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 8 p.
- Judson, Arthur; Leaf, Charles F.; Brink, Glen E. A process-oriented model for simulating avalanche danger. J. Glaciol. 26(94): 53-63; 1980.
- Klock, G. O. Soil water relations and the hydrologic response of watershed management. In: Baumgartner, David M., ed. Proceedings, Interior West watershed management symposium; 1980 April 8-10: Spokane, WA. Pullman, WA: Washington State University Cooperative Extension; 1981: 137-143.
- Klock, G. O.; Krammes, J. S. Watershed management research in the interior west. In: Baumgartner, David M., ed. Proceedings, Interior West watershed management symposium; 1980 April 8-10; Spokane, WA. Pullman, WA: Washington State University Cooperative Extension; 1981: 13-17.
- Klock, G. O.; Lopushinsky, W. Soil water trends after clearcutting in the Blue Mountains of Oregon. Res. Note PNW-361. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 7 p.

- Knighton, M. D.; Steigler, J. H. Phosphorus release following clearcutting of a black spruce fen and a black spruce bog. In: Proceedings, Sixth international peat congress; 1980 August 17-23; Duluth, MN. Eveleth, MN: W. A. Fisher Co.; 677-683; 1981.
- Knighton, M. Dean. Growth response of speckled alder and willow to depth of flooding. Res. Pap. NC-198. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 6 p.
- Knighton, M. Dean; Streblow, Dwight E. A homemade instrument for collecting soil water from porous ceramic cups. Res. Note NC-270. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 5 p.
- Knighton, M. Dean; Streblow, Dwight E. A more versatile soil water sampler. Soil Sci. Soc. Am. J. 45(1): 158-159; 1981.
- Kochenderfer, J. N. Some thoughts on forest roads. CFM News, (Cooperative Forest Management Assistance for Private Landowners) WESTVACO, CFM, Covington, VA; (Winter) 1980, p. 10.
- Lang, T. E.; Dent, J. D. Scale modeling of snow-avalanche impact on structures. J. Glaciol. 26(94): 189-196; 1980.
- Larson, Keith R.; Sidle, Roy C. Erosion and Sedimentation data catalog of the Pacific Northwest. R-6WM-050-1981. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region; 1980. 64 p.
- Lawson, E. R. Water management and control of soil loss in southern upland hardwood stands. In: Proceedings, Mid-South upland hardwood symposium for the practicing forester and land manager. 1980 April 30-May 2, Harrison, AR. Tech. Pub. SA-TP 12. Atlanta, GA: U.S. Department of Agriculture, Forest Service, Southeastern Area State and Private Forestry; 1980: 134-143.
- Linlor, W. I. [and others]. Snow wetness measurements and runoff forecasting. In: Proceedings 49th annual western snow conference; 1981 April 13-16; St. George, UT. Ft. Collins, CO: Colorado State University; 1981; 1-12.

- Lisle, T. E. The recovery of aggraded stream channels at gauging stations in northern California and southern Oregon. Proceedings of the international symposium on erosion and sediment transport in Pacific rim steeplands; 1981 January 25-31; Christchurch, N.Z. Int. Assn. Hydrol. Sci. 132: 189-211; 1981.
- Lopushinsky, W. Plant-water relationships in interior west watersheds. In: Baumgartner, David M., ed. Proceedings, Interior West watershed management symposium; 1980 April 8-10; Spokane, WA. Pullman, WA: Washington State University; 1981: 99-106.
- Lugo, Ariel E.; Quinones Marques, Ferdinand; Weaver, Peter L. La erosión y sedimentación en Puerto Rico. Carib. J. Sci. 16(1-4): 143-165; 1980.
- Lynch, James A.; Corbett, Edward S. Effectiveness of best management practices in controlling nonpoint pollution from commercial clearcuts. In: Nonpoint pollution control: tools and techniques for the future. 1980 June 11-13. Gettysburg, PA. Gettysburg, PA: Interstate Commission on the Potomac River Basin, Tech. Pub. 81-1; 1981: 213-224.
- Lynch, James A.; Corbett, Edward S.; Sopper, William E. Evaluation of management practices on the biological and chemical characteristics of streamflow from watersheds. University Park, PA: Institute for Research on Land and Water Resources; 1980: 99 p.
- Lynch, James A.; Corbett, Edward S.; Sopper, William E. Impact of forest cover removal on water quality. University Park, PA: Institute for Research on Land and Water Resources; 1980: 91 p.
- Martin, C. Wayne; Noel, Diane S.; Federer, C. Anthony. The effect of forest clearcutting in New England on stream water chemistry and biology. Water Resour. Res. Center. Res. Report. University of New Hampshire, Durham; 1981.
- Martin, Susan B.; Platts, William S. 8. Effects of mining. In: Meehan, William R., tech. ed. Influence of forest and rangeland management on anadromous fish habitat in western North America. Gen. Tech. Rep. PNW-119. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 15 p.
- Martinelli, M. Jr.; Lang, T. E.; Mears, A. I. Calculations of avalanche friction coefficients from field data. J. Glaciol. 26(94): 109-119; 1980.

- Maurer, Brian A.; Whitemore, Robert C. Foraging changes by canopy birds in a clearcut forest. West Virginia Forestry Notes No. 8, West Virginia University Press; 1980.
- Mears, Arthur I., Design criteria for avalanche control in the runout zone.

 General Technical Report RM-84. Ft. Collins, CO. U.S. Department of
 Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment
 Station. 1981. 28 p.
- Megahan, Walter F. Effects of silvicultural practices on erosion and sedimentation in the Interior West—a case for sediment budgeting. In: Baumgartner, David M. Proceedings, Interior West watershed management symposium; 1980 April 8-10; Spokane, WA. Pullman, WA: Washington State University, Cooperative Extension; 1981: 169-181.
- Megahan, Walter F. Nonpoint source pollution from forestry activities in the western United States: results of recent research and research needs. In: U.S. forestry and water quality: what course in the 80's? An analysis of environmental and economic issues: proceedings; 1980 June 19-20; Richmond, VA. Washington, DC: Water Pollution Control Federation; 1980: 92-151.
- Megahan, Walter F. [and others]. Forest land: conservation needs, technology, and policy alternatives. In: Larson, William E. [and others], eds. Soil and water resources: research priorities for the Nation; executive summary. Madison, WI: Soil Science Society of America, Inc.; 1981; 23-25.
- Megahan, Walter F.; Platts, William S.; Kulesza, Bert. Riverbed improves over time: South Fork Salmon. In: Symposium on watershed management, volume I. New York: American Society of Civil Engineers; 1980: 380-395.
- Miller, David R.; Bergen, James D. Cold air drainage in a narrow forested valley. 15th conference on agriculture and forest meteorology and 5th conference on biometeorology; 1981 April 1-3; Anaheim, CA. Boston, MA: Am. Meteor. Soc; 1981; 172-173.
- Moore, Duane G.; Currier, John B.; Norris, Logan A. Introduced chemicals. In: An approach to water resources evaluation of non-point silvicultural sources (a procedural handbook). EPA-600/8-80-012. Athens, GA: U.S. Environmental Protection Agency; 1980: XI.i-v, X1.1-62.

- Moore, Duane G.; Loper, Bobby R. DDT residues in forest floors and soils of western Oregon, September-November 1966. Pestic. Monit. J. 14(3): 77-85; 1980.
- Newton, Michael; Norris, Logan A. Evaluating short- and long-term effects of herbicides on non-target forest and range biota. In: Biological evaluation of environmental impacts: the proceedings of a symposium; 1976 Meeting of the Ecological Society of America and American Institute of Biological Sciences. Biological Service Program FWS/OBS-80/26: 133-144. Washington, DC: U.S. Department of Interior, Council of Environmental Quality; Washington, DC: U.S. Department of the Interior, Fish and Wildlife Service; 1980: 133-144.
- Nichols, Dale S. Nutrient removal from wastewater by wetlands. In: Proceedings, Sixth international peat congress; 1980 August 17-23; Duluth, MN. Eveleth, MN: W. A. Fisher Co.; 1981: 638-642.
- Nichols, Dale S.; Brown, James M. Evaporation from a sphagnum moss surface. J. Hydrol. 48: 289-302; 1980.
- Norris, L. A.; Moore, D. G. Introduced chemicals and water quality. In: Baumgartner, David M., ed. Proceedings, Interior West watershed management symposium; 1980 April 8-10; Spokane, WA. Pullman, WA: Washington State University; 1981: 203-220.
- Norris, Logan A. Ecotoxicology at the watershed level. In: Working papers, testing for effects of chemicals on ecosystems. Washington, DC: National Academy Press; 1981: 137-148.
- Overton, W. Scott; White, Curtis. On constructing a hierarchical model in the flex paradigm, illustrated by structural aspects of a hydrology model. Int. J. Gen. Syst. 6: 191-216; 1981.
- Patric, James H. Soil-water relations of shallow forested soils during flash floods in West Virginia. Res. Pap. NE-469. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 20 p.
- Pfister, Robert D. Habitat type classification for managing western watersheds. In: Baumgartner, David M., ed. Proceedings, Interior West watershed management; 1980 April 8-10; Spokane, WA. Pullman, WA: Washington State University, Cooperative Extension; 1981: 59-67.

- Pierson, Thomas C. Piezometric response to rainstorms in forested hillslope drainage depressions. J. Hydrol. (New Zealand). 19(1): 1-9; 1980.
- Rasmussen, William O.; Weise, Rueben N.; Ffolliott, Peter F.; Carder, D. Ross. Planning for forest roads a computer assisted procedure for selection of alternative corridors. J. Environ. Manage. 11: 93-104; 1980.
- Rice, R. M.; Datzman, P. A. Erosion associated with cable and tractor logging in northwestern California. Proceedings of the international symposium on erosion and sediment transport in Pacific Rim steeplands; 1981 January 25-31, Christchurch, N.Z.: Int. Assn. Hydrol. Sci. 132; 362-375; 1981.
- Rice, Raymond M. A perspective on the cumulative effects of logging on streamflow and sedimentation. Cumulative effects of forest management on California watersheds an assessment of status and needs for information. In: Standiford, Richard B.; Romacher, Shirley I., eds., Proceedings of the Edgebrook Conference; 1980 June 2-3; Berkeley, CA. Div. of Agric. Sci.; Univ. of Calif. Special Pub.; 1981; 3268(3): 36-46.
- Rogerson, T. L. Rainfall data simulation. Res. Note SO-260. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1980. 8 p.
- Schmidt, R. A. Estimates of threshold wind-speed from particle sizes in blowing snow. Cold Regions Sci. and Technol. 4(3): 187-193; 1981.
- Schmidt, R. A. Threshold wind-speeds and elastic impact in snow transport. J. Glaciol. 26(94): 453-467; 1980.
- Schmidt, R. A.; Randolph, Kristine L. Predicting deposition of blowing snow in trenches from particle trajectories. In: Proceedings, 49th annual western snow conference; 1981 April 14-16; St. George, UT. Fort Collins, CO: Colorado State University; 1981: 34-42.
- Sedell, James R.; Franklin, Jerry F.; Swanson, Frederick J. Out of the ash. Amer. For. 86(10): 26-31, 68. 1980.
- Short, Robert A.; Ward, James. V. Macroinvertebrates of a Colorado high mountain stream. Southwestern Natur. 25(1): 23-32; 1980.
- Sinsabaugh, R. L. III [and others]. Cellulase activity associated with the decomposition of leaf litter in a woodland stream. Oikos 36: 184-190; 1981.

- Slaughter, Charles W. Use of pre-fabricated Parshall flumes to measure streamflow in permafrost-dominated watersheds. Res. Note PNW-382. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 13 p.
- Smith, James L. [and others]. An evaluation of possible effects of weather modification on lake and stream biota in the American River Basin, California. Proceedings of workshop V. The Sierra ecology project, volume 2, 1978; September 5-8, Berkeley, CA. Denver, CO: U.S. Department of Interior, Office of Atmospheric Resources Management; 1980 V-i-V-54.
- Sollins, P. [and others]. Changes in nitrogen cycling at an old-growth Douglasfir site after disturbance. J. Environ. Qual. 10(1): 37-42; 1981.
- Sollins, P. [and others]. The internal element cycles of an old-growth Douglas-fir ecosystem in western Oregon. Ecol. Monogr. 50(3): 261-285; 1980.
- Sommerfeld, Richard A. Acoustic emissions from unstable snow slopes. In: Proceedings, second conference on acoustic emission microseismic activity in geologic structures and materials; 1978 November 13-15; University Park, PA. The Pennsylvania State University. Clausthal, Germany: Trans Tech Publications; 1980: 319-329.
- Sommerfeld, Richard A. Statistical models of snow strength. J. Glaciol. 26(94): 217-223; 1980.
- Stark, N. Changes in soil water quality resulting from three timber cutting methods and three levels of fiber utilization. J. Soil and Water Conserv. 35(4): 183-187; 1980.
- Stark, N.; Zuuring, H. Predicting the nutrient retention capabilities of soils. Soil Sci. 131(1): 9-19; 1981.
- Stucky, D. J.; Bauer, J. H.; Lindsey, T. C. Restoration of acidic mine spoils with sewage sludge: I Revegetation. Reclam. Rev. (3): 129-139; 1980.
- Stucky, D. J.; Zoeller, A. L. Restoration of acidic mine spoils with sewage sludge: Il Measurements of solids applied. Reclam. Rev. (3): 141-147; 1980.

- Swanson, Frederick J. Geomorphology and ecosystems. In: Waring, Richard H., ed. Forests: Fresh perspectives from ecosystem analysis: Proceedings, 40th Annual Biological Colloquium Corvallis, OR: Oregon State University Press; 1980: 159-170.
- Swanson, Frederick J.; Swanson, Mary M.; Woods, Chris. Analysis of debrisavalanche erosion in steep forest lands: an example from Mapleton, Oregon, USA. In: Erosion and sediment transport in Pacific Rim steeplands symposium. Washington, DC: International Association of Hydrological Science; 1981. IAHS-AISH Publ. 132: 67-75.
- Swanston, Douglas; Swanson, Frederick; Rosgen, David. Soil mass movement. Chap. 5. In: An approach to water resources evaluation of non-point silvicultural sources (a procedural handbook). EPA-600/8-80-012. Athens, GA: U.S. Environmental Protection Agency; 1980: V.i-v, V.1-49.
- Swanston, Douglas N. Creep and earthflow erosion from undisturbed and management impacted slopes in the Coast and Cascade Ranges of the Pacific Northwest, U.S.A. In: Erosion and sediment transport in Pacific Rim steeplands symposium. Washington, DC: International Association of Hydrological Science; 1981. IAHS-AISH Publ. 132: 76-94.
- Swanston, Douglas N. Watershed classification based on soil stability criteria. In: Baumgartner, David M., ed. Proceedings, Interior West watershed management symposium; 1980 April 8-10; Spokane, WA. Pullman, WA: Washington State University, Cooperative Extension; 1981: 43-58.
- Tabler, Ronald D. Geometry and density of drifts formed by snow fences. J. Glaciol. 26(94): 405-419; 1980.
- Tabler, Ronald D. Selfsimilarity of wind profiles in blowing snow allows outdoor modeling. J. Glaciol. 26(94): 421-434; 1980.
- Tabler, Ronald D.; Jairell, Robert L. Studying snowdrifting problems with small-scale models outdoors. In: Proceedings, Western snow conference; 1980 April 15-17; Laramie, WY; 1980:(4): 1-13.
- Tiedemann, Arthur R. Stream chemistry, nutrient economy, and site productivity consequences of wildland management and wildfire. In: Baumgartner, David M., ed. Proceedings, Interior West watershed management symposium; 1980 April 8-10; Spokane, WA. Pullman, WA: Washington State University, Cooperative Extension; 1981: 183-201.

- Tiedemann, A. R.; Anderson, T. D. Combustion losses of sulfur from native plant materials and forest litter. In: Proceedings, 6th conference on fire and forest meteorology; 1980 April; Seattle, WA. Washington, DC: Society of American Foresters; 1980: 220-227.
- Tiedemann, A. R.; Lopushinsky, W.; Larsen, H. J., Jr. Plant and soil responses to a commercial blue-green algae inoculant. Soil Biol. and Biochem. 12: 471-475; 1980.
- Troendle, Charles A. Effects of timber harvest on water yield and timing snow region. In: Proceedings of workshop on scheduling timber harvest for hydrologic concerns; 1979 December; Portland, OR. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region and Pacific Northwest Forest and Range Experiment Station; 1980: 1-25.
- Troendle, Charles A. Watershed management in the Rocky Mountains. In: Meeting the challenge of the 80's - Proceedings, 1980 Rocky Mountain forest industries conference; 1980 May 7-10; Jackson, WY: 1980: 24-45.
- Troendle, Charles A.; Leaf, Charles F. Hydrology, Chapter III. In: An approach to water resources evaluation of non-point silvicultural sources. EPA-600/8-80-012. Athens, GA: U.S. Environmental Protection Agency; 1980: III1-173.
- Troendle, Charles A.; Leaf, Charles F. Effects of timber harvesting in the snow zone on volume and timing of water yield. In: Proceedings, Interior West watershed symposium; 1980 April 8-10; Spokane, WA. Pullman, WA: Washington State University; Cooperative Extension, 1981: 231-243.
- Ursic, S. J. Hydrologic effects of replacing offsite hardwoods with southern pine. In: Research and field investigation on the impact of southern forestry management practices on receiving water quality and utility. Tech. Bull. 337. New York: National Council of the Paper Industry for Air and Stream; 1980: 25-27.
- U.S. Department of the Interior, Fish and Wildlife Service. Streamside areasmanagement dividends. publ. FWS.OBS-80/55; Washington, DC: U.S. Department of the Interior, Fish and Wildlife Service; 1980. 9 p.
- Verry, Elon S. Acidity of lakes and impoundments in north-central Minnesota. Res. Note NC-273. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station: 1981. 4 p.

- Verry, Elon S. Water table and streamflow changes after stripcutting and clearcutting an undrained black spruce bog. In: Proceedings, Sixth international peat congress; 1980 August 17-23; Duluth, MN. Eveleth, MN: W. A. Fisher Co.; 1981: 493-498.
- Wallace, L. L.; Dunn, E. L. Comparative photosynthesis of three gap phase successional tree species. Oceologia 45: 331-340; 1980.
- Waring, R. H. [and others]. Water relations and hydrologic cycles. In: Reichle, D. E., ed. Dynamic properties of forest ecosystems. Int. Biol. Programme 23. Malta: Cambridge University Press; 1980: 205-264.
- Wells, Wade G. II. Some effects of brushfires on erosion processes in coastal southern California. Int. Assoc. Hydrol. Sci. Publ. 132: 305-342; 1981.
- Williams, Knox. Credibility of avalanche warnings. J. Glaciol. 26(94): 93-96; 1980.
- Woodall, Steven L. Evapotranspiration and Melaleuca. In: Proceedings, Melaleuca Symposium, Ft. Myers, FL. Florida Division of Forestry, Tallahassee, FL. 1981: 117-123.
- Ziemer, R. R. Roots and the stability of forested slopes. Proceedings of the international symposium on erosion and sediment transport in Pacific Rim steeplands; 1981 January 25-31; Christchurch, N.Z.: Int. Assn. Hydrol. Sci. Pub. 132: 343-361; 1981.
- Ziemer, Robert R. The role of vegetation in the stability of forested slopes. Proceedings of the International Union of Forestry Research Organizations, XVII World Congress, Vol 1; 1981 September 6-7; Kyoto, Japan; 1981: 297-308.
- Ziemer, Robert R. Some effects of silvicultural options on the stability of slopes. Nat. Counc. Paper Ind. for Air and Stream Improve. Stream Improve. Tech. Bull. 344: 6-17; 1981.
- Ziemer, Robert R. Stormflow response to roadbuilding and partial cutting in small streams of northern California. Water Resour. Res. 17(4): 907-917; 1981.

Wildlife

- Arendt, W. J. Una introduccion a la ecologia del zorzal pardo (*Margarops fuscatus*) en la Sierra de Luquillo, Puerto Rico. In: Memorias del Segundo Coloquio sobre la Fauna de Puerto Rico, 1980 January; Humacao, PR. Humacao, PR: University of Puerto Rico, University College of Humacao, Department of Biology; 1980: 69-80.
- Arendt, W. J.; Vargas Mora, T. A.; Wiley, J. W. White-crowned pigeon: status rangewide and in the Dominican Republic. Proc. Ann. Conf. S.E. Assoc. Fish and Wildl. Agencies 33: 111-122: 1980.
- Baldassare, Guy A.; Whyte, Richard J.; Bolen, Eric G. Patagial tags for pintails wintering on the southern High Plains of Texas. Inland Bird Banding 52(2): 13-18; 1980.
- Baldassarre, Guy A.; Whyte, Richard J.; Bolen, Eric G. Use of ultrasonic sound to estimate body fat depots in the mallard. Prairie Nat. 12: 79-86; 1980.
- Barrett, Reginald H.; Beasom, Samuel L. Research needs for management of Barbary sheep in the future. In: Simpson, C. David, ed. Proceedings of the symposium on ecology and management of Barbary sheep; 1979 November 19-21; Lubbock, TX. Lubbock, TX: Texas Tech University; 1980: 106-107.
- Beasom, Samuel L.; Hood, Jeffrey C.; Cain, J. Richard. The effect of strip width on helicopter censusing of deer. J. Range Manage. 34: 36-37; 1981.
- Bohn, Carolyn; Galen, Christie; Maser, Chris; Thomas, Jack Ward. Homesteads—manmade avian habitats in the rangelands of southeastern Oregon. Wildl. Soc. Bull. 8(4): 332-341; 1980.
- Bowman, G. B.; Harris, L. D. Effect of spatial heterogeneity on ground-nest depredation. J. Wildl. Manage. 44: 806-813; 1980.
- Brown, David E.; Lowe, Charles H. Biotic communities of the Southwest. [Map.] Gen. Tech. Rep. RM-78. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 58 x 48: 1981.
- Buech, Richard R.; Rogers, Lynn L.; Mech, L. David. People and wildlife—bringing them together. Nature 31(4): 12-20; 1980.

- Bull, Evelyn L.; Twombly, Asa D.; Quigley, Thomas M. Perpetuating snags in managed mixed conifer forests of the Blue Mountains, Oregon. In: Management of western forests and grasslands for nongame birds. Gen. Tech. Rep. INT-86. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1980: 325-336.
- Carey, Andrew B. Multivariate analysis of niche, habitat, and ecotope. In: Workshop proceedings, The use of multivariate statistics in studies of wildlife habitat; 1980 April 23-25, Burlington, VT. Gen. Tech. Rep. RM-86. Fort Collins, CO: U.S. Department of Agriculture, Forest Service; Rocky Mountain Forest and Range Experiment Station. 1981: 104-113.
- Carey, Andrew B.; Gill, John D. Firewood and wildlife. Res. Note NE-299.

 Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 5 p.
- Carey, Andrew B.; Healy, William M. Cavities in trees around spring seeps in the maple-beech-birch forest type. Res. Pap. NE-80. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 7 p.
- Carey, Andrew B.; Sanderson, H. Reed. Routing to accelerate tree-cavity formation. Wildl. Soc. Bull. 9: 14-21; 1981.
- Carpenter, Len H.; Wallmo, Olof C. Habitat evaluation and management. In: Wallmo, Olof C., ed. Mule and black-tailed deer of North America. Wildlife Management Institute and USDA Forest Service. Lincoln, NE: University of Nebraska Press; 1981: 399-421.
- Cline, Steven P.; Berg, Alan B.; Wight, Howard M. Snag characteristics and dynamics in Douglas-fir forests, western Oregon. J. Wildl. Manage. 44(4): 773-786; 1980.
- Conant, Sheila; Collins, Mark S.; Ralph, C. John. Effects of observers using different methods upon the total population estimates of two resident island birds. Proceedings of the symposium on estimating numbers of terrestrial birds; 1980 October 26-31; Asilomar, CA. Studies Avian Biol. 6: 377-381; 1981.
- Conner, Richard N. Seasonal changes in woodpecker foraging patterns. Auk 98: 562-570; 1981.

- Conner, Richard N.; Prather, Irvine D.; Via, Jerry W. An old world bird the raven. Va. Wildl. 4: 21; 1980.
- Connolly, Guy E.; Wallmo, Olof C. Management challenges and opportunities. In: Wallmo, Olof C., ed. Mule and black-tailed deer of North America. Wildlife Management Institute and USDA Forest Service. Lincoln, NE: University of Nebraska Press; 1981: 537-545.
- Crawford, H. S.; Hooper, R. G.; Titterington, R. W. Songbird population response to silvicultural practices in central Appalachian hardwoods. J. Wildl. Manage. 45: 680-692; 1981.
- Crawford, John A.; Stormer, Fred A. A bibliography of the lesser prairie chicken, 1873-1980. Gen. Tech. Rep. RM-80. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1980. 8 p.
- Crouch, Glenn L. Coniferous forest habitats, Part 1. Food habits and nutrition. In: Wallmo, Olof C., ed. Mule and black-tailed deer of North America. Wildlife Management Institute and USDA Forest Service. Lincoln, NE: University of Nebraska Press; 1981: 423-433.
- Crouch, Glenn L. Coniferous forest habitats, Part 3. Effects of deer on forest vegetation. In: Wallmo, Olof C., ed. Mule and black-tailed deer of North America. Wildlife Management Institute and USDA Forest Service. Lincoln, NE: University of Nebraska Press; 1981: 449-457.
- Cruz, Alexander. Avian assemblages in Puerto Rico. Carib. J. Sci. 15(3-4); 1980: 21-25.
- Cunningham, James B.; Balda, Russell P.; Gaud, William S. Selection and use of snags by secondary cavity-nesting birds of the ponderosa pine forest. Res. Pap. RM-222. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1980. 15 p.
- Dealy, J. Edward; Leckenby, Donavin A.; Concannon, Diane M. Wildlife habitats in managed rangelands—the Great Basin of southeastern Oregon: plant communities and their importance to wildlife. Gen. Tech. Rep. PNW-120. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 143 p.

- DeByle, Norbert V. Songbird populations and clearcut harvesting of aspen in northern Utah. Res. Note INT-302. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station: 1981. 7 p.
- DeGraaf, R. M. [tech. coord.]. Management of western forests and grasslands for non-game birds. Gen. Tech. Rep. INT-86. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1980. 535 p.
- DeGraaf, R. M. [and others]. Forest habitat for birds of the Northeast. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeast Forest Experiment Station and Eastern Region; 1981. 598 p.
- DeGraaf, R. M., Witman, G. M.; Rudis, D. D. Forest habitat for mammals of the Northeast. U.S. Department of Agriculture, Forest Service, Northeast Forest Experiment Station and Eastern Region. 1981. 182 p.
- Dickinson, T. G.; Garner, G. W.; Wampler, G.; Simpson, C. D. Mortality of desert mule deer fawns. In: Proceedings, 60th annual conference of western association of fish and wildlife agencies; 1980 July 13-17; Kalispell, MT. Kalispell, MT: 1980: 581-592.
- Dickinson, Tony G.; Simpson, C. David. Dispersal and establishment of Barbary sheep in southeast New Mexico. In: Simpson, C. David, ed. Proceedings of the symposium on ecology and management of Barbary sheep; 1979

 November 19-21; Lubbock, TX. Lubbock, TX: Texas Tech University; 1980: 33-45.
- Dickinson, Tony G.; Simpson, C. David. Home range, movements, and topographic selection of Barbary sheep in the Guadalupe Mountains, New Mexico. In: Simpson, C. David, ed. Proceedings of the symposium on ecology and management of Barbary sheep; 1979 November 19-21, Lubbock, TX. Lubbock, TX: Texas Tech University; 1980: 78-86.
- Dickson, James G.; Conner, Richard N.; Williamson, James H. Relative abundance of breeding birds in forest stands in the southeast. South. J. Appl. For. 4: 174-179; 1980.

- Doerr, Ted B.; Guthery, Fred S. Effects of shinnery oak control on lesser prairie chicken habitat. In: Vohs, P. A.; Knoff, F. L., eds. Proceedings, prairie grouse symposium; 1980 September 17-18; Stillwater, OK. Stillwater, OK: Oklahoma State University; 1980: 59-63.
- Downing, Robert L. Deer harvest sex ratios: a symptom, a prescription, or what? Wildl. Soc. Bull. 9(1): 8-13; 1981.
- Eddleman, William R.; Evans, Keith E.; Elder, William H. Habitat characteristics and management of Swainson's warbler in southern Illinois. Wildl. Soc. Bull. 8(3): 228-233; 1980.
- Evans, Keith E. A recent nesting record of the chestnut-sided warbler in Missouri. The Bluebird 47(4): 6-7; 1980.
- Evans, Keith E. How to attract cavity-nesting birds to your woodlot. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 6 p.
- Evans, Keith E.; Kirkman, Roger A. Guide to bird habitats of the Ozark plateau. Gen. Tech. Rep. NC-68. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 79 p.
- Flyger, Vagn; Smith, Deborah A. A comparison of Delmarva fox squirrel and gray squirrel habitats and home range. Trans. Northeast Fish and Wildl. Conf. 36: 19-22; 1980.
- Franzblau, Mark A.; Collins, James P. Test of a hypothesis of territory regulation in an insectivorous bird by experimentally increasing prey abundance. Oecologia (Berl). 46: 164-170; 1980.
- Gill, John; Worley, Dave. Forest land and objectives inventory. In: Proceedings Ohio private woodlands workshop 1979; Ohio Dep. Nat. Resour., Div. Wildl.; 1980: 10-19.
- Griffel, David E.; Basile, Joseph V. Identifying sheep killed by bears. Res. Note INT-313. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 3 p.
- Guthery, Fred S. Bobwhites and brush control. Rangelands 2: 202-204; 1980.

- Guthery, Fred S. Must the prairie gobbler fade? The Cattleman 67: 132-134, 157; 1980.
- Halls, Lowell K. Small game is big hunting. For. & People 30(3): 14-17; 1980.
- Halls, Lowell K. Wild turkey restoration in the United States. In: Proceedings IV symposium game biology; 1976 October 15-16; Beograd, Yugoslavia. Institute of Forestry and Wood Industry; Beograd, Yugoslavia: 1980: 49-52.
- Halls, Lowell K.; Holbrook, Herman L. Wildlife management on southern national forests. In: Integrating timber and wildlife management in southern forests: 29th annual forestry symposium; 1980 April 9-10; Baton Rouge, LA. Louisiana State University, Division of Continuing Education; 1980: 33-40.
- Harris, L. D.; McElveen, J. D. Effect of forest edges on north Florida breeding birds. IMPAC Reports 6(4); 1981: 24 p.
- Harris, L. D.; Skoog, P. J. Some wildlife habitat-forestry relations in the southeastern Coastal Plain. In: Proceedings annual Louisiana State University forestry symposium 29. Baton Rouge, LA: 1980: 103-119.
- Healy, William M. Habitat requirements of wild turkeys in the southeastern mountains. In: Habitat requirements and habitat management for the wild turkey in the Southeast. Virginia Wild Turkey Foundation, Ellistown; 1981: 24-34.
- Henke, Robert J. The common yellowthroat in Missouri. The Bluebird 48(2): 18-19; 1981.
- Holbrook, Herman L.; Healy, William M. Wild turkeys. In: Byrd, Nathan B., comp. Something's been using my habitat. A forester's guide to observing wildlife use of forest habitat in the South. Atlanta, GA. U.S. Department of Agriculture, Forest Service, Southeastern Area, State and Private Forestry; 1981: 32-34.
- Holt, Coleman. Impacts of high deer population on forest regeneration and herd condition in the Allegheny hardwood region of Pennsylvania. The Allegheny News, Winter 1980, Allegheny Section, Society of American Foresters: 2 p; 1980.

- Hooper, Robert G.; Lennartz, Michael R. Foraging behavior of the Red-cockaded Woodpecker in South Carolina. Auk 98: 321-334; 1981.
- Huntley, Jimmy C.; Arner, Dale H. The effect of utility right-of-way maintenance upon game food plants. In: Environmental concerns in rights-of-way management: Proceedings of second symposium; 1979 October 16-18; Ann Arbor, Michigan. EPRI WS-78-141. Mississippi State, MS: Mississippi State University; 1981: 31-1 31-13.
- Huntley, Jimmy C.; McGee, Charles E. Timber and wildlife implications of fire in young upland hardwoods. In: Proceedings of the first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 56-66.
- Irwin, Larry L.; Mason, Mark; Ward, A. Lorin. Lead compounds in mule deer and vegetation, southeastern Wyoming. Nat. Transp. Res. Record 786, 1981.
- Kie, John G.; Menke, John W.; David, James R.; Longhurst, William M. Mitigating the effects of reservoir development on black-tailed deer in Trinity County, California. Cal-Neva Wildl. Trans: 27-40; 1980.
- Kimmell, Vicki L.; Probasco, George E. Change in woody cover on limestone glades between 1938 and 1975. Trans., Missouri Acad. Sci. 14: 69-74; 1980.
- Korfhage, Robert C.; Nelson, Jack R.; Skovlin, Jon M. Summer diets of Rocky Mountain elk in northeastern Oregon. J. Wildl. Manage. 44(3): 746-750; 1980.
- Leckenby, D. A.; Isaacson, D. L. Remote sensing inventory of elk habitat in the Blue Mountains. In: Research in rangeland management. Spec. Rep. 586. Corvallis, OR: Oregon State University, Agricultural Experiment Station; 1980: 19-21.
- Leger, Daniel W.; Owings, Donald H.; Gelfand, Deborah H. Single-note vocalizations of California ground squirrels: graded signals and situationspecificity of predator and socially evoked calls. Z. Tierpsychol. 52: 227-245; 1980.
- Levenson, J. B.; Stearns, F. W. Application of diversity to regional ecological assessment: a review with recommendations. ANL/EES; Argonne National Laboratory, Energy and Environmental Systems. 21: 1-34; 1980.

- Lowther, Peter E.; Rothstein, Stephen I. Head-down or "preening invitation" displays involving juvenile Brown-headed Cowbirds. Condor 82: 459-460; 1980.
- Lyon, L. Jack. Coordinating forestry and elk management. In: Transactions of the 45th North American wildlife and natural resources conference, 1980. Washington, DC: Wildlife Management Institute; 1981: 278-287.
- Mannan, R. William; Meslow, E. Charles; Wight, Howard M. Use of snags by birds in Douglas-fir forests, western Oregon. J. Wildl. Manage. 44(4): 787-797; 1980.
- Marquis, David A. Effect of deer browsing on timber production in Allegheny hardwood forests of Northwestern Pennsylvania. Res. Pap. NE-475.

 Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 10 p.
- Marquis, David A.; Brenneman, Ronnie. The impact of deer on forest vegetation in Pennsylvania. Gen. Tech. Rep. NE-65. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 7 p.
- Maser, Chris; Cross, Stephen P. Notes on the distribution of Oregon bats. Res. Note PNW-379. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 28 p.
- Maser, Chris; Shaver, Sam; Shaver, Carl; Price, Bradford. A note on the food habits of the barn own in Malheur County, Oregon. Murrelet 61(2): 78-80; 1980.
- Mazzotti, Frank J. [and others]. Effects of the exotic plants *Melaleuca* quinquenervia and Casuarina equisetifolia on small mammal populations in the eastern Florida Everglades. Florida Scientist 44: 65-71; 1981.
- Mech, L. David. Age, sex, reproduction, and spatial organization of lynxes colonizing northeastern Minnesota. J. Mammol. 61(2): 261-267; 1980.
- Moore, Richard L.; Simpson, C. David. Disease mortality of waterfowl on Texas playa lakes. Southwest Nat. 25: 566-568; 1981.

- Nelson, Michael E.; Mech, L. David. Deer social organization and wolf predation in Northeastern Minnesota. Wildl. Monogr. 77; 1981. 53 p.
- Nenno, Edward S. The history and role of the northeast wild turkey committee. In: Transactions, 37th Northeast Fish and Wildlife Conference; 1980, April 27-30, Ellenville, NY: Northeast Section The Wildlife Society; 1980: 249-257.
- Ostrenko, W.; Mazzotti, F. Small mammal populations in *Melaleuca* quinquenervia communities in the eastern Florida Everglades. In: Proceedings, Melaleuca symposium; 1980 September 23-24; Ft. Myers, FL. Tallahassee, FL: Florida Division of Forestry; 1981: 91-98.
- Owings, Donald H.; Leger, Daniel W. Chatter vocalizations of California ground squirrels: predator- and social-role specificity. Z. Tierpsychol. 54: 163-184; 1980.
- Pedersen, Richard J.; Adams, A. W. "Bud"; Skovlin, Jon M. Elk habitat use in an unlogged and logged forest environment. Wildl. Res. Rep. 9. Portland, OR: Oregon Department of Fish and Wildlife, Research and Development Section; 1980: 1-121.
- Perala, Don; Buech, Richard. The weed tree and wildlife. Minn. Volunteer 44(256): 51-53; 1981.
- Peterson, Steven R. The role of birds in western communities. In: Management of western forests and grasslands for nongame birds: workshop proceedings; 1980 February 11-14; Salt Lake City, UT: Gen. Tech. Rep. INT-86. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1980: 6-12.
- Polk, S. R.; Robinson, W. L.; Erdmann, G. G. Territorial characteristics and behavior of radio-marked yellow-bellied sapsuckers. In: Proceedings 1980 Society of American Foresters Wisconsin-Michigan Section Meeting; 1980 September 18-19; Marquette, MI. Marquette, MI: Society of American Foresters, Upper Peninsula Chapter; 1980: 39-51.
- Putnam, Charles W.; Evans, Keith E. Boreal relics border Ozark glade. Missouriensis 2(4): 6; 1981.

- Ralph, C. John. An investigation of the effect of seasonal activity levels on avian censusing. In: Proceedings of the symposium on estimating numbers of terrestrial birds; 1980 October 26-31; Asilomar, CA. Studies Avian Biol. 6: 265-270; 1981.
- Ralph, C. John. Terminology used in estimating numbers of birds. In:
 Proceedings of the symposium on estimating numbers of terrestrial birds;
 1980 October 26-31; Asilomar, CA. Studies Avian Biol. 6: 577-578; 1981.
- Ralph, C. John: Pearson, Alison P.; Phillips, David C. Observations of the life history of the endangered Hawaiian Vetch (*Vicia menzieșii*) (Fabaceae) and its use by birds. Pacific Sci. 34(2): 83-92; 1980.
- Ralph, C. John; Scott, J. Michael, eds. Proceedings of the symposium on estimating numbers of terrestrial birds; 1980 October 26-31; Asilomar, CA. Studies in Avian Biol. 6: 1-640; 1981.
- Ream, Catherine. The effects of fire and other disturbances on small mammals and their predators: an annotated bibliography. Gen. Tech. Rep. INT-106. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 55 p.
- Reynolds, R. T.; Scott, J. M.; Nussbaum, R. A. A variable circular-plot method for estimating bird numbers. Condor 82: 309-313; 1980.
- Rodiek, Jon; Thomas, Jack Ward. Wildlife habitat planning and landscape architecture. Landscape Res. 5(3): 12-16; 1980.
- Rogers, Lynn. Walking with deer. In: Nesbitt, William H., ed. Records of North American Big Game. Alexandria, VA: Boone and Crockett Club; 1981; 29-34.
- Rogers, Lynn L.; Mech, L. David. Interactions of wolves and black bears in northeastern Minnesota. J. Mammol. 62(2): 434-436; 1981.
- Rogers, Lynn L.; Mooty, Jack J.; Dawson, Deanna. Foods of white-tailed deer in the Upper Great Lakes Region—a review. Gen. Tech. Rep. NC-65. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 24 p.

- Rowse, L. A.; Marion, W. R. Effects of silvicultural practices on birds in a north Florida flatwoods. In: Proceedings first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981; 349-357.
- Sanderson, H. Reed; Bull, Evelyn L.; Edgerton, Paul J. Bird communities in mixed conifer forests of the interior Northwest. In: Management of western forests and grasslands for nongame birds. Gen. Tech. Rep. INT-86: 224-237. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1980.
- Sanderson, H. Reed; Nixon, Charles M.; Donohoe, Robert W.; Hansen, Lonnie P. Grapevines—an important component of gray and fox squirrel habitat. Wildl. Soc. Bull. 8: 307-310; 1980.
- Schmiege, Don. Why study wildlife? Alaska Fish Tales & Game Trails 12(1): 3-31; 1980.
- Scott, J. Michael; Ralph, C. John. Introduction. Proceedings of the symposium on estimating numbers of terrestrial birds; 1980 October 26-31; Asilomar, CA. Studies in Avian Biol. 6: 1-2; 1981.
- Severson, Kieth E. Plains habitats. In: Wallmo, Olof C., ed. Mule and blacktailed deer in North America. Wildlife Management Institute and USDA Forest Service. Lincoln, NE: University of Nebraska Press; 1981: 459-485.
- Shaw, William W.; Zube, Ervin H., eds. Wildlife values. Instit. Series Rep. 1. Center for Assessment of Noncommodity Natural Resource Values. Tucson: University of Arizona; 1980. 117 p.
- Short, Henry L. Nutrition and metabolism. In: Wallmo, Olof C., ed. Mule and black-tailed deer in North America. Wildlife Management Institute and USDA Forest Service. Lincoln, NE: University of Nebraska Press; 1981: 99-127.
- Simpson, C. David; Krysl, Leslie J.; Dickinson, Tony G. Food habits of Barbary sheep in the Guadalupe Mountains, New Mexico. In: Simpson, C. David, ed. Proceedings of the symposium on ecology and management of Barbary sheep; 1979 November 19-21; Lubbock, TX. Lubbock, TX: Texas Tech University; 1980: 87-91.

- Skoog, P. J.; Harris, L. D. Utilization of pine plantations by white-tailed deer in north Florida. IMPAC Reports 6(2); 1981: 19 p.
- Smith, H. Dwain; Stormer, Fred A.; Godfrey, Ralph D. A collapsible quail trap. Res. Note RM-400. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 3. p.
- Smith, H. R.; Sloan, R. J.; Walton, G. S. Some management implications between harvest rate and population resiliency of the muskrat (*Ondatra zibethicus*). In: Proceedings, 1980 First Worldwide Furbearers Conference; 1980 August 3-11; Frostburg, MD. R. R. Donelly, VA; 1981: 1: 425-442.
- Steuter, Allen E. Wildlife response to prescribed burning in the Rio Grande Plains. In: Proceedings, prescribed range burning in the Rio Grande plains of Texas; 1979 November 7; Carrinzo Springs, TX. College Station, TX: Texas Agricultural Extension Service; 1980: 34-43.
- Stone, T. L.; Crawford, H. S. Jr. Estimating foliage and twig weight of spruce and fir. J. Wildl. Manage. 45: 280-281; 1981.
- Stormer, Fred A. Characteristics of scaled quail loafing coverts in northwest Texas. Res. Note RM-395. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 6 p.
- Stransky, John J. Deer habitat quality of major forest types in the southern United States. In: Proceedings, IV symposium game biology; 1976 October 15-16; Beograd, Yugoslavia: Institute of Forestry and Wood Industry; 1980: 46-47.
- Szaro, Robert C. Bird population responses to converting chaparral to grassland and riparian habitats. Southwest. Nat. 26(3): 251-256; 1981.
- Szaro, Robert C. Factors influencing bird populations in southwestern riparian forests. In: Management of western forests and grasslands for nongame birds. Gen. Tech. Rep. INT-86. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 1980: 403-418.
- Szaro, Robert C.; Coon, Nancy; Stout, William. Weathered petroleum: effects on mallard egg hatchability. J. Wildl. Manage. 44(3): 709-713; 1980.

- Szaro, Robert C.; Hensler, Gary; Heinz, Gary H. Effects of chronic ingestion of No. 2 fuel oil on mallard ducklings. J. Toxicol. and Environ. Health. 7: 789-799; 1981.
- Tomback, Diana F. Notes on cones and vertebrate-mediated seed dispersal of *Pinus albicaulis* (Pinaceae). Madrono 28: 91-94; 1981.
- Tomback, Diana F.; Kramer, Kathryn A. Limber pine seed harvest by Clark's Nutcracker in the Sierra Nevada: timing and foraging behavior. Condor 82: 467-468; 1980.
- Uresk, D. W.; Uresk, V. A. Diets and habitat analyses of mule deer on the 200 areas of the Hanford Site in southcentral Washington. Richland, WA: Pacific Northwest Laboratory, Battelle; 1981; PNL-2461; 89 p.
- Urness, Philip J. Desert and chaparral habitats. In: Wallmo, Olof C., ed. Mule and black-tailed deer in North America. Wildlife Management Institute and USDA Forest Service. Lincoln, NE: University of Nebraska Press; 1981: 347-365.
- Verner, Jared. Birds of California oak-habitats—management implications. Plumb, T. R., tech. coord. Proceedings of the symposium on the ecology, management, and utilization of California oaks. Gen. Tech. Report PSW-44. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1981; 246-264.
- Verner, Jared. Measuring responses of avian communities to habitat manipulation. In: Ralph, C. J.; Scott, J. M. eds. Proceedings of the symposium on estimating numbers of terrestrial birds; 1980 October 26-31; Asilomar, CA. Studies in Avian Biology 6: 543-547; 1981.
- Verner, Jared. Report of the working group to identify future research needs. Ralph, C. J.; Scott, J. M. eds. Proceedings of the symposium on estimating numbers of terrestrial birds; 1980 October 26-31; Asilomar, CA. Studies in Avian Biology 6: 584; 1981.
- Verner, Jared. Sampling design: chairman's introductory remarks. In: Ralph, C. J.; Scott, J. M. eds. Proceedings of the symposium on estimating numbers of terrestrial birds; 1980 October 26-31; Asilomar, CA. Studies in Avian Biology 6: 391; 1981.

- Wallmo, Olof C., ed. Mule and black-tailed deer in North America. Wildlife Management Institute and USDA Forest Service. Lincoln, NE: University of Nebraska Press; 1981. 605 p.
- Wallmo, Olof C. Mule and black-tailed deer distribution and habitats. In: Wallmo, Olof C., ed. Mule and black-tailed deer in North America. Wildlife Management Institute and USDA Forest Service. Lincoln, NE: University of Nebraska Press; 1981: 1-25.
- Wallmo, Olof C.; LeCount, Albert; Brownlee, Sam L. Habitat evaluation and management. In: Wallmo, Olof, C., ed. Mule and black-tailed deer in North America. Wildlife Management Institute and USDA Forest Service. Lincoln NE: University of Nebraska Press; 1981: 366-385.
- Wallmo, Olof C.; Regelin, Wayne L. Food habits and nutrition. In: Wallmo, Olof C., ed. Mule and black-tailed deer in North America. Wildlife Management Institute and USDA Forest Service. Lincoln, NE: University of Nebraska Press; 1981: 387-398.
- Wallmo, Olof C.; Schoen, John W. Forest management for deer. In: Wallmo, Olof C., ed. Mule and black-tailed deer of North America. Wildlife Management Institute and USDA Forest Service. Lincoln, NE: University of Nebraska Press; 1981: 434-448.
- Wallmo, Olof C.; Schoen, John W. Response of deer to secondary forest succession in southeast Alaska. For. Sci. 26(3): 448-462; 1980.
- Ward, A. Lorin. Multiple use of timbered areas; views of a wildlife manager specifically for elk and mule deer. In: Proceedings of Rocky Mountain forest industries conference; 1980 May 7-10; Jackson, WY. 1980: 1-24.
- Ward, A. Lorin. Telemetered heart rate of three elk as affected by activity and human disturbance. In: Planning for trailbike recreation, Part II; U.S. Dep. Interior, Heritage Conservation and Recreation Service. 1981: 28-33.
- Wesley, David E.; Perkins, Carroll J.; Sullivan, Alfred D. Wildlife in cottonwood plantations. South. J. Appl. For. 5(1): 37-42; 1981.

- West, Stephen D.; Ford, R. Glenn; Zasada, John C. Population response of the northern red-backed vole (*Clethrionomys rutilus*) to differentially cut white spruce forest. Res. Note PNW-362. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 15 p.
- White, Susan M.; Welch, Bruce L. Paired comparisons: a method for ranking mule deer preference for various browse species. Res. Note INT-308.

 Ogden, UT: U.S. Department of Agricuture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 4 p.
- Wiley, J. W. The status of the white-crowned pigeon in Puerto Rico.
 Proceedings, international white-crowned pigeon conference, Nassau,
 Bahamas; 1981: 11-16.
- Wiley, J. W. White-crowned pigeon research in Puerto Rico. In: Proceedings, international white-crowned pigeon conference, Nassau, Bahamas; 1981: 43-57.
- Wiley, James W.; Wiley, Beth Nethery. Breeding season ecology and behavior of Ridgway's hawk. Condor 83: 132-151; 1981.
- Williams, Kenneth L.; Stalling, D. T.; Scarborough, J. H. Range extension of the woodland vole in west central Louisiana. Louisiana Academy of Science 43: 12-14; 1981.
- Wolff, J. O.; Lidicker, W. Z., Jr. Population ecology of the taiga vole, *Microtus xanthognathus*, in interior Alaska. Can. J. Zool. 58: 1800-1812; 1981.
- Wolff, Jerry O. Social organization of the taiga vole (*Microtus xanthognathus*). Biologist 62(1-4): 34-45; 1980.
- Wolff, Jerry O.; Cowling, Joanne. Moose browse utilization in Mount McKinley National Park, Alaska. Can. Field-Nat. 95: 85-88; 1981.
- Yoakum, Jim; [and others]. Habitat improvement techniques. In: Schemnitz, Sanford D., ed. Wildlife Management Techniques Manual. 4th ed., rev. Washington, DC: The Wildlife Society; 1980: 329-403.

Range

- Baker, R. L.; Pearson, H. A. Plot delineation with a pin-and-chain. J. Range Manage. 34(4): 336-337; 1981.
- Baker, Roger L.; Powell, Jeff; Morrison, R. D.; Stritzke, J. F. Effects of Atrazine, 2,4-D and fertilizer on crude protein content of Oklahoma tallgrass prairie. J. Range Manage. 33: 404-407; 1980.
- Clary, Warren P.; Jameson, Donald A. Herbage production following tree and shrub removal in the pinyon-juniper type of Arizona. J. Range Manage. 34(2): 109-113, 1981.
- Clary, Warren P.; Jensen, Chester E. Mathematical hypothesis for herbage production potential on pinyon-juniper areas. Res. Pap. INT-279. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 8 p.
- Crouch, Glenn L. Regeneration on aspen clearcuts in northern Colorado. Res. Note RM-407. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1980. 5 p.
- Dean, Sheila; Burkhardt, J. Wayne; Meeuwig, Richard O. Estimating twig and foliage biomass of sagebrush, bitterbrush, and rabbitbrush in the Great Basin. J. Range Manage. 34(3): 224-227; 1981.
- Duncan, D. A.; Clawson, W. J. Livestock utilization of California's oak woodlands. In: Plumb, T. R., tech. coord. Proceedings of the symposium on the ecology, management and utilization of California oaks; 1980 June 22-26; Claremont, CA. Gen. Tech. Rep. PSW-44. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980; 306-313.
- Everett, Richard L. Use of containerized shrubs for revegetating arid roadcuts. Reclamation Rev. 3: 33-40; 1980.
- Everett, Richard L.; Gautier, Clayton R. Rooting purple sage stem cuttings. Res. Note INT-316. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 4 p.

- Everett, Richard; Tueller, Paul; Davis, Barry; Brunner, Allen. Plant phenology in galleta-shadscale and galleta-sagebrush associations. J. Range Manage. 33(6): 446-450; 1981.
- Freeman, D. C.; McArthur, E. D.; Harper, K. T.; Blauer, A. C. Influence of environment on the floral sex ratio of monoecious plants. Evolution 35(1): 194-197; 1981.
- Frischknecht, Neil C. Double-frequency sampling for inventorying vegetation on salt desert shrub ranges. In: Arid land resource inventories: developing cost-efficient methods: an international workshop; 1980 November 30-December 6; La Paz, Mexico. Gen. Tech. Rep. WO-28. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 435-440.
- Haines, Robert D.; Evans, Charles J. Noteworthy collections: Madia subspicata, Rafinesquia californica, Cryptantha muricata, Carex tumulicola, Epilobium minutum, Argemone munita subsp. rotundata, Apera spicaventi, Rhamnus rubra subsp. yosemitana, and Mimulus gracilipes. Madrono 28: 39-40; 1981.
- Harniss, R. O.; Wright, H. A. Summer grazing of sagebrush-grass range by sheep—a photo record. Rangelands 3(4): 160-162; 1981.
- Harniss, Roy O.; Harvey, Stephen J.; Murray, Robert B. A computerized bibliography of selected sagebrush species (*genus Artemisia*) in Western North America. Gen. Tech. Rep. INT-102. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 197 p.
- Holland, V. L. Effect of blue oak on rangeland forage production in Central California. In: Plumb, T. R., tech. coord. Proceedings of the symposium on the ecology, management, and utilization of California oaks. 1980 June 22-26; Claremont, CA. Gen. Tech. Rep. PSW-44. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980; 314-318.
- Idaho Natural Areas Council, Rare and Endangered Plants Technical Committee. Vascular plants of concern in Idaho. Bull. 34. Moscow, ID: University of Idaho, Forest, Wildlife and Range Experiment Station; 1981. 161 p.

- Johnson, M. K.; Pearson, H. A. Esophageal, fecal, and exclosure estimates of cattle diets on a longleaf pine-bluestem range. J. Range Manage. 34(3): 232-234; 1981.
- Laycock, W. A.; Conrad, P. W. Responses of vegetation and cattle to various systems of grazing on seeded and native mountain rangelands in eastern Utah. J. Range Manage. 34(1): 52-58; 1981.
- Lewis, Clifford E. Simulated cattle injury to planted slash pine: combinations of defoliation, browsing, and trampling. J. Range Manage. 33: 340-345; 1980.
- Lewis, Clifford E. Simulated cattle injury to planted slash pine: effects of defoliation. J. Range. Manage. 33: 345-348; 1980.
- Lewis, Clifford E. Simulated cattle injury to planted slash pine: effects of girdling. J. Range Manage. 33: 337-340; 1980.
- Martin, S. Clark; Patton, David R. Characteristics, resources, and uses of the hot deserts of the United States. In: Lund, H. Gyde [and others], tech. coord. Arid land resource inventories: developing cost-efficient methods: proceedings of the workshop; 1980 November 30-December 6; La Paz, Mexico. Gen. Tech. Rep. WO-28, Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 21-28.
- McArthur, E. Durant. Shrub selection and adaptation for rehabilitation plantings, In: Stelter, Lavern H.; DePuit, Edward J.; Mikol, Sharon A., tech coords. Shrub establishment on disturbed arid and semi-arid lands: proceedings of the symposium; 1980 December 2-3; Laramie, WY. Cheyenne, WY: Wyoming Game and Fish Department; 1981: 1-8.
- McArthur, E. Durant; Pope, C. Lorenzo; Freeman, D. Carl. Chromosomal studies of subgenus *Tridentatae* of *Artemisia*: evidence for autopolyploidy. Am. J. Bot. 68(6): 589-605; 1981.
- Meeuwig, Richard O. Point sampling for shrub biomass. In: Arid land resource inventories: developing cost-efficient methods: an international workshop; 1980 November 30-December 6; La Paz, Mexico. Gen. Tech. Rep. WO-28. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 323-326.

- Nelson, Kurt J. Sterilization of dominant males will not limit feral horse population. Res. Pap. RM-226. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 1980. 7 p.
- Ohmann, Lewis F.; Grigal, David F.; Rogers, Lynn L. Estimating plant biomass for undergrowth species of northeastern Minnesota. Gen. Tech. Rep. NC-61. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 10 p.
- Pase, Charles P. Community structural analysis a rapid, effective range condition estimator for semi-arid ranges. In: Lund, H. Gyde [and others], tech. coords. Arid land resource inventories: developing cost-efficient methods; proceedings of the workshop; 1980 November 30-December 6; La Paz, Mexico. Gen. Tech. Rep. WO-28. Washington, DC: U.S. Department of Agriculture, Forest Service; 1980: 425-430.
- Pearson, H. A. Forest and range interactions. In: Proceedings of the first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 339-342.
- Probasco, G. E.; Bjugstad, A. J. Influence of fertilizer, aspect, and harvest date on chemical constituents and in vitro digestibility of tall fescue. J. Range Manage. 33(4): 244-246; 1980.
- Reid, Elbert H.; Strickler, Gerald S.; Hall, Wade B. Green fescue grassland: 40 years of secondary succession. Res. Pap. PNW-274. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 63 p.
- Robinove, Charles J.; Chavez, Par S.; Gehring, Dale; Holmgren, Ralph. Arid land monitoring using landsat albedo difference images. Remote Sensing of Environ. 11: 133-156; 1981.
- Stevens, Richard. Techniques for planting shrubs on wildland disturbances. In: Stelter, Lavern H.; DePuit, Edward J.; Mikol, Sharon A., tech. coords. Shrub establishment on disturbed arid and semi-arid lands: proceedings of the -symposium; 1980 December 2-3; Laramie, WY. Cheyenne, WY: Wyoming Game and Fish Department; 1981: 29-36.

- Stevens, Richard; Moden, Walter L., Jr.; McKenzie, Dan W. Interseeding and transplanting shrubs and forbs into grass communities. Rangelands 3(2): 55-58; 1981.
- Strickler, Gerald S.; Hall, Wade B. The Standley allotment: a history of range recovery. Res. Pap. PNW-278. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 35 p.
- Stuth, J. W.; Kanouse, K. J.; Hunter, J. F.; Pearson, H. A. Multiple electrode impedance plethysmography system for monitoring grazing dynamics. Biomed. Sci. Instr. 17: 121-124; 1981.
- Terry, W. Steven [and others]. Herbage capacitance meter: an evaluation of its accuracy in Florida rangelands. J. Range Manage. 34: 240-241; 1981.
- Turner, Raymond M.; [and others]. Arizona range reference areas. Gen. Tech. Rep. RM-79. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 1981. 34 p.
- Vories, Kimery. Growing Colorado plants from seed: a state of the art. Gen. Tech. Rep. INT-103. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 80 p.
- Wagstaff, Fred J. Impact of the 1975 Wallsburg fire on antelope bitterbrush (*Purshia tridentata*). Great Basin Nat. 40(4): 299-302; 1980.
- Welch, Bruce L. Nutritive value of big sagebrush and other shrubs. In: Stelter, Lavern H.; DePuit, Edward J.; Mikol, Sharon A., tech. coords. Shrub establishment on disturbed arid and semi-arid lands: proceedings of the symposium; 1980 December 2-3; Laramie, WY. Cheyenne, WY: Wyoming Game and Fish Department; 1981: 9-22.
- Welsh, S. L., [and others]. Preliminary index of Utah vascular plant names. Great Basin Nat. 41: 1-108; 1981.
- Woodmansee, R. G.; Duncan, D. A. Nitrogen and phosphorus dynamics and budgets in annual grassland. Ecology 61(4): 893-904; 1980.
- Young, J. A.; Evans, R. A.; Raguse, C. A.; Larson, J. R. Germinable seeds and periodicity of germination in annual grasslands. Hilgardia 49(2): 1-37; 1981.

Youngblood, Andrew P.; Mueggler, Walter F. Aspen community types on the Bridger-Teton National Forest in western Wyoming. Res. Pap. INT-272. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 34 p.

Fisheries Habitat

- Anderson, Lynette; Bryant, Mason. Fish passage at road crossings: an annotated bibliography. Gen. Tech. Rep. PNW-117. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 10 p.
- Anderson, Mark T. Improved method for separating zooplankton from detritus. Prog. Fish-Cult. 43: 42-44; 1981.
- Bergstrom, Dorothy. Understanding the habitat needs of anadromous salmonids. For. Res. West. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, [Rocky Mountain Forest and Range Experiment Station]; 1981, March: 1-6.
- Brown, Sandra; Lugo, Ariel E. Management and status of U.S. commercial marine fisheries. Washington, DC: Council on Environmental Quality; 1981. 45 p.
- Bryant, Mason D. Evaluation of a small diameter baffled culvert for passing juvenile salmonids. Res. Note PNW-384. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 8 p.
- Cushing, C. E., [and others]. Comparative study of physical-chemical variables of streams using multivariate analyses. Arch. Hydrobiol. 89(3): 343-352.
- Elliott, Steve; Koski, K. V.; Meehan, Bill. Chain logs, food chains & fish streams. Alaska Fish Tales & Game Trails. Juneau, AK: Alaska Department of Fish and Game; 1980: 12(1): 14-16.
- Everest, Fred H. Perspectives on National Forest fishery values for land-use planning. In: Koch, David L.; Baker, Karen; Valentine, Sue; Smith, Krisan, eds. Cal-Neva Wildl. Trans. 1980 February: 64-70.

- Haefner, J. D.; Wallace, J. B. Shifts in aquatic insect populations in a first-order southern Appalachian stream following a decade of old field succession. Can. J. Fish. Aquat. Sci. 38: 353-359; 1981.
- Hariston, Nelson G. Species packing in the salamander genus *Desmogna thus*: what are the interspecific interactions involved? Am. Nat. 115: 354-366; 1980.
- Hawkes, Clifford L. Aquatic habitat of wetlands, ponds, and lakes of semi-arid regions: An annotated bibliography of selected literature. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1980. 150 p. Available from: NTIS; PB 81131682.
- Hawkins, C. P.; Sedell, J. R. Longitudinal and seasonal changes in functional organization of macroinvertebrate communities in four Oregon streams. Ecology 62(2): 387-397; 1981.
- Lee, Raymond M.; Rinne, John N. Critical thermal maxima of five trout species in the Southwestern United States. Trans. Am. Fish. Soc. 109: 632-635. 1980.
- Lotspeich, Frederick B.; Everest, Fred H. A new method for reporting and interpreting textural composition of spawning gravel. Res. Note PNW-369. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 11 p.
- Martin, Susan B.; Platts, William S. Influence of forest and rangeland management on anadromous fish habitat in western North America: 8.

 Effects of mining. Gen. Tech. Rep. PNW-119. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 15 p.
- Molles, Manuel C. Jr. Effects of road salting on aquatic invertebrate communities. Eisenhower Consortium Bull. 10. Fort Collins CO: Eisenhower consortium for western environmental forestry research. 1980. 9 p.
- Naiman, Robert J.; Sedell, James R. Relationships between metabolic parameters and stream order in Oregon. Can. J. Fish. Aquat. Sci. 37(5): 834-847; 1980.

- Platts, William S. 7. Effects of livestock grazing. In: Meehan, William R., tech. ed. Influence of forest and rangeland management on anadromous fish habitat in western North America. Gen. Tech. Rep. PNW-124. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 25 p.
- Platts, William S. Effects of sheep grazing on a riparian-stream environment. Res. Note INT-307. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 6 p.
- Platts, William S. Overview on the riparian/fish habitat issue in the western United States. In: Proceedings: 60th annual conference of the Western Association of Fish and Wildlife Agencies; 1980 July 13-17; Kalispell, MT. 1980: 195-201.
- Platts, William S. Sheep and streams. Rangelands 3(4): 158-160; 1981.
- Platts, William S. Streamside management to protect bank-channel stability and aquatic life. In: Baumgartner, David M., ed. Proceedings, Interior West watershed management symposium; 1980 April 8-10; Spokane, WA. Pullman, WA: Washington State University, Cooperative Extension; 1981: 245-255.
- Platts, William S.; Martin, Susan B. Livestock grazing and logging effects on trout. In: Proceedings of wild trout II; 1979 September 24-25; Yellowstone National Park, WY. Trout Unlimited and Federation of Fly Fishermen; 1980: 34-46.
- Quigley, Thomas M. Estimating contribution of overstory vegetation to stream surface shade. Wildl. Soc. Bull. 9(1): 22-27; 1981.
- Rinne, John N. Arizona trout. In: Lee, David S. [and others]. Atlas of North American freshwater fishes. Publication 1980-12. Raleigh: North Carolina Biological Survey. North Carolina State Museum. 1980: 104.
- Rinne, John N. Gila trout. In: Lee, David S. [and others]. Atlas of North American freshwater fishes. Publication 1980-12. Raleigh: North Carolina Biological Survey. North Carolina State Museum. 1980: 107.
- Rinne, John N. Stream habitat improvement and native southwestern trouts.

 Res. Note RM-409. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 1981. 4 p.

- Rinne, John N.; Minckley, W. L.; Bersell, P. O. Factors influencing fish distribution in two desert reservoirs, central Arizona. Hydrobiologia. 80: 31-42. 1981.
- Schmiege, Donald C. Influence of forest and rangeland management on anadromous fish habitat in western North America: 11. Processing mills and camps. Gen. Tech. Rep. PNW-113. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 17 p.
- Sedell, James R.; Franklin, Jerry F.; Swanson, Frederick J. Out of the ash. Am. For. 86(10): 26-29; 1980.
- Yee, Carlton, S.; Roelofs, Terry D. Influence of forest and rangeland management on anadromous fish habitat in Western North America: 4. Planning forest roads to protect salmonid habitat. Gen. Tech. Rep. PNW-109. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 39 p.

Forest Recreation

- Anderson, Dorothy, H. Long-time Boundary Waters' visitors change use patterns. Nature 31(4): 2-5; 1980.
- Anderson, Linda M. Land use designations affect perception of scenic quality in forest landscapes. For. Sci. 27: 392-400; 1981.
- Benson, Robert E.; Ullrich, James R. Visual impacts of forest management activities: findings on public preferences. Res. Pap. INT-262. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 14 p.
- Brown, Perry J.; Driver, B. L.; Berry, Joseph K. Use of the recreation opportunity planning system to inventory recreation opportunities of arid lands. In: Lund, H. Gyde [and others]. tech coords. Arid land resource inventories: developing cost-efficient methods: proceedings of the workshop; 1980 November 30-December 6; La Paz, Mexico. Gen. Tech. Rep. WO-28. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 123-128.

- Chubb, Michael; Westover, Theresa N. Antisocial behavior: typology, messages, and implications for recreation resource managers. In: Proceedings of the annual meeting, Society of American Foresters; 1980 October 5-8; Spokane, WA; 1981: 271-278.
- Clark, Roger N. Research roles and priorities for effective management of off-road recreation vehicles. In: Andrews, Richard N. L.; Nowak, Paul F., eds. Off-road vehicle use: a management challenge. U.S. Department of Agriculture, Office of Environmental Quality; Univ. Michigan, School of Natural Resources; University Extension Service; 1980: 245-258.
- Cole, David N. Managing ecological impacts at wilderness campsites: an evaluation of techniques. J. For. 79(2): 86-89; 1981.
- Cole, David N. Vegetational changes associated with recreational use and fire suppression in the Eagle Cap Wilderness, Oregon: some management implications. Biol. Conserv. 20: 247-270; 1981.
- Cormier, P. L.; Nystrom, P. S. Trends in New Hampshire private campgrounds during the seventies. Broomall, PA: Res. Pap. NE-489. U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 12 p.
- Crow, G. E.; Graber, R. E. Research indicates hikers threaten endangered alpine plant. Appalachia Bulletin Issue 47(5): 7-8; 1981.
- Dawson, Chad P.; Decker, Daniel J.; Lime, David W.; Knopf, Richard C.
 Characteristics and management preferences of 1979 summer river recreationists on the Upper Delaware River. In: Natural Resources
 Research and Extension Series 15. Ithaca, New York: U.S. Department of Natural Resources, Cornell University Agricultural Experiment Station; 1981. 31 p.
- Driver, B. L.; Harris, C. C. Improving measurement of the benefits of public outdoor recreation programs. In: Proceedings, Division 4, XVII World Congress; 1981 September 6-12; Kyoto, Japan. International Union of Forestry Organizations; 1981: 525-538.

- Driver, B. L.; Knopf, Richard C. Some thoughts on the quality of outdoor recreation research and other constraints on its application. In: Proceedings of the conference on social research in national parks and wildland areas; 1980 March 21-22; Great Smoky Mountains National Park, Gatlinburg, TN. Atlanta, GA: U.S. Department of Interior, National Park Service, Southeast Regional office, Natural Science and Research Division; 1980: 85-98.
- Driver, B. L.; Koch, Niels Elers. Conditions which nurture the application of forest recreation research results. In: Proceedings, Division 6, XVII World Forestry Congress; 1981 September 6-12, Kyoto, Japan. International Union of Forestry Research Organizations; 1981: 97-105.
- Dwyer, J. F. Estimating consumer satisfaction associated with an increase in public tourism supply: an economic approach. In: Tourism planning and development issues: Proceedings of the international symposium on tourism and the next decade; 1979 March 11-15; Washington, D.C. George Washington University; 1980: 371-379.
- Dwyer, John F. Economic benefits of wildlife-related recreation experiences. In: Shaw, William W; Zube, Ervin, H., eds. Wildlife Values, Institutional Series Report 1, Center for Assessment of Noncommodity Natural Resource Values, University of Arizona: 62-69; 1980.
- Dwyer, John F. Wilderness in century III. Parks and Rec. 16(1): 60-63; 1981.
- Dwyer, John F.; Espeseth, Robert D.; McLaughlin, David L. Expected and actual local impacts of reservoir recreation. Chapter 10. In: Napier, Ted L., ed. Outdoor recreation planning, perspectives, and research; Dubuque, IA. Kendall/Hunt Publishing Company; 1981: 113-120.
- Echelberger, H. E. Secrets of the skier survey. Ski Area Management. 19(6): 16, 18, 32; 1980.
- Echelberger, H. E.; Adler, S.; Canon, Lance K.; Leonard, R. E. The backcountry campsite selection process. In: Proceedings, Wilderness psychology group annual conference; 1980 August 14-15; University of New Hampshire, Durham, NH; 1980: 162-166.

- Echelberger, H. E.; Leonard, R. E.; Plumley, H. J. Validation of trailside registration boxes. J. Soil and Water Conserv. 36(1): 53-54; 1981.
- Erickson, D. L. [and others]. RECAL: A computer program for selecting sample days for recreation use estimation. Gen. Tech. Rep. SE-19. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1980. 11 p.
- Haas, Glenn E.; Driver, B. L.; Brown, Perry J. Measuring wilderness recreation experiences. In: Proceedings of the wilderness psychology group annual conference; 1980 August 14-15; Durham, NH. Durham, NH: University of New Hampshire; 1980: 20-40.
- Hammitt, William E.; McDonald, Cary D. Use patterns and impacts of innertube floating on a mountain stream. South. J. Appl. For. 5: 119-124; 1981.
- Held, R. Burnell, Bridging the knowledge gap from landscape architect to natural resource manager. Landscape Res. 5(3): 28; 1980.
- Holecek, Donald F. Governmental assistance programs: quid pro quo for permitting public access. In: Opportunities for enhancing public benefit from private land: Proceedings of the 9th annual Airlie House conference on the environment; 1980 May 2-3; Division of Public Service Activities, American Bar Association, Washington, D.C.; 1981: 11-16.
- Knopf, Richard C. Toward effective interpretation: the importance of orientation. In: Proceedings of the second conference on scientific research in the National Parks; 1979 November 26-30; San Francisco, CA: National Technical Information Service Document NPS/ST-80/02-6; Washington, D.C., U.S. Department of the Interior; National Park Service; 1981: 10-18.
- Knopf, Richard C.; Barnes, John D. Determinants of satisfaction with a tourism resource: a case study of visitors to Gettysburg National Military Park. In: Proceedings, Tourism and the next decade: an internatinal symposium; 1979 March 11-15; Washington, D.C.: George Washington University. George Washington University Press; 1980: p. 217-237.
- LaPage, W. F. A further look at the informal interview as a technique for recreation research. J. Leisure Res. 13(2): 174-176; 1981.

- LaPage, W. F.; Bevins, M. I. American campground industry 1979 economic analysis and 1980 occupancy data. Nat. Campground Owner's Assoc., Washington, D.C. 31 p. 1981.
- LaPage, W. F.; Bevins, M. I. Satisfaction monitoring for quality control in campground management. Broomall, PA: Res. Pap. NE-484. U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 6 p.
- LaPage, W. F.; Ryan, D. J. Federal outdoor recreation research: Its private sector impacts. Chapter 9, Appendix IV, Third Nationwide Outdoor Recreation Plan, U.S. Dep. Interior, HCRS. 1980: 231-254.
- Leatherberry, Earl C. Evaluating river recreation potential. Water Spectrum 13(3): 31-38; 1981.
- Leatherberry, Earl C.; Lime, David W. Unstaffed trail registration compliance in a backcountry recreation area. Res. Pap. NC-214. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 11 p.
- Leonard, Raymond E. Research needs for managing off-road motorcycles. In: Andrews, Richard N.; Nowak, Paul F., eds. Off-road vehicle use; a management challenge. Office of Environ. Quality, USDA, and School of Natural Resources, Univ. of Michigan; 1980; 277-282.
- Leonard, R. E.; Canon, Lance; Adler, Steven; Echelberger, H. E. Unobtrusive modification of dispersed recreation behavior: one step at a time. In: Proceedings wilderness psychology group annual conference; 1980 August 14-15; University of New Hampshire, Durham, NH; 1980: 190-201.
- Leonard, R. E.; Spencer, E. L.; Plumley, H. J. Backcountry facilities: design and maintenance. Appalachian Mountain Club, Boston, MA; 1981. 214 p.
- Lime, David W.; Field, Donald R. Highlights. In: Some recent products of river recreation research. Gen. Tech. Rep. NC-63. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 3 p.
- Lime, David W.; Knopf, Richard C. Assessing trends in river recreation. Landscape Res. 5(3): 17-18; 1980.

- Lime, David W.; Knopf, Richard C.; Peterson, George L. The national river recreation study: growing new data base with exciting potential. In: Some recent products of river recreation research. Gen. Tech. Rep. NC-63. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981: 1-8.
- Litton, R. Burton, Jr. Oaks and the California landscape. In: Proceedings of the symposium on the ecology, management, and utilization of California oaks. 1979 June 26-28; Claremont, CA. Gen. Tech. Report PSW-44. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980; 161-166.
- Lucas, Robert C. Redistributing wilderness use through information supplied to visitors. Res. Pap. INT-277. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 15 p.
- Lucas, Robert C.; Kovalicky, Thomas J. Self-issued wilderness permits as a use measurement system. Res. Pap. INT-270. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 18 p.
- Manfredo, Michael J.; Brown, Perry J. Use of recreation opportunity planning to inventory arid lands in eastern Oregon—a demonstration. In: Lund, H. Gyde [and others] tech. coords. Arid land resource inventories: developing costefficient methods: proceedings of the workshop; 1980 November 30-December 6, La Paz, Mexico. Gen. Tech. Rep. WO-28. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 331-337.
- Merriam, L. C.; Peterson, R. F.; Knopp, T. B. Changes in boundary waters camping places—reflections over fourteen years. Nature 31(4): 28-31; 1980.
- Mitchell, Clifford C.; Schomaker, John H. Wilderness travel simulator: a GPSS/360 user's manual with exercises. Moscow, ID: University of Idaho; Forest, Wildlife and Range Experiment Station; Contribution 134; 1980; 74 p.
- O'Leary, Joseph T.; Theobald, William F.; Dwyer, John F. Putting the cart before the horse: When do the data catch up with the theory? In: Tourism planning and development issues: proceedings of the international symposium on tourism and the next decade; 1979 March 11-15, Washington, D.C. George Washington University; 1980: 463-473.

- Peterson, George L.; Lime, David W. How does travel distance to the Boundary Waters influence use? Nature 31(4): 22-27; 1980.
- Peterson, George L.; Lime, David W.; Anderson, Dorothy H. A method for explaining trends in river recreation demand. In: Vol. II Proceedings, 1980 national outdoor recreation trends symposium; 1980 April 20-23; Durham, NH. Gen. Tech. Rep. NE-57. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1980: 161-169.
- Peterson, George L.; Lime, David W.; Anderson, Dorothy H. Attraction of recreationists to rivers—a nationwide view. In: Some recent products of river recreation research. Gen. Tech. Rep. NC-63. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981: 18-26.
- Plumley, H. J.; Leonard, R. E. Composting human waste at remote recreation sites. Parks 6(1): 18-22; 1981.
- Roggenbuck, J. W. Wilderness user preferences eastern and western areas. In: Proceedings of the wilderness management symposium; 1980 November 11-13; Knoxville, TN. Knoxville, TN: University of Tennessee; 1981: 103-146.
- Roggenbuck, J. W.; Berrier, D. L. Communications to disperse wilderness campers. J. For. 79: 295-297, 1981.
- Schechter, Mordechai; Lucas, Robert C. A park visitor travel simulation model as a management tool. In: Hawkins, Donald E.; Schafer, Elwood, L.; Ravelstad, James M., eds. Tourism marketing and management issues. Washington, DC: George Washington University; 1980. 379-390.
- Schechter, Mordechai; Lucas, Robert C. Validating a large scale simulation model of wilderness recreational travel. Interfaces 10(5): 11-18; 1981.
- Schoolmaster, F. Andrew. Improving applied geographic research: illustrations from recreation resource management. In: Henry, Norah F.; Frazier, John W., eds. Research in Contemporary and Applied Geography. Binghamton, NY: State University of New York at Binghamton; 1980: 4(3): 46-64.
- Schroeder, Herbert W. The effect of perceived conflict on evaluations of natural resource management goals. J. Environ. Psychol. 1: 61-72; 1981.
- Schroeder, Herbert W.; Daniel, Terry C. Predicting the scenic quality of forest road corridors. Environ. and Behav. 12(3): 349-366; 1980.

- Schroeder, Herbert W.; Daniel, Terry C. Progress in predicting the perceived scenic beauty of forest landscapes. For. Sci. 27(1): 71-80; 1981.
- Shelby, Bo. Politics and research utilization: a case study of river research in Grand Canyon. In: Some recent products of river recreation research. Gen. Tech. Rep. NC-63. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981: 45-51.
- Stankey, G. H.; Brown, P. J. A technique for recreation planning and management in tomorrow's forests. In: Proceedings, Division 6, XVII World Forestry Congress; 1981 September 6-12, Kyoto, Japan. International Union of Forestry Research Organizations; 1981: 63-73.
- Stankey, George H. Environmental preservation: a symbol of responsibility. Habitat Australia 8(5): 22-24; 1980.
- Stankey, George H. Integrating wildland recreation research into decision making: pitfalls and promises. In: Symposium proceedings: applied research for parks and recreation in the 1980's; 1980 March 22; Victoria, BC. Victoria, BC: University of Victoria: 1980: 43-56.
- Stankey, George H. Wilderness carrying capacity: management and research progress in the United States. Landscape Research 5(3): 6-11; 1980.
- Swain, Albert M. Landscape patterns and forest history in the boundary waters canoe area, Minnesota: a pollen study from Hug Lake. Ecology 61(4): 747-754; 1980.
- Temple, Kenneth L.; Camper, Anne K.; McFeters, Gordon A. Survival of two enterobacteria in feces buried in soil under field conditions. Appl. Environ. Microbiol. 40(4): 794-797; 1980.
- Wagar, J. Alan. Comment on "The right to risk in wilderness". J. For. 79: 152-159. 1981.
- Washburne, Randel F. Carrying capacity assessment and recreational use in the national wilderness preservation system. J. Soil Water Conserv. 36(3): 162-166; 1981.

- Washburne, Randel; Wall, Paul. Black-white ethnic differences in outdoor recreation. Res. Pap. INT-249. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 13 p.
- West, Patrick C. On-site social survey and the determination of social carrying capacity in wildland recreation management. Res. Note NC-264. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 4 p.
- Westover, Theresa N.; Flickinger, Theodore B.; Chubb, Michael. Crime and law enforcement. Parks and Rec. 15(8): 28-33; 1980.

Urban Forestry

- Anderson, Linda M. [and others]. Lessons from hurricane David. J. Arbor. 7: 215-217; 1981.
- Barker, Philip A. Canyon maple: A colorful mountaineer. The Cultivator (University of Utah State Arboretum of Utah) (Autumn) 1-2; 1980.
- Barker, Philip A. Growing trees on recreation sites—or hospitality with trees. In: Hawkins, D. E.; Shafer, E. L.; Rovelstad, J. M., eds. Proceedings of the international symposium on tourism and the next decade; 1979 March 11-15; Washington, DC. Washington, DC: George Washington University; 1980: 133-137.
- Barker, Philip A. The native plants of Texas. A new source of landscape materials for dry areas. Amer. Nurseryman 153(12): 60-64, 75; 1981.
- Barker, Philip A.; Freeman, D. Carl. Sexual flexibility in plants. Combined Proceedings of the International Plant Propagators Society, volume 29: 1979 October 2-5; Sacramento, CA. Boulder, CO: Int. Plant Prop. Soc.; 1980: 59-66.
- Berisford, C. W. [and others]. Treatment and utilization of wood salvaged from Dutch elm diseased trees. Georgia Forest Research Report 10. Macon, GA: Georgia Forestry Commission; 1980. 5 p.

- Berrang, P.; Steiner, K. C. Resistance of pin oak progenies to iron chlorosis. J. Am. Soc. Hort. Sci. 105: 519-522; 1980.
- Black, P. Parking lot impact on stream water quality. In: Making watershed management work. 1980 July 21-23; Boise, ID. New York, NY: American Society of Civil Engineers; 1980: 541.
- Black, P. Water quality patterns during a storm on a mall parking lot. Water Res. Bull. 16(4): 615-620; 1980.
- Brush, Robert. Forest esthetics as the owners see it. Amer. For. 87(5): 15-19, 46; 1981.
- Brush, Robert. Land form and scenic preference: a research note. Landscape Planning 8(3): 301-306; 1981.
- DeWalle, D. R.; Heisler, G. M. Landscaping to reduce year-round energy bills. In: Cutting energy costs. Yearb. of Agric. 1980. Washington, DC. U.S. Department of Agriculture, 1980: 227-237.
- DeWalle, David R.; Heisler, Gordon M. Water vapor mass balance method for determining air infiltration rates in homes. Res. Note NE-301. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1980. 7 p.
- Duggin, M. J.; Salter, P. N.; Somers, S. L. A method for calibrating multispectral scanners to allow for the spectral dependence of the instrument process. AIAA Sensor Systems for the 80's Conf., Colorado Springs, CO., Dec. 2-4, 1980: 76-83.
- Dwyer, John F. Managing urban forests for recreation. Trends 17(4): 11-14; 1980.
- Halverson, Howard G.; Heisler, Gordon M. Soil temperatures under urban trees and asphalt. Res. Pap. NE-481. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 6 p.
- Halverson, Howard G.; Mawson, Joseph C.; Payne, Brian R. A computer program to map tree crown shadows in the urban forest. Gen. Tech. Rep. NE-59. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1980. 16 p.

- Halverson, Howard G.; Potts, Donald F. Water requirements of honeylocust (*Gleditsia triacanthos f. inermis*) in the urban forest. Res. Pap. NE-487. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 4 p.
- Heisler, Gordon M.; Halverson, Howard G.; Zisa, Robert P. Solar radiation measurements beneath crowns of open-grown trees. In: 15th conference on agriculture and forest meteorology and 5th conference on biometeorology; 1981 April 1-3; Anaheim, CA. Boston, MA: American Meteorological Society; 1981: 162-165.
- Kaplan, Rachel. Citizen participation in the design and evaluation of a park. Environ. and Behav. 12(4): 494-507; 1980.
- Kaplan, Rachel. Evaluation of a vest-pocket park. Res. Pap. NC-195. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 12 p.
- Kaplan, Rachel. Nearby nature and satisfaction with multi-family neighborhoods. Ann Arbor, MI: School of Natural Resources, University of Michigan; 1981: 35 p.
- Marans, Robert W.; Fly, J. Mark. Recreation and the quality of life: recreational resources, behaviors, and evaluation of people in the Detroit region. Ann Arbor, MI: Survey Research Center, University of Michigan, Research Report Series; 1981: 234 p.
- Miller, D. R. The two-dimensional energy budget of a forest-edge with field measurements at a forest parking lot interface. Agric. Meteorol. 22:53-78; 1980.
- Miller, David R.; Heisler, Gordon M.; Toedter, Robert M. Classification of shelterbelt effectiveness. In: 15th conference on agriculture and forest meteorology and 5th conference on biometeorology; 1981 April 1-3; Anaheim, CA. Boston, MA: American Meteorological Society; 1981: 125-127.
- Miller, D. R.; Vavrina, C. S.; Christensen, T. W. Measurement of sap flow and transpiration in ring-porous oaks using a heat pulse velocity technique. For. Sci. 26(3): 485-494; 1980.

- Moeller, George H. USDA Forest Service programs to support urban forest resources. Hort. Sci. 16(3): 271-273; 1981.
- O'Leary, Joseph T.; Benjamin, Patricia. Ethnic variation in leisure behavior: studies, theories, and directions for future research. West Lafayette, IN: Department of Forestry and Conservation, Purdue University; 1981. 96 p.
- Perry, Thomas O. Constraints limiting the effectiveness of urban forestry programs. Environ. Comment: 1980 November: 10-12; 1980.
- Rowntree, R. A.; Sanders, R. A. The urban forest resources of New York State. Report 13, For. Res. Assess., For. Res. Planning Program, NYS Dept. of Env. Conservation; Sep. 1981. 19 p.
- Sanders, Ralph A. Diversity in the street trees of Syracuse, New York. Urban Ecology 5: 33-43; 1981.
- Schabel, Hans G. Urban forestry in the Federal Republic of Germany. J. Arboric. 6(11): 281-286: 1980.
- Wendling, Robert C. Black/white differences in outdoor recreation behavior: state-of-the-art and recommendations for management and research. In: Proceedings, 1980 conference on social research in national parks and wildland areas; 1980 March 21-22; Great Smokey Mountains National Park. Gatlinburg, TN: U.S. Department of the Interior, National Park Service, Southeast Regional Office; 1981: 106-117.

Disturbed Areas Rehabilitation

- Aldon, Earl F. Micro-catchment water harvesting. In: Brittain, Richard G.;
 Myhrman, Matts A., eds. Proceedings, vegetative reclamation of mine wastes and tailings in the Southwest; 1980 April 23-25; Tucson, AZ. Arizona Mining and Mineral Resources Research Institute; Tucson, AZ; 1980: 19-1 19-6.
- Aldon, Earl F. Mycorrhizal enhancement of plant establishment and growth. In:
 Brittain, Richard G.; Myhrman, Matts A., eds. Proceedings, vegetative
 reclamation of mine wastes and tailings in the Southwest; 1980 April 23-25;
 Tucson, AZ. Arizona Mining and Mineral Resources Research Institute;
 Tucson, AZ; 1980: 17-1 17-3.

- Aldon, Earl F.; Green, Norman. Effects of endomycorrhizae on shrub and grass growth in the Southwest. In: Mineral waste stabilization liaison committee: Meeting and field trip; 1980 July 16-18; Santa Fe, NM. New Mexico Bureau of Mines and Mineral Resources; Socorro, NM; 1980: 98-106.
- Aldon, Earl F.; Pase, Charles P. Plant species adaptability on mine spoils in the Southwest: A case study. Res. Note RM-398. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 3 p.
- Aldon, Earl F.; Scholl, David G.; Pase, Charles P. Establishing cool-season grasses on mine spoil. In: Proceedings 1980 watershed management symposium, Vol. 1; 1980 July 21-23; Boise, ID; Irrigation and Drainage Division, American Society of Civil Engineers; New York, NY; 1980: 91-97.
- Berg, William A.; [and others]. Drastically disturbed lands: conservation needs, technology, and policy alternatives. In: Larson, William E. [and others], eds. Soil and water resources: research priorities for the Nation; executive summary Soil Science Society of America, Madison, WI; 1981: 33-35.
- Berry, Charles R; Marx, Donald H. Significance of various soil amendments to borrow pit reclamation with loblolly pine and fescue. Reclamation Rev. 3:87-94; 1980.
- Bjugstad, Ardell J.; Yamamoto, Teruo; Uresk, Daniel W. Shrub establishment on coal and bentonite clay mine spoils. In: Proceedings, 1980 symposium on shrub establishment on disturbed arid and semi-arid lands; 1980 December 2-3; Wyoming Agricultural Experiment Station; Laramie, WY: 1981; 104-122.
- Brown, Ray W. Revegetation with native and introduced plant species. In: Proceedings, 26th grass breeders conference; 1980; Utah State University, Logan, UT. Logan, UT: Utah State University; 1980: 1-8.
- Brown, Ray W.; Johnston, Robert S. Reclaiming disturbed alpine lands. West. Wildlands 7(3): 38-42; 1981.
- Bryan, B. A.; Hewlett, J. D. Effect of surface mining on stream flow and peak flow from six small basins in eastern Kentucky. Water Resour. Bull. 17(2): 290-299; 1981.
- Butterfield, Richard; Tueller, Paul. Revegetation potential of acid mine wastes in northeastern California. Reclamation Rev. 3: 21-31; 1980.

- Davidson, Walter H. Direct seeding for forestation. In: Trees for reclamation: proceedings of the symposium; 1980 October 27-29; Lexington, KY. Gen. Tech. Rep. NE-61. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1980: 93-97.
- Davidson, Walter H. Erosion control measures on Appalachian strip mines. In: Engineering systems for forest regeneration: Symposium of the American Society for Agricultural Engineers; 1981 March 2-6; Raleigh, NC. ASAE 10-81. St. Joseph, MI: American Society of Agricultural Engineers; 1981: 10-14.
- Davidson, Walter H. Timber volumes of old Pennsylvania surface mine reclamation plantations. Res. Note NE-303. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981: 5 p.
- Dietrich, David L.; Marlatt, William E.; Fox, Douglas G. Particle production from surface mining: Part 2 surface particulate and meteorological measurements. In: Proceedings, fourth symposium on fugitive emissions: measurement and control; 1980 May; New Orleans, LA. U.S. Environmental Protection Agency. EPA-600 9-80-041; 1980: 64-80.
- Farmer, Eugene E. Phosphate mine dump hydrology. In: Symposium on watershed management, volume II. New York: American Society of Civil Engineers; 1980: 846-853.
- Farmer, Eugene E.; Richardson, Bland Z. Acid mine waste revegetation: influence on soil-water quality. Res. Pap. INT-266. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 8 p.
- Farmer, Eugene E.; Richardson, Bland Z. Phosphate mine dump stability and revegetation. In: Symposium on watershed management, volume II. New York: American Society of Civil Engineers; 1980: 888-897.
- Ferguson, Robert B.; Frischknecht, Neil C. Shrub establishment on reconstructed soils in semiarid areas. In: Stelter, Lavern H.; DePuit, Edward J.; Mikol, Sharon A., tech coords. Shrub establishment on disturbed arid and semi-arid lands: proceedings of the symposium; 1980 December 2-3; Laramie, WY. Cheyenne, WY: Wyoming Game and Fish Department; 1981: 57-63.

- Ferrante, Lynn M.; Thor, Edward C. Predicting events in the development of a coal surface mine in the west. Gen. Tech Rep. PSW-41. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980; 11 p.
- Jeppson, Roland W.; Farmer, Eugene E. Composite water movement in a sloping phosphate mine dump. In: Symposium on watershed management, volume II. New York: American Society of Civil Engineers; 1980: 855-866.
- Johnston, R. S.; Sundberg, E. S.; Burroughs, E. R., Jr.; Armijo, J. D. Simulated rainfall to generate runoff and sediment from surface mine haul roads. In: Symposium on surface mining hydrology, sedimentology and reclamation; 1980 December 1-5; Lexington, KY. Lexington, KY: University of Kentucky; 1981: 75-82.
- Kerr, S. N.; Sopper, W. E. Reforestation of mined lands. Land and Water 1980(10): 14-16.
- Keys, R. N.; Cech, F. C.; Davidson, W. H. The performance of Austrian pine seed sources on various sites in West Virginia and Pennsylvania. In: Proceedings of the 27th Northeastern tree improvement conference; 1980 July 29-31; Burlington, VT. 1981: 103-114.
- Marx, Donald H. Role of mycorrhizae in forestation of surface mines.

 Proceedings, Trees for reclamation; Inter-state Mining Compact
 Commission and USDA Forest Service; Lexington, KY. October 27-28, 1980: 109-116.
- McMinn, J. W. [and others]. Comparision of five woody species for reclamation of an upper Coastal Plain spoil bank. Res. Note SE-300. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1980. 2 p.
- Olson, Richard A. Wetland vegetation, environmental factors, and their interaction in strip mine ponds, stockdams, and natural wetlands. Gen. Tech. Rep. RM-85. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 19 p.
- Platts, William S.; Andrews, Douglas A. Aquatic macroinvertebrates within the phosphate mining area of eastern Idaho. Res. Note INT-298. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 18 p.

- Richardson, Bland Z.; Farmer, Eugene E. Test of methods for amending and seeding spoils at the Blackbird Mine. Res. Pap. INT-265. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 6 p.
- Richardson, Bland Z.; Pratt, Marilyn M. Environmental effects of surface mining of minerals other than coal: Annotated bibliography and summary report. Gen. Tech. Rep. INT-95. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 145 p.
- Richardson, Bland Z.; Trussell, Tamara P. Species diversity for wildlife as a consideration in revegetating mined areas. In: Stelter, Lavern H.; DePuit, Edward J.; Mikol, Sharon A., tech. coords. Shrub establishment on disturbed arid and semi-arid lands: proceedings of the symposium; 1980 December 2-3; Laramie, WY. Cheyenne, WY: Wyoming Game and Fish Department; 1981: 70-80.
- Rothwell, Frederick M.; Vogel, Willis G. Mycorrhizae of planted and volunteer vegetation on surface-mined sites. Gen. Tech. Rep. NE-66. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981: 12 p.
- Shaw, Nancy. Propagating and outplanting shrubs on mine sites. In: Stelter, Lavern H.; DePuit, Edward J.; Mikol, Sharon A., tech. coords. Shrub establishment on disturbed arid and semi-arid lands: proceedings of the symposium; 1980 December 2-3; Laramie, WY. Cheyenne, WY: Wyoming Game and Fish Department; 1981: 47-56.
- Slick Bernard M. Revegetation for aesthetics. In: Trees for reclamation: proceedings of the symposium; 1980 October 27-29; Lexington, KY. Gen. Tech. Rep. NE-61. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1980: 75-84.
- Sopper, W. E.; Kerr, S. N. Potential use of forest land for recycling municipal wastewater and sludge. In: Proceedings, national urban forestry conference. 1978 November 13-16; Washington, D.C. Syracuse, NY: College of Environmental Science and Forestry; 1980: 392-409.
- Stucky, D. J.; Zoeller, A. L. Restoration of acidic mine spoils with sewage sludge: II Measurements of solids applied. Reclamation Rev. 3:141-147; 1980.

- U.S. Department of Agriculture. SEAM highlights. Misc. Publ. 1390.
 Washington, DC: U.S. Department of Agriculture, Forest Service; 1981.
 12 p.
- Vogel, W. G. Are trees neglected plants for reclaiming surface mines? In: Proceedings of the West Virginia Academy of Science; 1979 April 6; Athens, WV. Vol. 51(3). Parsons, WV: McClain Printing Company; 1980: 127-138.
- Vogel, Willis G. A guide for revegetating coal mine soils in the eastern United States. Gen. Tech. Rep. NE-68. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 190 p.
- Vogel, Willis G. Revegetating surface-mined lands with herbaceous and woody species together. In: Trees for reclamation: proceedings of the symposium: 1980 October 27-29; Lexington, KY. Gen. Tech. Rep. NE-61. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1980: 117-126.

Biological Relations

- Bailey, R. G. Description of the ecoregions of the United States. Misc. Publ. 1391. Washington, DC: U.S. Department of Agriculture, 1980. 77 p.
- Barnett, James P. Imbibition temperatures affect seed moisture uptake, germination, and seedling development. In: Proceedings of the first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 41-45.
- Bartos, Dale L.; DeByle, Norbert V. Quantity, decomposition, and nutrient dynamics of aspen litterfall in Utah. For. Sci. 27(2): 381-390; 1981.

- Beck, Donald E. Wood as a potential energy alternative—environmental concerns. In: Wood: an alternative energy resource. Winston-Salem, NC: North Carolina State University; 1981: 19-27.
- Bevington, J. M.; Hoyle, M. C. Phytochrome action during prechilling induced germination of *Betula papyrifera* Marsh. Plant Physiol. 67: 705-710; 1981.
- Booker, C. Edith. Free and bound amino acids in the ectomycorrhizal fungus *Pisolithus tinctorius*. Mycologia 71: 868-881; 1980.
- Brown, Robert W.; Schultz, Richard C.; Kormanik, Paul P. Response of vesiculararbuscular endomycorrhizal sweetgum seedlings to three nitrogen fertilizers. Forest Sci. 27: 413-420: 1981.
- Callaham, Robert Z. Hawaii's renewable resources research plan for the 80's. Proceedings of the Hawaii forestry/wildlife conference; 1980 October 2-4; Honolulu, Hl. Honolulu, Hl. U.S. Department of Agriculture, Forest Service, 1981: 6a-6c.
- Cecich, Robert A. Cavity formation in winter buds of *Pinus banksiana*. Am. J. Bot. 68(6): 786-789; 1981.
- Cecich, Robert A. The apical meristem. In: Proceedings, 1980 IUFRO symposium on shoot growth in trees. 1980 July; Fredericton, New Brunswick; 1980: 1-11.
- Cordell, Charles E.; Marx, Donald H. Ectomycorrhizae: Benefits and practical application in forest tree nurseries and field outplantings. In: Proceedings, North American forest tree nursery soils workshop; 1980 July 28-August 1; Syracuse, NY. 1980: 217-224.
- Cordell, Charles E.; Marx, Donald H. Ectomycorrhizae: Present status and practical application in forest tree nurseries and field outplantings. In: Proceedings, Western and Intermountain Nurserymen's Conference; 1980 August 11-15; Boise, ID. 1981: 34-38.
- Crouch, Glenn L.; Radwan, M. A. Effects of nitrogen and phosphorus fertilizers on deer browsing and growth of young Douglas-fir. Res. Note PNW-368. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 21 p.

- Czapowskyj, M. M.; Safford, L. O.; Briggs, R. D. Foliar nutrient status of young red spruce and balsam fir in a fertilized stand. Broomall, PA: Res. Pap. NE-467. U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1980. 15 p.
- Dawson, Jeffery O.; Funk, David T. Seasonal change in foliar nitrogen concentration of *Alnus glutinosa*. For. Sci. 27(2): 239-243; 1981.
- Dawson, Jeffrey O.; Funk, David T.; Fitton, Robert R.; Gertner, George Z. Seasonal changes in leaf nitrogen concentration of *Alnus glutinosa*, *A. rugosa*, and *A. serrulata*. In: Proceedings of the central hardwood forest conference III; 1980 September 16-17; Columbia, MO; 1980: 190-201.
- Drew, Allan P.; Ledig, F. Thomas. Seasonal patterns of CO₂ exchange in the shoot and root of loblolly pine seedlings. Bot. Gaz. 142(2): 200-205; 1981.
- Ek, Alan R. Mensurational and biomass relations for *Populus* 'Tristis #1' under intensive culture. Res. Note. NC-260. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 4 p.
- Fosberg, F. R.; Falanruw, M. V. C. Noteworthy Micronesian plants. 4. Micronesica 16(2): 201-210; 1980.
- Fosberg, F. R.; Falanruw, M. V. C.; Sachet, M. H. Additional records of vascular plants from the Northern Mariana Islands. 2. Micronesica 16(2): 211-214; 1980.
- Franklin, Jerry F., [and others]. Ecological characteristics of old-growth Douglas-fir forests. Gen. Tech. Rep. PNW-118. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 48 p.
- Franklin, Jerry F.; Waring, Richard H. Distinctive features of the northwestern coniferous forest: development, structure, and function. In: Forests: fresh perspectives from ecosystem analysis. Proceedings, 40th Annual biology colloquium. Corvallis, OR: Oregon State University Press, 1980: 59-86.
- Goffinet, Martin C.; Larson, Philip R. Structural changes in *Populus deltoides* terminal buds and in the vascular transition zone of the stems during dormancy induction. Am. J. Bot. 68(1): 118-129; 1981.

- Gregory, Robert A. Annual cycle of shoot development in sugar maple. Can. J. For. Res. 10(3): 316-326; 1980.
- Gregory, Robert A. A rapid method of estimating the relative amount of vascular ray tissue. IAWA Bulletin, 2: 2-3; 1981.
- Hacskaylo, E. Mycorrhizae. In: Stipes, R. J.; Campana, R. J. eds. Compendium of elm diseases. 1981: 66.
- Haines, Bruce [and others]. Acid rain: threshold of leaf damage in eight plant species from a southern Appalachian forest succession. Water Air Soil Pollut. 14: 403-407; 1980.
- Haines, Bruce; Waide, Jack. Predicting potential impacts of acid rain on elemental cycling in a southern Appalachian deciduous forest at Coweeta. In: Hutchinson, T. C.; Havas, M., eds. Effects of acid precipitation on terrestrial ecosystems. Plenum Publishing Corporation; 1980: 335-340.
- Haines, Sharon G.; DeBell, Dean S. Use of nitrogen-fixing plants to improve and maintain productivity of forest soils. In: Impact of intensive harvesting on forest nutrient cycling, August 1979. U.S. Department of Agriculture, Forest Service; U.S. Department of Energy; 1980: 279-303.
- Hansen, Edward A.; Dawson, David H.; Tolsted, David N. Irrigation of intensively cultured plantations with paper mill effluent. TAPPI 63(11): 139-143; 1980.
- Hare, R. C. Modular air-layering and chemical treatments improve rooting of loblolly pine. In: Proceedings international plant propagators' society; 1979 December 2-5; Orlando, FL. Davis, CA: University of California Press; 1980: 446-454.
- Harms, W. R. [and others]. The effects of flooding on the swamp forest in Lake Ocklawaha, Florida. Ecology 61: 1412-1421; 1980.
- Harrington, Constance A.; DeBell, Dean S. Variation in specific gravity of red alder (*Alnus rubra* Bong.). Can. J. For. Res. 10(3): 293-299; 1980.
- Harrington, Constance A.; McElroy, James P.; DeBell, Dean S. Red alder. In: West. Wildl. Missoula, MT: Montana Forestry and Conservation Experiment Station, University of Montana; 1981; 7(1): 19-21.

- Harris, A. S.; Farr, Wilbur A. Ecology: seeing the forest for the trees. In: Alaska Fish Tales & Game Trails 12(1): 10-12; 1980.
- Heidmann, L. J. Overcoming temperature-dependent dormancy of southwestern ponderosa pine seed. Res. Note RM-406. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 4 P.
- Hicks, R. R., Jr. Climatic, site, and stand factors. In: The southern pine beetle. Tech. Bull. 1631. Washington, DC: U.S. Department of Agriculture; 1980: 55-68.
- Hodges, Charles S. Historical highlights of Hawaii's forestry and wildlife research. Proceedings of the Hawaiian forestry wildlife conference; 1980 October 2-4; Honolulu HI. Honolulu, HI: U.S. Department of Agriculture, Forest Service; 1981: 7-13.
- Horsley, Stephen B.; Meinwald, Jerrold. Glucose-1-benzoate and prunasin from *Prunus serotina*. Phytochemistry 20(5): 1127-1128, 1981.
- Jorgensen, J. R. [and others]. Nutrient changes in decomposing loblolly pine forest floor. Soil Sci. Soc. Am. J. 44: 1307-1314; 1980.
- Jorgensen, Jacques R. Use of legumes in southeastern forestry research. In: Proceedings of the first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981: 205-211.
- Kaufmann, Merrill R. Development of water stress in plants. Hort. Sci. 16(1): 34-36; 1981.
- Kormanik, Paul P. [and others]. Increasing endomycorrhizal fungus inoculum in forest nursery soil with cover crops. South. J. Appl. For. 4: 151-153; 1980.
- Ku, Timothy T.; Baker, James B.; Blinn, Charles R.; Williams, Richard A. Understory biomass for energy fuel. In: Proceedings of the first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 230-233.

- Ku, Timothy, T.; Francis, John K.; Blinn, Charles R. Fertilizer response and biomass accumulation of a 5-year-old sweetgum plantation. In: Proceedings of the first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 195-198.
- Langdon, O. Gordon; McKee, William H., Jr. Can fertilization of loblolly pine on wet sites reduce the need for drainage? In: Proceedings of the first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 212-218.
- Larson, Philip R. Control of vascularization by developing leaves. In: Control of shoot growth in trees. Proceedings, IUFRO Workshop; 1980 July 20-24; Fredericton, New Brunswick. Fredericton, New Brunswick, Canada: Canadian Forestry Service; 1980: 157-172.
- Larson, Philip R. Interrelations between phyllotaxis, leaf development and the primary-secondary vascular transition in *Populus deltoides*. Ann. Bot. 46: 757-769; 1980.
- Larson, Philip R.; Goffinet, Martin C. Advance of the primary-secondary vascular transition zone during dormancy induction of *Populus deltoides*. IAWA Bull. 2(1): 25-30; 1981.
- Lea, R. [and others]. Amounts of nutrients removed from forest soils by two extractants and their relationship to *Pinus taeda* foliage concentrations. Commun. Soil Sci. Plant Anal. 11: 957-967; 1980.
- Lugo, A. E.; Cintrón, G.; Goenaga, C. El ecosistema del manglar bajo tensión. (The mangrove ecosystem under stress). En: Estudio Científico e Impacto Humano en el Ecosistema de Manglares; Memorias del Seminario Organizado por Unesco, con el auspicio del gobierno de Colombia; 1978 27 de noviembre al 1° de diciembre; Cali, Colombia. Montevideo, Colombia: Oficina Regional de Ciencia y Tecnología para América Latina y el Caribe, 1980: 261-285.
- Lugo, Ariel. La ecología, los sistemas tropicales y el hombre. (Ecology, tropical ecosystems, and humans). Boletin de la Sociedad Venezolana de Ciencias Naturales 34(137): 7-41; 1980.

- Lugo, Ariel E. Mangrove ecosystems: successional or steady state? Biotropica 12 Supplement 2: 65-72; 1980.
- Lugo, Ariel E. Mangrove issue debates in courtrooms. In: Proceedings U.S. Fish and Wildlife Service workshop on coastal ecosystems of the Southeastern United States; 1980 February 18-22; Big Pine Key, FL. Washington, DC: U.S. Fish and Wildlife Service, Office of Biological Services; 1980: 48-60.
- Lugo, Ariel E.; Brown, Sandra. Ecological monitoring in the Luquillo Experimental Forest Biosphere Reserve. Ambio 10(2-3): 102-107; 1981.
- Lugo, Ariel E.; Brown, Sandra. Tropical forest ecosystems; sources or sinks of atmospheric carbon. Unasylva 32(129): 8-13; 1980.
- Lugo, Ariel E.; Morris, Gregory L. Los sistemas ecologicos y la humanidad. (The ecological systems and humanity). Merida, Venezuela: CIDIAT; 1981. 112 p.
- Marshall, Valin G.; DeBell, Dean S. Comparison of four methods of measuring volatilization losses of nitrogen following urea fertilization of forest soils. Can. J. Soil Sci. 60: 549-563; 1980.
- Marx, Donald H. Ectomycorrhizal fungus inoculations: A tool for improving forestation practices. In: Tropical Mycorrhiza Research; Peitsa Mikola (ed.); New York, NY: Oxford Univ. Press; 1980: 13-71.
- Marx, Donald H. Variability in ectomycorrhizal development and growth among isolates of *Pisolithus tinctorius* as affected by source, age, and reisolation. Can. J. For. Res. 11: 168-174; 1981.
- Marx, Donald H.; Rowan, S. James. Fungicides influence growth and development of specific ectomycorrhizae on loblolly pine seedlings. For. Sci. 27: 167-176; 1981.
- Melhuish, J. H., Jr.; Hacskaylo, E. Fatty acid content of *Pisolithus tinctorius* in response to changing ratios of nitrogen and carbon source. Mycologia 92: 1041-1044; 1980.
- Metzger, Frederick T.; Schultz, Janet L. Spring ground layer vegetation 50 years after harvesting in northern hardwood forests. Am. Midl. Nat. 105(1): 44-50; 1981.

- Nelson, Eric A.; Dickson, Richard E. Accumulation of food reserves in cottonwood stems during dormancy induction. Can. J. For. Res. 11(1): 145-154; 1980.
- Pallardy, S. G.; Kozlowski, T. T. Cuticle development in the stomatal region of *Populus* clones. New Phytol. 85: 363-368; 1980.
- Pallardy, S. G.; Kozlowski, T. T. Water relations of *Populus* clones. Ecology 62(1): 159-169; 1981.
- Pawuk, William H. Potting media affect growth and disease development of container-grown southern pines. Res. Note SO-268. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 4 p.
- Pawuk, William H.; Barnett, James P. Benomyl stimulates ectomycorrhizal development by *Pisolithus tinctorius* on shortleaf pine grown in containers. Res. Note SO-267. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 4 p.
- Pope, P. E. Napropamide and paraquat affect development of mycorrhizae in red oak (*Quercus rubra* L.) seedlings. In: Proceedings, 1980 central hardwood forest conference III; 1980 September 16-17; Columbia, MO; 1980: 282-288.
- Pope, P. E.; Holt, H. A. Paraquat influences development and efficacy of the mycorrhizal fungus *Glomus fasciculatus*. Can. J. Bot. 59: 518-521; 1981.
- Powers, Robert F. Mineralizable soil nitrogen as an index of nitrogen availability to forest trees. Soil Sci. Soc. of Am. Proc. 44(6): 1314-1320; 1980.
- Powers, Robert F. Response of California true fir to fertilization. In: Gessel, S. P.; Kennedy, R. M.; Atkinson, W. A.; eds. Proceedings, forest fertilization conference. Seattle, WA: Univ. Washington College of Forest Resource Inst. For. Resources Contrib. 40: 95-101; 1981.
- Powers, Robert F.; Van Gent, Dan L.; Townsend, Richard F. Ammonia electrode analysis of nitrogen in micro-kjeldahl digests of forest vegetation. Commun. Soil Sci. Plant Anal. 12(1): 19-30; 1981.

- Radwan, M. A.; DeBell, D. S. Germination of red alder seed. Res. Note PNW-370. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 7 p.
- Radwan, M. A.; DeBell, D. S. Site index, growth, and foliar chemical composition relationships in western hemlock. For. Sci. 26(2): 283-290; 1980.
- Reich, P. B.; Teskey, R. O.; Johnson, P. S.; Hinckley, T. M. Periodic root and shoot growth in oak. For. Sci. 26(4): 590-598: 1980.
- Rietveld, W. J.; Williams, Robert D. Lifting date affects black walnut planting stock quality. Res. Pap. NC-205. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 8 p.
- Riggan, Philip J.; Cole, D. W. Simulation of forest production and nitrogen uptake in a young Douglas-fir ecosystem. In: Iskandar, I. K., ed. Simulating nutrient transformation and transport during land treatment of wastewater. New York: John Wiley and Sons; 1981: 410-443.
- Roberts, Pamela S.; Zavitkovski, J. Growth of hybrid poplars, white spruce, and jack pine under various artificial lights. Res. Pap. NC-206. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 5 p.
- Romberger, J. A. Fundamental aspects of normal organismal growth in plants. In: Kaiser, H. E., ed. Neoplasms comparative pathology of growth in animals, plants, and man. Baltimore, MD: Williams & Wilkins; 1981: 187-206.
- Ruehle, John L. Ectomycorrhizal condition of planted pines: What difference does it make? In: Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1980: 25-28.
- Schier, George A. Physiological research on adventitious shoot development in aspen roots. Gen. Tech. Rep. INT-107. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station: 1981, 12 p.

- Schier, George A.; Campbell, Robert B. Variation among healthy and deteriorating aspen clones. Res. Pap. INT-264. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 12 p.
- Schmidt, Wyman C.; Lotan, James E. Phenology of common forest flora of the Northern Rockies—1928 to 1937. Res. Pap. INT-259. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1980. 20 p.
- Schmitt, M. D. C.; Czapowskyj, M. M.; Safford, L. O.; Leaf, A. L. Biomass and elemental uptake in fertilized *Betula papyrifera* Marsh. and *Populus grandidentata* Michx. Plant and Soil, 60(1): 111-122; 1981.
- Schuller, S. Reid; Frenkel, Robert E. Checklist of the vascular plants of Steamboat Mountain Research Natural Area. Res. Note PNW-375. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 20 p.
- Seastedt, T. R.; Crossley, D. A., Jr. Effects of microarthropods on the seasonal dynamics of nutrients in forest litter. Soil Biol. Biochem. 12: 337-342; 1980.
- Shelton, M. G.; Nelson, L. E.; Switzer, G. L.; Blackmon, B. G. The concentration of nutrients in tissues of plantation-grown eastern cottonwood (*Populus deltoides* Bartr.). Tech. Bull. 106. Mississippi State, MS: Mississippi Agricultural and Forestry Experiment Station, Mississippi State University; 1981. 10 p.
- Shepperd, Wayne D. Variation in growth of Engelmann spruce seedlings under selected temperature environments. Res. Note RM-404. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 3 p.
- Shoulders, Eugene; Tiarks, Allan E. Fertilizer fate in a 13-year-old slash pine plantation. Soil Sci. Soc. of America J. 44(5): 1085-1089; 1980.
- Steele, Robert; Pfister, Robert D.; Ryker, Russell A.; Kittams, Jay A. Forest habitat types of central Idaho. Gen. Tech. Rep. INT-114. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station: 1981. 138 p.

- Stransky, John J.; Halls, Lowell K. Forage and pine growth with clearcutting and site preparation. In: Proceedings of the first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA: Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 343-348.
- Swain, T.; Hillis, W. E.; Larson, P. R. Wood chemistry. In: Proceedings of the workshop on age and growth rate of tropical trees. Borman, F. H.; Berlyn, G., eds. 1980 April 1-3; Petersham, MA; School of Forestry and Environmental Studies, Newhaven CT; Bulletin 94. Yale University 1981: 55-74.
- Szopa, Paul S.; Garrett, Harold E.; McGinnes, E. Allen, Jr. Growth-quality evaluation of black walnut wood. Part 1—Specific gravity, growth rate, and percent extractables for trees grown on three different sites in Missouri. Wood Sci. 13(2): 95-98; 1980.
- Tabor, Christopher A. Improving the suitability of glass fiber filters for use as culture supports. In Vitro 17: 129-132; 1981.
- Tiarks, Allan E.; Haywood, J. D. Response of newly established slash pine to cultivation and fertilization. Res. Note SO-272. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 4 p.
- Venator, Charles R.; Mexal, John G. The effect of wrenching and planting date on the survival of loblolly seedlings. In: Proceedings of the first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 20-24.
- Wallner, William E.; Gregory, Robert A. Relationship of sap sugar concentration in sugar maple to ray tissue and parenchyma flecks caused by *Phytobia setosa*. Can. J. For. Res., 10(3): 312-315; 1980.
- Wells, Carol G. Nutrient balances of high productivity. In: Proceedings of the Technical Association of the Pulp and Paper Industry annual meeting; 1981 March 2-5, Chicago, IL. Atlanta, GA. TAPPI Press; 1981: 439-444.

- Wiberg, Curt; Greene, Sarah. Blackwater Island Research Natural Area, supplement no. 11. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 20 p.
- Wong, B. L. The effect of kinetin on the release of bud inhibition along isolated stem segments of *Salix gilgiana*. Bot. Soc. Amer., Misc. Ser. Publ. 160: 5; 1981.
- Wong, B. L. The role of cytokinin and sucrose in control of lateral bud break in *Salix gilgiana*. Supplement to: Plant Physiol. 67: 71; 1981.
- Woodall, W. L. Evapotranspiration and melaleuca. In: Geiger, R. K., comp. Proceedings of melaleuca symposium; 1980 September 23-24; Ft. Myers, FL. Tallahassee, FL: Florida Department of Agriculture and Consumer Services, Division of Forestry; 1981: 117-123.
- Zasada, John C.; Densmore, Roseann. Alaskan willow and balsam poplar seed viability after 3 years' storage. Tree Plant. Notes 31(2): 9-10; 1980.
- Zavitkovski, J. Structure and seasonal distribution of litterfall in young plantations of *Populus* 'Tristis \1'. Plant and Soil 60: 409-422; 1981.
- Zavitkovski, J.; Jeffers, R. M.; Nienstaedt, H.; Strong, T. F. Biomass production of several jack pine provenances at three Lake States locations. Can. J. For. Res. 11: 441-447; 1981.

Silviculture

- Barnett, James P. ed. Proceedings of the first biennial southern silvicultural research conference. 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 375 p.
- Barnett, James P.; McGilvray, John M. Container planting systems for the South. Res. Pap. SO-167. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 18 p.

- Beck, D. E. Origin, development and management of mixed hardwood standssouthern Appalachians. In: Hardwood management: proceedings of the national silviculture workshop; 1981 June; Roanoke, VA; Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 196-212.
- Bonner, F. T. Collection, conditioning, and certification of forest tree seed. In: Advances in forest genetics. New Delhi, India: Ambika Publ.; 1980.
- Boyce, S. G. Predicting multiple benefits from silviculture. In: IUFRO/MAB conference: research on multiple-use of forest resources; 1980 May 18-23; Flagstaff, AZ. Gen. Tech. Rep. WO-25. Washington, DC: U.S. Department of Agriculture, Forest Service; 1980: 46-50.
- Browder, J. A.; Schroeder, P. B. Melaleuca seed dispersal and perspectives on control. In: Proceedings, melaleuca symposium; 1980 September 23-24; Ft. Myers, FL. Tallahassee, FL: Florida Division of Forestry; 1981: 17-21.
- Burton, James D. Some short-term effects of thinning and pruning young loblolly pine plantations. In: Proceedings of the first biennial southern silviculture research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 111-114.
- Burton, James D. Thinning and pruning influence glaze damage in a loblolly pine plantation. Res. Note SO-264. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 4 p.
- Campbell, T. E. Growth and development of loblolly and slash pines directseeded or planted on a cutover site. South. J. App. For. 5(3): 115-118; 1981.
- Campbell, T. E. Spot seeding is effective and inexpensive for reforesting small acreages. In: Proceedings of the first biennial southern silvicultural research conference: 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 50-52.
- Campbell, Thomas E. Evaluating Velpar Gridball for pine release. Proc. South. Weed Sci. Soc. 34: 159-164: 1981.

- Coffen, Dale O.; Bordelon, M. A. Stem breakage effect on cone and pollen production in *Pinus monticola* (Dougl.). Res. Note INT-312. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 6 p.
- Crouch, Glenn L. Plastic cages to protect Douglas-fir seedlings from animal damage in western Oregon. Res. Pap. PNW-271. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 17 p.
- Dale, Martin E. The effect of thinning on growth and value development of young hardwood stands in the Eastern United States. In: Proceedings IUFRO Conference; 1980 September 29-October 4; Gottingen, W. Germany; 1980: 310-327.
- Dawson, David H.; Zavitkovski, Jaroslav; Isebrands, J. G. Managing forests for maximum biomass production. In: The role of chemical engineering in utilizing the nation's forest resources; American Institute of Chemical Engineers Symposium Series 195(76): 1980: 36-42.
- Della-Bianca, Lino. Thinning eastern white pine in the southern Appalachians. South. J. Appl. For. 5: 68-73; 1981.
- Dickmann, Donald; Phipps, Howard; Netzer, Daniel. Cutting diameter influences early survival and growth of several *Populus* clones. Res. Note NC-261. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 4 p.
- Dimock, Edward J., III; Collard, Ernest B. Postplanting sprays of dalapon and atrazine to aid conifer establishment. Res. Pap. PNW-280. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 16 p.
- Dixon, R. K. [and others]. Soil temperature, growth, and ectomycorrhizal relationships of *Quercus velutina* seedlings. In: Proceedings, central hardwood conference III; 1980 September 16-17; Columbia MO. Columbia, MO: University of Missouri; 1980: 289-297.
- Erdmann, Gayne G.; Peterson, Ralph M., Jr.; Godman, Richard M. Cleaning yellow birch seedling stands to increase survival, growth, and crown development. Can. J. For. Res. 11(1): 62-68; 1981.

- Ferguson, Dennis E.; Adams, David L. Response of advance grand fir regeneration to overstory removal in northern Idaho. For. Sci. 26(4): 537-545; 1981.
- Francis, John K. Soil-site factors affecting southern upland oak management and growth. In: Proceedings, Mid-South upland hardwood symposium for the practicing forester and land manager: 1980 April 30-May 2; Harrison, AR. Tech. Pub. SA-TP 12. Atlanta, GA: U.S. Department of Agriculture, Forest Service, Southeastern Area, State and Private Forestry; 1980: 126-133.
- Funk, David T.; Ashley, Burl S. How to grow money on your walnut trees. (revised). St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 7 p.
- Godmann, Richard M.; Erdmann, Gayne G. How to regenerate yellow birch in the Lake States. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 3 p.
- Gordon, R.; Miller, J. H.; Brewer, C. Site preparation treatments and nutrient loss following complete harvest using the Nicholson-Koch mobile chipper. In: Proceedings of the first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station, 1981: 79-84.
- Hansen, Edward A.; Phipps, Howard M. How to grow hybrid poplars. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 5 p.
- Harris, A. S. Distribution, genetics, and silvical characteristics of Sitka spruce. In: Proceedings, IUFRO joint meeting of working parties, Victoria, BC: B.C. Ministry of Forestry, Information Services Branch; 1980: 95-122. Vol. 1.
- Hatchell, Glyndon E. Site preparation and fertilizer increase pine growth on soils compacted in logging. South. J. Appl. For. 5: 79-83; 1981.
- Haywood, James D. Control of dogfennel (*Eupatorium capillifolium* (Lam.) Small) does not increase pine yields. Res. Note SO-258. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1980. 5 p.

- Haywood, James D. Discontinuous mounding as a site treatment on a flatwoods soil. In: Proceedings of the first biennial southern silvicultural research conference: 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 88-91.
- Haywood, James D. Planted pines do not respond to bedding on an Acadia-Beauregard-Kolin silt loam site. Res. Note SO-259. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1980. 4 p.
- Haywood, James D.; Thill, Ronald E.; Burton, James D. Intensive site preparation affects loblolly pine growth on upland sites. In: Forest Regeneration. Proceedings of the American Society of Agricultural Engineers symposium on engineering systems for forest regeneration; 1981 March 2-6; Raleigh, NC. St. Joseph, MI. American Society of Agricultural Engineers; 1981: 224-231.
- Haywood, James D.; Tiarks, Allan E. Weed control and fertilization affect young pine growth. Proc. South. Wood Sci. Soc. 34: 145-151; 1981.
- Hoff, R. J. Cone production of western white pine seedlings and grafts. Res. Note INT-315. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 4 p.
- Industrial Forestry Association [Edgren, James]. Establishing a new stand. In: Sullivan, Michael D., ed. Your trees—a crop. How to grow and harvest trees in the Douglas fir region. Portland, OR: Industrial Forestry Association; 1980: 32-38.
- Jaramillo, Annabelle. Review of techniques used to evaluate seedling quality. In: Proceedings of Intermountain Nurseryman's Association and Western Forest Nursery Association; 1980 August 12-14; Boise, ID. Gen. Tech. Rep. INT-109. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station, 1981: 84-95.
- Johnson, Paul S. Early results of planting English oak in an ozark clearcut. Res. Pap. NC-204. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 6 p.

- Johnson, Paul S. Oak planting in mid-south upland hardwoods: problems and prospects. In: Proceedings, Mid-South upland hardwood symposium for the practicing forester and land manager; 1980 April 30-May 2, Harrison, AR. Technical Publication SA-TP-12. Atlanta, GA: U.S. Department of Agriculture, Forest Service, Southeastern Area State and Private Forestry; 1980: 74-87.
- Johnson, Paul S.; Jacobs, Rodney D. Northern red oak regeneration after preherbicided clearcutting and shelterwood removal cutting. Res. Pap. NC-202, St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 5 p.
- Johnson, Paul S.; Putnam, Charles W.; Mares, William G. A two-plane internally irrigated root observation system for forest nursery stock. Res. Pap. NC-197. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 6 p.
- Johnson, Paul S.; Rogers, Robert. Predicting growth of individual stems within northern red oak sprout clumps. In: Proceedings, central hardwood forest conference III; 1980 September 16-17; Columbia, MO. Columbia, MO; University of Missouri; 1980: 420-439.
- Johnson, R. L. Oak seeding—it can work. South. J. Appl. For. 5(1): 28-33; 1981.
- Kelty, Matthew J.; Nyland, Ralph D. Regenerating Adirondack northern hardwoods by shelterwood cutting and control of deer density. J. For. 79: 22-26; 1981.
- Kennedy, H. E., Jr.; Solomon, J. D.; Krinard, R. M. Twig girdler, *Oncideres cingulata* (Say), attacks terminals of plantation-managed pecans. Res. Note SO-263. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 4 p.
- Kennedy, Harvey E., Jr. Bottomland hardwoods research on site preparation, plantation establishment, and cultural treatments, at the Southern Hardwoods Laboratory. In: Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 75-78.

- Klock, G. O. Preplant soil fumigant increases survival and growth of field planted conifer seedlings. For. Sci. 26(3): 400-402; 1980.
- Krinard, R. M.; Johnson, R. L. Flooding, beavers, and hardwood seedling survival. Res. Note SO-270. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 6 p.
- Lamson, Neil. Effect of fertilization on four species in mature Appalachian hardwood stands. In: Garrett, Harold; Cox, Gene S., eds. Proceedings hardwood forest conference, III; 1979 September 16-17; University of Missouri, Columbia, MO; 1980: 449-457.
- Ledig, F. Thomas. Silvicultural systems for the energy efficient production of fuel biomass. In: Klass, D. L., ed. Biomass as a nonfossil fuel source. ACS symposium series 144. Washington, DC: Am. Chem. Soc.; 1981: 447-461.
- Lloyd, F. T.; Jones, E. P., Jr. A thinning rule for slash pine plantations on a medium site. In: Barnett, James P., ed. Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 131-136.
- Marquis, David A. Survival, growth, and quality of residual trees following clearcutting in Allegheny hardwood forests. Res. Pap. NE-477, Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station: 1981. 9 p.
- Marquis, David A.; Somerville, James; Johnson, Eli. Northern hardwoods. In: National Forest landscape management, Vol. 2, Chap. 5, Timber. Agric. Handb. 559. Washington, DC: U.S. Department of Agriculture; 1980: 117-145.
- Marquis, David S. Removal or retention of unmerchantable saplings in Allegheny hardwoods: Effect on regeneration after clearcutting. J. For. 79: 280-283, 1981.
- McCay, Roger; Lamson, Neil. Short-term gains from cutting Appalachian hardwood stands. The North. Logger and Timber Processor 29: 16, 17, 73; 1980.

- McDonald, Philip M. Seed dissemination in small clearcuttings in north-central California. Res. Pap. PSW-150. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980; 5 p.
- McDonald, S. E.; Tinus, R. W.; Reid, C. P. P. Root morphology control in forest tree seedling containers. In: Proceedings of intermountain nurseryman's association and western forest nursery association combined meeting; 1980 August 12-14; Boise, ID. Gen. Tech. Rep. INT-109. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1980: 40-45.
- McGee, Charles E. Expanding options for reforestation of the Cumberland Plateau. South. J. Appl. For. 4(4): 158-162; 1980.
- McGee, Charles E. Response of overtopped white oak to release. Res. Note SO-273. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 4 p.
- McGee, Charles E. The effect of fire on species dominance in young upland hardwood stands. In: Proceedings, Mid-South upland hardwood symposium for the practicing forester and land manager; 1980 April 30-May 2; Harrison, AR. Tech. Pub. SA-TP-12. Atlanta, GA: U.S. Department of Agriculture, Forest Service, Southeastern Area, State and Private Forestry; 1980: 97-104.
- McLemore, B. F. Evaluation of chemicals for controlling Japanese honeysuckle. Proc. South. Weed Sci. Soc. 34: 208-210; 1981.
- McMinn, James W. Site preparation for natural regeneration of slash pine. South. J. Appl. For. 5: 10-12; 1981.
- McNab, W. Henry; Carter, Allen R. Sand pine performance on South Carolina sand hills. South. J. Appl. For. 5: 84-88; 1981.
- Metgzer, Frederick T. Strip clearcutting to regenerate northern hardwoods. Res. Pap. NC-186. St. Paul, MN. U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 14 p.

- Michael, J. L. Effect of pellet size on defoliation and estimated kill of small stems treated with hexazinone. Proc. South. Weed Sci. Soc. 34: 192-196; 1981.
- Miller, J. H. A comparision of cation sampling in forest soils by tension and tension-free lysimeters. In: Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station, 1981: 317-322.
- Minore, Don; Dubrasich, Michael. Regeneration after clearcutting in subalpine stands near Windigo Pass, Oregon. J. For. 79(9): 619-621; 1981.
- Moore, William H.; Swindel, Benee F. Effects of site preparation on dry prairie vegetation in south Florida. South. J. Appl. For. 5: 89-92; 1981.
- Morris, Larry A. [and others]. Windrow composition. IMPAC Reports 6(3): 1981: 22 p.
- Muncy, Jack A.; Buckner, Edward. Stand development following two types of clearcutting for deer and timber production. In: Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 269-273.
- Neary, D. G. [and others]. 2-, 4-, and 14-month efficacy of hexazinone for site preparation. In: Proc. South. Weed Science Soc. 34; 1981: 181-191.
- Outcalt, Kenneth W.; White, Edwin H. Phytosociological changes in understory vegetation following timber harvest in northern Minnesota. Can. J. For. Res. 11(1): 175-183; 1981.
- Outcalt, Kenneth W.; White, Edwin H. Understory biomass and nutrients 2 years after timber harvest in northern Minnesota. Can. J. For. Res. 11(3): 305-308; 1981.
- Perala, Donald A. Clone expansion and competition between quaking and bigtooth aspen suckers after clearcutting. Res. Pap. NC-201. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 4 p.

- Pfister, Robert D. The use of habitat types in making silvicultural decisions. In: Land-use allocation: processes, people, politics, professionals: proceedings of the 1980 convention of the Society of American Foresters. Washington, DC: Society of American Foresters; 1981: 211-215.
- Ponder, Felix, Jr. Fertilization improves black walnut growth on a poorly drained site. Tree Plant. Notes 31(4): 17-19; 1980.
- Ponder, Felix, Jr. Soil properties under pure and mixed plantings of young black walnut. In: Proceedings, central hardwood forest conference III; 1980 September 16-17; Columbia, MO; Columbia, MO: University of Missouri; 1980: 83-90.
- Ponder, Felix, Jr.; Holt, Harvey A. How to control weeds in black walnut plantations. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 7 p.
- Pritchett, William L. Site preparation in the coastal flatwoods. IMPAC Reports 6(7): 1981; 21 p.
- Ruehle, John L.; Brendemuehl, Raymond H. Performance of Choctawhatchee sand pine seedlings inoculated with ectomycorrhizal fungi and outplanted in the sandhills of North Florida. Res. Note SE-301. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981. 6 p.
- Ruehle, John L.; Marx, Donald H.; Barnett, James P.; Pawuk, William H. Survival and growth of container-grown and bare-root shortleaf pine seedlings with *Pisolithus* and *Thelephora* ectomycorrhizae. South. J. Appl. For. 5: 20-24; 1981.
- Sander, Ivan L. Some silvicultural and management options for upland hardwoods of the mid-south. In: Proceedings, Mid-South upland hardwood symposium for the practicing forester and land manager; 1980 April 30-May 2, Harrison, AR: Technical Publication SA-TP-12. Atlanta, GA: U.S. Department of Agriculture, Forest Service, Southeastern Area State and Private Forestry; 1980: 88-96.

- Schlesinger, Richard C. Within-row crowding of black walnut does not reduce thinning gains. In: Proceedings, central hardwood forest conference III. 1980 September 16-17; Columbia, MO; Columbia, MO: University of Missouri 1980: 384-389.
- Schlesinger, R. C.; Ashley, B. S. Quick reference for thinning black walnut. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station and Northeastern Area State and Private Forestry; 1981. 32 p.
- Seidel, K. W. Diameter and height growth of suppressed grand fir saplings after overstory removal. Res. Pap. PNW-275. Portland, OR. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 9 p.
- Seidel, K. W. Growth of western larch after thinning from above and below to several density levels: 10-year results. Res. Note PNW-366. Portland, OR. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 19 p.
- Seidel, K. W. A guide for comparing height growth of advance reproduction and planted seedlings. Res. Note PNW-360. Portland, OR. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 10 p.
- Senn, Ronald A. [and others]. Effects of southwestern ponderosa pine mortality on potential wood product recovery. Res. Note RM-399. Fort Collins, CO:
 U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 3 p.
- Shearer, Raymond C. Silviculture. In: DeByle, Norbert V. Clearcutting and fire in the larch/Douglas-fir forests of western Montana—a multifaceted research summary. Gen. Tech. Rep. INT-99. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981: 27-32.
- Smith, H. Clay. An evaluation of four uneven-age cutting practices in central Appalachian hardwoods. South. J. Appl. For. 4: 193-200; 1980.

- Smith, H. Clay. Diameters of clearcut openings influence central Appalachian hardwood stem development—a 10-year study. Res. Pap. NE-476.

 Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 8 p.
- Stewart, Ronald E.; Doolittle, Warren T. Response of silviculture to environmental and social concerns. In: IUFRO Div. 1 Proceedings, Silviculture under extreme ecological and economic conditions; 1980 September 25-October 3; Thessaloniki and Athens, Greece; 1980; 307-317.
- Strothmann, R. O. Large stock and fertilizer improve growth of Douglas-fir planted on unstable granitic soil in northern California. Res. Note PSW-345. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980. 7 p.
- Swindel, Benee, F. [and others]. Effects of clearcutting and site preparation on water yields from flatwoods forests. IMPAC Reports 6(5): 1981; 18 p.
- Swindel, Benee F. [and others]. Multi-resource effects of harvest, site preparation and planting in pine flatwoods. IMPAC Reports 6 (6): 1981; 24 p.
- Tappeiner, John; Mcdonald, Philip. Preliminary recommendations for managing California black oak in the Sierra Nevada. Proceedings of the symposium on ecology, management, and utilization of California oaks; 1979 June 26-28; Claremont, CA: Gen. Tech. Rep. PSW-44. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980; 107-111.
- Tinus, Richard W. Forestation concepts and practices developing in New Zealand. In: Proceedings of intermountian nurseryman's association and western forest nursery association combined meeting; 1980 August 12-14; Boise, ID. Gen. Tech. Rep. INT-109. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1980: 11-16.
- Tinus, Richard W. Nature and management of soil pH and salinity. In:
 Proceedings of the North American forest tree nursery soils workshop;
 1980 July 28-August 1; State University of New York, Syracuse; 1980: 72-86.

- U.S. Department of Agriculture, Forest Service. Proceedings of Intermountain Nurseryman's Association and Western Forest Nursery Association combined meeting; 1980 August 12-14; Boise, ID. Gen. Tech. Rep. INT-109. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 148 p.
- Van Sambeek, J. W.; Rietveld, W. J. Seeding forage legumes in black walnut plantations. Walnut Counc. Bull 8(1): 6-8; 1981.
- Wade, Dale D.; Wilhite, Lawrence P. Low intensity burn prior to bedding and planting slash pine is of little value. Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 70-74.
- Ward, T. M.; Donnelly, J. R.; Carl, C. M., Jr. Effects of container and media on sugar maple seedling growth. Tree Plant. Notes 32(3): 15-17.
- Weaver, P. L. Agri-silviculture in tropical America. Unasylva 31(126): 2-12, 1979.
- Wells, M. J. M.; Clark, C. R. Liquid chromatographic elution characteristics of some solutes used to measure column void volume on C₁₈ bonded phases. Anal. Chem. 53: 1341-1345; 1981.
- Wendel, G. W. Longevity of summer grape seed stored in the forest floor. Wildl. Soc. Bull. 9: 158-160; 1981.
- Whitesell, Craig D. Eucalyptus research for generating bioenergy—a 2-year progress report. Proceedings, Hawaii forestry/wildlife conference; 1980 October 2-4 Honolulu, Hl. U.S. Department of Agriculture, Forest Service; 1980: 71-73.
- Whitmore, J. L.; Liegel, L. H. Spacing trial of *Pinus caribaea* var. *hondurensis*. Res. Pap. SO-162. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1980. 8 p.
- Wilhite, L. P.; Jones, E. P., Jr. Bedding effects in maturing slash pine stands. South. J. Appl. For. 5: 24-27; 1981.
- Woodall, S. L. Integrated methods for melaleuca control. In: Proceedings, melaleuca symposium; 1980 September 23-24; Ft. Myers, FL. Tallahassee, FL: Florida Division of Forestry; 1981: 135-140.

- Woodall, S. L. Site requirements for melaleuca seedling establishment. In: Proceedings, melaleuca symposium; 1980 September 23-24; Ft. Myers, FL. Tallahassee, FL: Florida Division of Forestry; 1981: 9-15.
- Youngberg, C. T.; Cochran, P. H. Silviculture on volcanic ash soils in America. In: Silviculture under extreme ecological and economic condition:

 Proceedings, IUFRO meeting 1980, September 25-October 3. International Union of Forestry Research Organizations: 331-345.
- Zaerr, Joe B.; Cleary, Brian D.; Jenkinson, James L. Scheduling irrigation to induce seedling dormancy. In: Proceedings of Intermountain Nurseryman's Association and Western Forest Nursery Association combined meeting; 1980 August 12-14; Boise, ID. Gen. Tech. Rep. INT-109. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981; 74-79.
- Zasada, J. C. [and others]. Natural regeneration of balsam poplar following harvesting in the Susitna Valley, Alaska. For. Chron. 57(2): 57-65; 1981.

Management and Mensuration

- Alexander, Robert R.; Edminster, Carleton B. Management of lodgepole pine in even-aged stands in the central Rocky Mountains. Res. Pap. RM-229. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 11 p.
- Alexander, Robert R.; Edminster, Carleton B. Management of ponderosa pine in even-aged stands in the Black Hills. Res. Pap. RM-228. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 10 p.
- Alexander, Robert R.; Edminster, Carleton B. Management of ponderosa pine in even-aged stands in the Southwest. Res. Pap. RM-225. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1980. 11 p.

- Bailey, R. L. [and others]. Diameter distribution models for repeatedly thinned slash pine plantations. In: Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 115-126.
- Baldwin, Virgil C.; Polmer, Bonnie. Taper functions for unthinned longleaf pine plantations on cutover west gulf sites. In: Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 156-163.
- Baumgras, John E. Biomass yields from Allegheny hardwood thinning. Res. Pap. NE-466. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1980. 7 p.
- Beasley, R. S. The effects of timber operations on streams in Arkansas. Discovery 1(2): 15-18; 1981.
- Boyce, S. G. Translation of biological information into management plans. In: Vodak, M. C.; Leuschner, W. A.; Navon, D. I., eds. International Union of Forestry Research Organizations (IUFRO): symposium on forest management planning: present practice and future decisions; 1980 August 18-20; Blacksburg, VA. Publ. FWS-1-81. Blacksburg, VA: Virginia Polytechnic Institute and State University; 1981: 46-50.
- Boyer, W. D. Interim site-index curves for longleaf pine plantations. Res. Note SO-261. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1980. 5 p.
- Boyer, W. D. Site and stand factors affecting height growth curves of longleaf pine plantations. In: Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 184-187.
- Boyer, William D.; Farrar, Robert M. Thirty years of management on a small longleaf pine forest. South. J. Appl. For. 5(2): 73-77; 1981.

- Brand, Gary J. Grow—a computer subroutine that projects the growth of trees in Lake States Forests. Res. Pap. NC-207. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 11 p.
- Brand, Gary J. Simulating timber management in Lake States forests. Gen. Tech. Rep. NC-69. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 25 p.
- Brandt, Craig C.; Shugart, H. H.; Dearden, B. L. Forest stand simulation model for the Catoosa Wildlife Management Area (FORCAT). In: Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 362-365.
- Bruce, David. Where is the ground? In: Growth of single trees and development of stands: Proceedings joint meeting of working parties S4.01-02 and S4.02-03. International Union of Forest Research Organizations; 1980: 49-50.
- Buhyoff, G. J.; Rauscher, H. M.; Hull, R. B., IV; Killeen, K. Microcomputer-resident comprehensive statistical analysis. Behav. Res. Methods and Istrum. 12(5): 551-553; 1980.
- Burkhart, Harold E. [and others]. A comparison of growth and yield prediction models for loblolly pine. Publ. FWS-2-81. Blacksburg, VA: Virginia Polytechnic Institute and State University; 1981. 59 p.
- Campbell, Robert B., Jr. Field and laboratory methods for age determination of quaking aspen. Res. Note INT-314. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 5 p.
- Carmean, Willard H.; Hahn, Jerold T. Revised site index curves for balsam fir and white spruce in the Lake States. Res. Note NC-269. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 4 p.

- Cintrón, G.; Goenaga, C.; Lugo, A. E. Observaciones sobre el desarrollo del manglar en costas áridas. En: Estudio Científico e Impacto Humano en el Ecosistema de Manglares. Montevideo, Colombia: Oficina Regional de Ciencia y Tecnología para América Latina y el Caribe; 1980: 18-32.
- Clark, F. Bryan. Hardwoods in perspective—an overview of the resource and its importance. In: Proceedings, national silviculture workshop; 1981 June 1-5; Roanoke, VA; 1981; 39-43.
- Conde, L. F. [and others]. Growth studies on melaleuca. In: Geiger, R. K., comp. Proceedings of melaleuca symposium. 1980 September 23-24; Ft. Myers, FL. Tallahassee, FL: Florida Department of Agriculture and Consumer Services, Division of Forestry; 1981: 135-140.
- Crow, T. R.; Laidly, P. R. Alternative models for estimating woody plant biomass. Can. J. For. Res. 10(3): 367-370; 1980.
- Crow, Thomas R.; Tubbs, Carl H.; Jacobs, Rodney D.; Oberg, Robert R. Stocking and structure for maximum growth in sugar maple selection stands. Res. Pap. NC-199. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 16 p.
- Curtis, Robert O.; Clendenen, Gary W.; DeMars, Donald J. A new stand simulator for coast Douglas-fir: DFSIM user's guide. Gen. Tech. Rep. PNW-128. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 79 p.
- Deschene, Wallace A. User's manual: RID*POLY geographic information system. Gen. Tech. Rep. INT-105. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 144 p.
- Dolph, K. Leroy. Estimating past diameters of mixed-conifer species in the central Sierra Nevada. Res. Note PSW-353. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1981; 3 p.
- Doolittle, Warren T. Conference Wrap-Up. In: Proceedings of IUFRO/MAB Conference: Research on Multiple Use of Forest Resources; 1980 May 18-23; Flagstaff, AZ. Gen. Tech. Rep. WO-25. Washington, DC: U.S. Department of Agriculture, Forest Service. 1980: 159.

- Edwards, M. Boyd; McNab, W. H. Biomass prediction for young southern pines—an addendum. J. For. 79: 291; 1981.
- Falk, J. Wind damage in spruce-fir stands a literature review with recommendations for harvesting methods. Misc. Rep. 225; Orono, ME: School of Forest Resources, University of Maine. 1980: 26 p.
- Farrar, Robert M. Regulation of uneven-aged loblolly-shortleaf pine forests. In: Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 294-304.
- Field, Richard C. Timber harvest scheduling with multiple decision criteria. In: Rajagopol, R., ed. Case studies in forest resource information analysis. Atlanta, GA: U.S. Department of Agriculture, Forest Service, Southern Region; 1980: 225-248.
- Field, Richard C. [and others]. Determining the optimal sustained-yield forest structure in USDA Forest Service planning. In: Vodak, M. C.; Leuschner, W. A.; Navon, D. I., eds. Proceedings of the International Union of Forestry Research Organizations (IUFRO): symposium on forest management planning: present practice and future decisions; 1980 August 18-20; Blacksburg, Va. Publ. FWS-1-81. Blacksburg, VA: Virginia Polytechnic Institute and State University; 1980: 68-79.
- Golden, M. S.; Medahl, R. S.; Knowe, S. A.; Boyer, W. D. Predicting site index for old-field loblolly pine plantations. South. J. Appl. For. 5: 109-114; 1981.
- Graney, D. L. Mid-South upland hardwood site-yield potentials. In: Proceedings, Mid-South hardwood symposium for the practicing forester and land manager; 1980 April 30-May 2; Harrison, AR. Tech. Pub. SA-TP-12; U.S. Department of Agriculture, Forest Service; 1980: 33-49.
- Greentree, Wallace J.; LaBau, Vernon J. Considerations in using metric measurements in timber inventories. Resour. Eval. Newsletter 9: 5-9; 1981.
- Hamilton, David A., Jr. Large-scale color aerial photography as a tool in sampling for mortality rates. Res. Pap. INT-269. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 8 p.

- Hamilton, David A., Jr. Modeling mortality: a component of growth and yield modeling. In: Brown, Kenneth M.; Clarke, F. Richard, eds. Forecasting forest stand dynamics: proceedings of the workshop; 1980 June 24-25; Thunder Bay, Ontario. Thunder Bay, Ontario: Lakehead University, School of Forestry; 1981: 81-99.
- Harms, W. R. A competition function for tree and stand growth models. In: Barnett, James P., ed. Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA: Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 179-183.
- Harms, W. R.; Lloyd, F. T. Stand structure and yield relationships in a 20-year-old loblolly pine spacing study. South. J. Appl. For. 5: 162-166; 1981.
- Hatch, Charles R. Modeling tree crown size using inventory data. Mitt. Forstl. Bundesversuchsanstadar (Vienna) 130: 179-186; 1981.
- Kleinschmitt, Steven; Baskerville, G. L.; Solomon, Dale S. Reduction of volume increment in fir-spruce stands due to defoliation by spruce budworm. Univ. of New Brunswick, Fredericton, Canada. 1980: 37 p.
- Krinard, R. M.; Johnson, R. L. Description and yields of an 11-year-old hardwood stand on Sharkey clay soil. Res. Note SO-265. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 2 p.
- Krinard, R. M.; Johnson, R. L. Fifteen years of cottonwood plantation growth and yield. South. J. Appl. For. 4(4): 180-185; 1980.
- Krinard, R. M.; Kennedy, H. E., Jr. Growth and yields of 5-year-old planted hardwoods on Sharkey clay soil. Res. Note SO-271. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 3 p.
- Leary, Rolfe A. A design for survival growth models. In: Proceedings: workshop forecasting forest stand dynamics. School of Forestry, Lakehead University, Thunder Bay, Ontario, 1980 June 24-25, 1981; 62-81.
- Loftus, Nelson S., Jr. The eastern hardwood program. In: Proceedings of the national silviculture workshop; 1981 June 1-5; Roanoke, VA; 1981; 51-56.

- Lundgren, Allen L. The effect of initial number of trees per acre and thinning densities on timber yields from red pine plantations in the Lake States. Res. Pap. NC-193. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981: 25 p.
- Martin, A. Jeff. Taper and volume equations for selected Appalachian hardwood species. Res. Pap. NE-490. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 22 p.
- McDonald, Philip M. Growth of thirmed and unthinned hardwood stands in the northern Sierra Nevada . . . preliminary findings. In: Proceedings of the symposium. Ecology, management, and utilization of California oaks; 1979 June 26-28; Claremont, CA. Gen. Tech. Rep. PSW-44. Berkeley, CA: U.S. Department of Agriculture Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980; 119-127.
- McLemore, B. F. Minimum stocking levels required for successful management of uneven-aged loblolly-shortleaf pine stands. In: Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 292-293.
- Meeuwig, Richard O.; Budy, Jerry D. Point and line-intersect sampling in pinyonjuniper woodlands. Gen. Tech. Rep. INT-104. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 38 p.
- Meeuwig, Richard; Cooper, Stephen V. Stand estimates of biomass and growth in pinyon-juniper woodlands in Nevada. Res. Note INT-311. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station, 1981. 3 p.
- Miller, Elwood L.; Meeuwig, Richard O.; Budy, Jerry D. Biomass of singleleaf pinyon and Utah juniper. Res. Pap. INT-273. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 18 p.
- Mitchell, John E.; Hatch, Charles R. Use of polar coordinates in random sampling. Northwest Sci. 55: 168-173.

- Moeur, Melinda. Crown width and foliage weight of Northern Rocky Mountain conifers. Res. Pap. INT-283. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 14 p.
- Monserud, Robert A. Estimating the volume of top-killed trees with the Behre hyperboloid. Mitt. Forstl. Bundesversuchsanstadar (Vienna) 130: 179-186; 1981.
- Monserud, Robert A. Estimating truncated tree volumes with the Behre hyperboloid and existing total volume equations. For. Sci. 27(2): 253-265; 1981.
- Murphy, Paul A. Growth and yield of uneven-aged loblolly-shortleaf pine stands—a progress report. In: Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 305-310.
- Murphy, Paul A.; Beltz, Roy C. Growth and yield of shortleaf pine in the West Gulf region. Res. Pap. SO-169. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 15 p.
- Murphy, Paul A.; Farrar, Robert M. A test of the exponential distribution for stand structure definition in uneven-aged loblolly-shortleaf pine stands. Res. Pap. SO-164. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 4 p.
- Murphy, Paul A.; Farrar, Robert M. Stand structure variability and research plot size in uneven-aged stands of loblolly-shortleaf pine. Res. Pap. SO-171. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 3 p.
- Myers, Charles [and others]. Weight and volume equations and tables for six upland hardwoods in southern Illinois. Gen. Tech Rep. NC-60; St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 17 p.

- Myers, Charles; Belcher, David M. Estimating total-tree height for upland oaks and hickories in southern Illinois. Res. Note NC-272. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 3 p.
- Nance, W. L., Froelich, R. C.; Bey, C. F. Experimental approaches for estimating yield loss from fusiform rust infection in slash pine plantations. In: Crop loss assessment: Proceedings of E. C. Stakman commemorative symposium; 1980 August 20-23; Minneapolis, MN. Misc. Pub. 7. Minneapolis, MN: University of Minnesota Press; 1980: 270-273.
- Nance, Warren L.; Froelich, Ronald C.; Shoulders, Eugene. Effects of fusiform rust on survival and structure of Mississippi and Louisiana slash pine plantations. Res. Pap. SO-172. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 11 p.
- Navon, Daniel I.; Oswald, David D. Forest management in the United States of America. In: Carcea, Filimar, ed. Forest management in different countries of the world. Bucharest: Institutal de Carcetari s: Amenajari Silvice; 1981: 263-267.
- Plumb, Timothy R.; McDonald, Philip M. Oak management in California. Gen. Tech. Rep. PSW-54. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1981; 11 p.
- Ponder, Felix, Jr. Recognizing suitable walnut sites. Walnut Counc. Bull. 8(2): 9; 1981.
- Ponder, Felix, Jr.; Bey, Calvin F. Effect of calcium cyanamide on the growth of planted hardwoods. Res. Note NC-266. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 4 p.
- Rogers, James J.; Prosser, Joseph M.; Garrett, Lawrence D. Modeling onsite multiresource effects of silvicultural management prescriptions. In: Forest management planning: present practice and future decisions: Proceedings of the symposium; 1980 August 18-20; Blacksburg, VA. Publication FWS-1-81; 1981: 107-117.

- Rogers, Robert. Evaluating stocking in upland hardwood forests using metric measurements. Res. Pap. NC-187. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 5 p.
- Rose, Dietmar W.; Leary, Rolfe A.; Chen, Chung M. Maximum cubic volume production through easily derived optimum thinning schedules. J. For. 79(1): 32-35. 1981.
- Schlaegel, Bryce E. Sycamore plantation growth: 10-year results of spacing trials. In: Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 149-155.
- Schlaegel, Bryce E. Willow oak volume and weight tables for the Mississippi Delta. Res. Pap. SO-173. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 14 p.
- Schreuder, Hans T.; Schreiner, David S.; Max, Timothy A. Insuring an adequate sample at each location in point sampling. For. Sci. 27(3): 567-573. 1981.
- Shoulders, Eugene. Concentration and distribution of selected elements in above ground biomass of 8-year-old slash pine. In: Proceedings, first biennial southern silviculture research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 254-258.
- Smalley, Glendon W. Classification and evaluation of forest sites on the Western Highland Rim and Pennyroyal. Gen. Tech. Rep. SO-30. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1980. 120 p.
- Stewart, Ronald E. Importance of mountain forests in North America and problems of their treatment and utilization. In: Proceedings, 1981 XVII IUFRO World Congress, Division 3; 1981; 133-143.
- Stone, Douglas M. Fertilization of a pole-sized maple stand: 10-year results. Can. J. For. Res. 10(2): 158-163; 1980.

- Strub, M. R.; Feduciia, D. P.; Baldwin, V. C. A diameter distribution method useful in compatible growth and yield modeling of thinned stands. In: Proceedings, first biennial southern silvicultural research conference; 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981: 127-130.
- Swank, Wayne T.; Waide, Jack B. Interpretation of nutrient cycling in a management context: evaluating potential effects of alternative management strategies on site productivity. In: Waring, R. H., ed. Forests: fresh perspective from ecosystem analysis. Proceedings 40th annual biology colloquium, Oregon State University Press; 1980: 137-158.
- Swindel, Benee F. Geometry of ridge regression illustrated. Am. Stat. 35(1): 12-15: 1981.
- Swindel, Benee F. [and others]. Green weights of major pine flatwoods tree species. IMPAC Reports 5(5): 1980; 12 p.
- Swindel, Benee F.; Squillace, Anthony E. Measuring treatment effects through comparisions along plot boundaries. For.Sci. 26: 704-709; 1980.
- U.S. Department of Agriculture, Forest Service. Harvesting and utilization opportunities for forest residues in the Northern Rocky Mountains: symposium proceedings; 1979 November 28-30; Missoula, MT. Gen. Tech. Rep. INT-110. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 294 p.
- Wadsworth, Frank H. Management of forest lands in the humid tropics under sound ecological principles. In: Mergen, F., ed. Tropical forests: utilization and conservation. New Haven, Conn: Yale University; 1981: 168-180.
- Walters, Gerald A. Hawaiian forestation system can help nurserymen grow better stock. Am. Nurseryman 152(4): 66-72; 1981.
- Weaver, P. L. Caracterizacion preliminar de los bosques secundarios en Puerto Rico. (Preliminary characterization of the secondary forests in Puerto Rico). In: Proceedings, sixth symposium on natural resources; 1979 December 6; San Juan, PR. San Juan, PR: Department of Natural Resources; 1980: 145-155.

- Weaver, P. L. Incremento periodico anual a largo plaza del DAP (DBH) en bosques naturales de Puerto Rico implicaciones para su manejo. (Long term annual increment (DBH) in natural forests of Puerto Rico management implications). In: Proceedings of the fifth symposium on natural resources; 1978 September 20; San Juan, PR. San Juan, PR: Department of Natural Resources. 1980: 42-56.
- Zavitkovski, J. Small plots with unplanted plot border can distort data in biomass production studies. Can. J. For. Res. 11(1): 9-12; 1981.

Genetics and Tree Improvement

- Armstrong, Joseph E.; Funk, David T. Genetic variation in the wood of *Fraxinus americana*. Wood and Fiber 12(2): 112-120; 1980.
- Bey, Calvin F. Growth gains from moving black walnut provenances northward. J. For. 78(1): 640-641, 645; 1980.
- Biggs, R. H.; Kossuth, S. V. Modeling the effectiveness of Release as a citrus harvest aid for 'Valencia' fruits. In: Proceedings of the Florida State Horticultural Society; Fla. Agric. Exp. Stations Journal Series 2907. 1980: 301-305.
- Campbell, Robert K.; Franklin, Jerry F. A comparison of habitat type and elevation for seed-zone classification of Douglas-fir in western Oregon. For. Sci. 27(1): 49-59; 1981.
- Campbell, Robert K.; Sorensen, Frank C. A new basis for characterizing germination. J. Seed Tech. 4(2): 24-34; 1979.
- Clausen, Knud E. Survival and early growth of diploid white ash planted in the central hardwood region. In: Proceedings, central hardwood forest conference III; 1980 September 16-17; Columbia, MO; Columbia, MO: University of Missouri; 1980: 374-383.
- Clausen, Knud E. Survival, growth, and flowering of yellow birch progenies in an open-field test. Silvae Genet. 29(3-4): 108-114; 1980.

- Conkle, M. Thompson. Amount and distribution of isozyme variation in various conifer species. In: Proceedings 17th meeting of the Canadian Tree Improvement Association, part 2; 1979 August 27-30; Gander, Newfoundland. Ottawa, Canada:, Canadian Forestry Service; 1980: 109-117.
- Conkle, M. Thompson. Isozyme variation and linkage in six conifer species. In: Conkle, M. T., tech. coord. Proceedings of the symposium on isozymes of North American forest trees and forest insects; 1979 July 27; Berkeley, CA. Gen. Tech. Rep. PSW-48. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1981; 11-17.
- Conkle, M. Thompson., tech. coord. Proceedings of the symposium on isozymes of North American forest trees and forest insects; 1979 July 27; Berkeley, CA. Gen. Tech. Rep. PSW-48. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1981; 64 p.
- Copes, Donald L. Anatomical symptoms of graft incompatibility in *Pinus monticola* and *P. ponderosa*. Silvae Genet. 29(3-4): 77-82; 1980.
- Copes, Donald L. Development of internal graft incompatibility sympsoms in *Pinus radiata* D. Don. N. Z. J. For. Sci. 10(21): 367-380; 1980.
- Copes, Donald L. Isoenzyme uniformity in western red cedar seedlings from Oregon and Washington. Can. J. For. Res. 11(2): 451-453; 1981.
- Copes, Donald L. Selection and propagation of highly graft-compatible Douglas-fir rootstocks—a case history. Res. Note PNW-376. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 13 p.
- Critchfield, William G. Genetics of lodgepole pine. Res. Pap. WO-37. Washington, DC: U.S. Department of Agriculture, Forest Service; 1980. 57 p.
- Demeritt, M. E. Jr. Growth of hybrid poplars in Pennsylvania and Maryland clonal tests. Res. Note NE-302. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 1981: 2 p.

- Demeritt, M. E. Jr. 50 years of hybrid poplar research in the Northeast. In: Proceedings, 27th Northeastern forest tree improvement conference. 1981: 166-183.
- Demeritt, M. E. Jr.; Garrett, P. W. The Northeast pitch x loblolly pine hybrid program. In: Research needs in tree breeding, Proceedings 15th North American Quant. Forest Genetics Group Workshop. Coeur d'Alene, Idaho 1981: 71-79.
- Duba, S. E.; Goggans, J. E.; Clausen, K. E.; Patterson, R. M. Early results of a white ash provenance test in central Alabama. South. J. Appl. For. 5(2): 65-67; 1981.
- Figueroa, Julio C.; Whitmore, Jacob L. Three species of Eucalyptus tested in Puerto Rico: five years after outplanting. South. J. Appl. For. 4: 169-174; 1980.
- Franklin, E. C.; Bridgwater, F. E. Genetics of fast growth and wood properties. In: Proceedings of TAPPI forest biology committee meeting, Chicago, IL: March 1981. 4 p.
- Franklin, J. F.; Sorensen, F. C.; Campbell, R. K. Summarization of the ecology and genetics of the noble and California red fir complex. In: Proceedings, IUFRO Joint Meeting of Working Parties. Victoria, BC: B.C. Ministry of Forestry, Information Service Branch, 1980: 133-139. Vol. 1.
- Guries, Raymond P.; Ledig, F. Thomas. Genetic structure of populations and differentiation in forest trees. In: Conkle, M. T., tech. coord. Proceedings of the symposium on isozymes of North American forest trees and forest insects; 1979, July 27; Berkeley, CA. Gen. Tech. Rep. PSW-48. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1981; 30-37.
- Hare, R. C. Reducing conelet abortion in longleaf pine with chemicals. Can. J. For. Res. 11: 448-450; 1981.
- Hoff, R.; Bingham, R. T.; McDonald, G. I. Relative blister rust resistance of white pines. Eur. J. For. Pathol. 10: 307-316; 1981.

- Hoff, Raymond J.; McDonald, Geral I. The use of genetically improved western white pine. In: Land-use allocation: processes, people, politics, professionals; proceedings of the 1980 convention of the Society of American Foresters. Washington, DC: Society of American Foresters; 1981: 216-221.
- Jenkinson, James L. Improving plantation establishment by optimizing growth capacity and planting time of western yellow pines. Res. Pap. PSW-154. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980: 22 p.
- Kang, Hyun. Designing a tree breeding system. In: Proceedings, 17th Canadian Tree Improvement Association meeting; 1979 August 28-30; Gander, Newfoundland; 1980: 51-63.
- Kang, Hyun. Examining the rationale of crop gene conservation. In: Proceedings, 1980 servicewide workshop on gene resource management; 1980 April 14-18; Sacramento, CA; 1980: 41-55.
- Kang, Hyun; Namkoong, Gene. Limits of artificial selection under unbalanced mating systems. Theor. Appl. Genet. 58: 181-191; 1980.
- King, James P. Variation in specific gravity in 3-year-old coppice clones of Eucalyptus saligna growing in Hawaii. Aust. For. Res. 10: 295-299; 1980.
- Kinloch, B. B., Jr.; Comstock, M. Race of *Cronartium ribicola* virulent to major gene resistance in sugar pine. Plant Dis. 65(17): 604-605; 1981.
- Kinloch, Bohun B., Jr.; Byler, James W. Relative effectiveness and stability of different resistance mechanisms to white pine blister rust in sugar pine. Phytopathlogy 71(4): 386-391; 1981.
- Kinloch, Bohun B.; Comstock, Mardi. Cotyledon test for major gene resistance to white pine blister rust in sugar pine. Can. J. Bot. 58(17): 1912-1914; 1980.
- Kormanik, Paul P.; Bryan, William C.; Schultz, Richard C. Effects of three vesicular-arbuscular mycorrhizal fungi on sweetgum seedlings from nine mother trees. For. Sci. 27: 327-335; 1981.

- Kossuth, S. C. Pretreatments for cloning slash and Scotch pine. In: Proceedings of the Florida State Horticultural Society; 1980: 93: 112-114.
- Kossuth, S. V. Shortening the grass stage of longleaf pine. For. Sci. 27: 400-404; 1981.
- Kossuth, S. V.; Biggs, R. H. Role of growth regulators in shoot growth of longleaf pine. In: Proceedings of seventh plant growth regulator working group meeting; 1980 July 13-17; Longmont, CO. Macon, GA: Eastern Tree Seed Laboratory; 1981: 123-127.
- Kossuth, S. V.; Biggs, R. H. Ultraviolet radiation affects blueberry fruit quality. Sci. Hort. 14: 145-150; 1981.
- Kossuth, S. V.; Biggs, R. H. Ultraviolet-B radiation effects on early seedling growth of Pinaceae species. Can. J. For. Res. 11: 243-248; 1981.
- Kossuth, S. V.; Munson, J. W. Automated terpene analysis with an internal standard. TAPPI 64: 174-175; 1981.
- Kraus, John F.; Sluder, Earl R. Fifth-year performance of progenies of selected South African slash and loblolly pine clones. South. J. Appl. For. 5: 62-65; 1981.
- La Farge, Timothy. Cryptomeria does not survive in the Upper Coastal Plain of Georgia. Res. Note SE-299. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1980. 3 p.
- La Farge, Timothy; Hunt, Davie L. Direction of pollination affects seed productivity in (shortleaf x loblolly) x loblolly hybrids. Res. Note SE-294. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1980. 4 p.
- Ledig, F. Thomas; Porterfield, Richard L. West Coast tree improvement programs: a break-even, cost-benefit analysis. Res. Pap. PSW-156. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1981. 8 p.

- Ledig, F. Thomas; Whitmore, Jacob L. The calculation of selection differential and selection intensity to predict gain in a tree improvement program for plantation-grown Honduras pine in Puerto Rico. Res. Pap. SO-170. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1981. 7 p.
- Little, S. Implications from the growth of *Pinus rigida* and planted *P. strobus* in the Pine Plains of southern New Jersey. Bull. Torrey Bot. Club, 108(1), 1981: 85-94.
- Little, S.; Wolf, W. E. Jr. Pitch x loblolly hybrids . . . Fast growing hard pines for Pa? Penn. For. (Jul-Aug), 1980: 6-7.
- Matthews, F. R.; Bramlett, D. L. Cyclone pollinator improves loblolly pine seed yields in controlled pollinations. South. J. Appl. For. 5: 42-46; 1981.
- Morris, R. W.; Critchfield, W. B.; Fowler, D. P. The putative Austrian x red pine hybrid: a test of paternity based on allelic variation at enzyme-specifying loci. Silvae Genet. 29(3,4): 93-100; 1980.
- Nelson, Neil D.; Burk, Thomas; Isebrands, J. G. Crown architecture of short-rotation, intensively-cultured *Populus*. I. Effects of clone and spacing on first-order branch characteristics. Can. J. For. Res. 11(1): 73-81; 1981.
- Nienstaedt, Hans. "Super" spruce seedlings continue superior growth for 18 years. Res. Note NC-265. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 4 p.
- Nienstaedt, Hans. The role of provenance tests in tree improvement. In: Proceedings, 17th meeting of Canadian Tree Improvement Association; 1979 August 26-31; Gander, Newfoundland; 1980: Part 2; 15-25.
- Nienstaedt, Hans. Top pruning white spruce seed orchard grafts. Tree Plant. Notes 32(2): 9-13; 1981.
- Olson, R. F.; Cech, F. C.; Wendel, G. W. Ten-year results of a limited range eastern white pine seed source study: variations in growth and specific gravity. In: 27th northeastern forest tree improvement conference proceedings; 1980 July 28-29; Burlington, VT; 1981: 138-149.

- Read, Ralph A. Genetic variation in seedling progeny of ponderosa pine provenances. For. Sci. Monogr. 23; 1980. 59 p.
- Rehfeldt, Gerald E. Cold acclimation in populations of *Pinus contorta* from the northern Rocky Mountains. Bot. Gaz. 141(4): 458-463; 1981.
- Rehfeldt, Gerald E. Genetic gains from tree improvement of ponderosa pine in southern Idaho. Res. Pap. INT-263. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1980. 9 p.
- Rehfeldt, Gerald E. Seed transfer guidelines for Douglas-fir in North Idaho. Res. Note INT-300. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 4 p.
- Riemenschneider, Don E. The Lake States jack pine breeding program. In: Proceedings, 15th North American quantitative forest genetics group workshop; 1980 August 6-8; Coeur d'Alene, Idaho; 1980: 110-114.
- Riemenschneider, Don E.; Jeffers, R. M. Height and diameter of tamarack seed sources in northern Wisconsin. Res. Pap. NC-190. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 6 p.
- Roberds, J. H. [and others]. Family losses following truncation selection in populations of half-sib families. Silvae Genet. 29: 104-107; 1980.
- Rudolph, T. D. Autumn foliage color variation among inbred jack pine families. Silvae Genet. 29(5-6); 177-183; 1980.
- Shepperd, Wayne D.; Jeffers, Richard M.; Ronco, Frank. An Engelmann spruce seed source study in the central Rockies. Res. Pap. RM-231. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 5 p.
- Sluder, Earl R. A study of geographic variation in loblolly pine in Georgia—twentieth-year results. Res. Pap. SE-213. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1980. 26 p.

- Sorensen, F. C.; Campbell, R. K. Germination rate of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) seeds affected by their orientation. Ann. Bot. 47: 467-471: 1981.
- Squillace, A. E.; Schreuder, H. T. Identification of seed origin of slash pine plantations. Silvae Genet. 29(3-4): 152-154; 1980.
- Squillace, A. E.; Wells, O. O.; Rockwood, D. L. Inheritance of monoterpene composition in cortical oleoresin of loblolly pine. Silvae Genet. 29: 141-151; 1980.
- Steinhoff, R. J. Survival and height growth of coastal and interior western white pine saplings in North Idaho. Res. Note INT-303. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 3 p.
- Van Haverbeke, David F. Seed orchards—a way to better Christmas trees. I-Establishment. Amer. Christmas Tree J. 25(2): 16-19; 1981.
- Van Haverbeke, David F. Seed orchards—a way to better Christmas trees. Il-Management. Amer. Christmas Tree J. 25(2): 22-25; 1981.
- Wilkinson, R. C. Analyses of susceptibility of eastern white and other Haploxylon pines to white-pine weevil attack in the Northeastern United States. Proceedings XVII IUFRO World Congress, Kyoto, Japan. 1981.
- Wilkinson, R. C. Relationship between cortical monoterpenes and susceptibility of eastern white pine to white-pine weevil attack. For. Sci. 26(4): 581-589.
- Wilkinson, R. C. White-pine weevil attack: Susceptibility of western white pine in the Northeast. Res. Pap. NE-483. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station; 1981. 3 p.
- Yawney, Harry W.; Donnelly, John R. Clonal propagation of sugar maple by rooting cuttings. In: Proceedings, 27th northeastern forest tree improvement conference; 1980 July 29-31; Burlington, VT. University of Vermont, School of Natural Resources; 1981: 72-81.

Zavitkovski, Jerry. Some promising forest ecosystems of the temperate zone for biomass production and energy storage. In: Energy from biomass and wastes, V. Symposium; 1981 January 26-30; Lake Buena Vista, Florida. Institute of Gas Technology, Chicago; 1981: 129-143.

Special Products

- Clements, Ralph W.; Williams, H. Grady. New plastic apron-gutter for gum collection. Res. Note SE-304. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1981. 2 p.
- Ellis, Thomas H.; Mace, Arnett C., Jr. Forest research in Florida. J. For. 79(8): 502-505, 515; 1981.
- Krugman, Stanley L. Firewood crops, shrub and tree species for energy production. National Academy of Sciences; Washington, D.C. 1980.
- Walters, Russell S. Vacuum transfer system. Sugar Maple Digest 21(2): 22-25; 1981.

Fire and Atmospheric Sciences

Fire Prevention, Hazard Reduction, and Prescribed Burning

- Barney, Richard J.; Rudolph, Toni. PATTERN—a system for land management planning. Res. Note INT-318. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 10 p.
- Bowman, K. O. [and others]. Explicit approximate solutions for S_B. Commun. Stat.-Simul. Comput., B10(1): 1-15; 1981.
- Doolittle, M. L. Effectiveness of forestry agency personnel as fire prevention contactors. Res. Pap. SO-262. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station; 1980, 7 p.

- Fosberg, M. A.; Rothermel, R. C.; Andrews, P. L. Moisture content calculations for 1000-hour timelag fuels. For. Sci. 27(1): 19-26; 1981.
- Freedman, June D.; Fischer, William C. Forest home fire hazards. West. Wildlands 6(4): 23-26; 1981.
- Green, Lisle R. Burning by prescription in chaparral. Gen. Tech. Rep. PSW-52. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1981; 36 p.
- Green, Lisle R. Prescribed burning in California oak management. In:
 Proceedings of the symposium on the ecology, management, and
 utilization of California oaks; 1979 June 26-28; Claremont, CA. Gen. Tech.
 Rep. PSW-44. Berkeley, CA: U.S. Department of Agriculture, Forest Service,
 Pacific Southwest Forest and Range Experiment Station; 1980; 136-142.
- Harrington, Michael G. Preliminary burning prescriptions for ponderosa pine fuel reductions in southeastern Arizona. Res. Note RM-402. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1981. 7 p.
- Hunter, Serena C. Chaparral fires: Are they inevitable? Amer. For. 87(9): 24-27, 44-45; 1981.
- Johansen, R. W. [and others]. Estimating fuel weights before prescription burning shortleaf pine stands. South. J. Appl. For. 5: 128-131; 1981.
- Maxwell, Wayne G.; Ward, Franklin R. Photo series for quantifying natural forest residues in common vegetation types of the Pacific Northwest. Gen. Tech. Rep. PNW-105. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 120 p.
- McMahon, Charles K. Effects of the Clean Air Act on prescribed burning. In: Proceedings, symposium on prescribed fire and wildlife in southern forests; 1981 April 6-8; Myrtle Beach, SC. Clemson, SC: Clemson University; 1981: 16 p.
- Moore, Howard E. Protecting residences from wildfires: A guide for homeowners, lawmakers, and planners. Gen. Tech. Rep. PSW-50. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1981; 44 p.

Fire and Atmospheric Sciences

- Olson, Craig M.; Martin, Robert E. Estimating biomass of shrubs and forbs in central Washington Douglas-fir stands. Res. Note PNW-380. Portland, OR. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 16 p.
- Omi, Philip N.; Murphy, James L.; Wensel, Lee C. A linear programming model for wildland fuel management planning. For. Sci. 27(1): 81-94; 1981.
- Sackett, Stephen S. Reducing natural ponderosa pine fuels using prescribed fire: Two case studies. Res. Note RM-392. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1980. 6 p.
- Sidahmed, Ahmed E. [and others]. Precision of microhistological estimates of goats diets from fecal analysis and cell wall passage through the gastrointestinal tract. Proceedings, Western Section, American Society of Animal Science; 1981 June 23-25; Vancouver, B.C.; 1981; 201-204.
- Simard, Albert J. Wildland fire management in the Lake States—a case study. In: Proceedings 1980 Society of American Foresters Wisconsin-Michigan Section Meeting; 1980 September 18-19; Marquette, MI. Marquette, MI: Society of American Foresters, Upper Peninsula Chapter; 1980: 112-116.
- Treubig, Roland J.; Nickey, Brad. Fire prevention—analysis and evaluation. Fire Manage. Notes 41(3): 7-8; 1980.
- Wade, Dale D. Some melaleuca-fire relationships including recommendations for homesite protection. In: Geiger, R. K., compiler. Proceedings of melaleuca symposium; 1980 September 23-24; Fort Myers, FL. Tallahassee, FL: Florida Department of Agriculture and Consumer Services, Division of Forestry; 1981: 29-35.
- Ward, Franklin R. Photo series for appraising forest residues. For. Fire News. Fire Management Study Group, North American Forest Commission, Food and Agricultural Organization; 1981; 15: 26-27.
- Wetherill, G. Richard. A taxonomy for fire prevention programs. Fire Manage. Notes 42(1): 13-14; 1981.

Fire Management Methods and Systems

- Albini, Frank A. Spot fire distance from isolated sources—extensions of a predictive model. Res. Note INT-309. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 10 p.
- Bradshaw, Larry S.; Fischer, William C. A computer system for scheduling fire use. Part I: the system. Gen. Tech. Rep. INT-91. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 63 p.
- Bradshaw, Larry S.; Fischer, William C. A computer system for scheduling fire use. Part II: computer terminal operator's manual. Gen. Tech. Rep. INT-100. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 34 p.
- Bradshaw, Roger L.; Dean, William A. Adding print capability to your TI-59 fire behavior CROM. Fire Manage. Notes 41(4): 7-8; 1980.
- Bratten, Frederick W. [and others]. FOCUS: a fire management planning system—final report. Gen. Tech. Rep. PSW-49. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station, 1980; 34 p.
- Fischer, William C. Prescribed fire and bark beetle attack in ponderosa pine forests. Fire Manage. Notes 41(2): 10-12; 1981.
- George, Charles W. Determining airtanker delivery performance using a simple slide chart-retardant coverage computer. Gen. Tech. Rep. INT-113. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 7 p.
- George, Charles W. Retardant coverage computer/slide charts for airtankers.

 Missoula, MT: U.S. Department of Agriculture, Forest Service,
 Intermountain Forest and Range Experiment Station, Northern Forest Fire
 Laboratory; 1980.

- George, Charles W.; Johnson, Cecilia W. Evaluation of Megatard 2700: a proposed new fire retardant system. Gen. Tech. Rep. INT-112. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 22 p.
- Hirsch, Stanley N., [and others]. The activity fuel appraisal process: Instructions and examples. Gen. Tech. Rep. RM-83. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, 1981. 46 p.
- Martin Robert E.; Frewing, David W.; McClanahan, James L. Average biomass of four Northwest shrubs by fuel size class and crown cover. Res. Note PNW-374. Portland, OR. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 6 p.
- Radtke, Klaus. An urban viewpoint of wildland fire problems. Proceedings of the 1980 national conference of the Society of American Foresters; 1980 October 6-9; Spokane, Wash. 117-122.
- Sandberg, David. Duff reduction by prescribed underburning in Douglas-fir. Res. Pap. PNW-272. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1980. 31 p.

Forest Fire Science

- Baughman, Robert G. An annotated bibliography of wind velocity literature relating to forest fire behavior studies. Gen. Tech. Rep. INT-119. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 28 p.
- Baughman, Robert G. Why windspeeds increase on high mountain slopes at night. Res. Pap. INT-276. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 6 p.
- Brown, James K.; See, Thomas E. Downed dead woody fuel and biomass in the Northern Rocky Mountains, Gen. Tech. Rep. INT-117. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 48 p.

- Chase, Carolyn H. Spot fire distance equations for pocket calculators. Res. Note INT-310. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 21 p.
- Fosberg, Michael A.; Rothermel, Richard C.; Andrews, Patricia L. Moisture content calculations for 100-hour timelag fuels. For. Sci. 27(1): 19-26; 1981.
- Kurtz, William B.; Lewis, Bernard J. Decision-making framework for nonindustrial private forest owners: an application in the Missouri Ozarks. J. For. 79(5): 285-288; 1981.
- Latham, Don J. A channel model for long arcs in air. Phys. Fluids 23(8): 1710-1715: 1980.
- Loomis, Robert M. Northeastern coniferous forests. In: Effects of fire on flora. Gen. Tech. Rep. WO-16. Washington, D.C.: U.S. Department of Agriculture, Forest Service; 1981: 30-33.
- Loomis, Robert M.; Blank, Richard W. Summer moisture content of some northern lower Michigan understory plants. Res. Note NC-263. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 4 p.
- Loomis, Robert M.; Main, William A. Comparing jack pine slash and forest floor moisture contents and National Fire-Danger Rating System predictions.
 Res. Pap. NC-189. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1980. 10 p.
- Marty, Robert J.; Barney, Richard J. Fire costs, Iosses, and benefits: an economic valuation procedure. Gen. Tech. Rep. INT-108. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 11 p.
- McCreight, Richard W. Microwave ovens for drying live wildland fuels: an assessment. Res. Note PSW-349. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station, 1981; 5 p.
- Nelson, Ralph M., Jr. Flame characteristics for fires in southern fuels. Res. Pap. SE-205. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1980. 14 p.

Fire and Atmospheric Sciences

- Rothermel, Richard C.; Deeming, John E. Measuring and interpreting fire behavior for correlation with fire effects. Gen. Tech. Rep. INT-93. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1980. 4 p.
- Sandberg, David V.; Ward, Franklin R. Predictions of fire behavior and resistance to control: for use with photo series for the Douglas-fir—hemlock type and the coastal Douglas-fir—hardwood type. Gen. Tech. Rep. PNW-116. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 49 p.
- Stocks, B. J.; Barney, R. J. Forest fire statistics for northern circumpolar countries. For. Serv. Rep. O-X-322. Sault Ste. Marie, Ontario: Environment Canada, Canadian Forestry Service, Great Lakes Forest Research Centre; 1981.
- Susott, Ronald A. Thermal behavior of conifer needle extractives. For. Sci. 26(3): 347-360; 1980.
- Tangren, Charles D. Calculating payload for a tethered balloon system. Res. Note SE-298. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1980. 10 p.
- Ward, Darold E. Particulate matter production from cylindrical laminar diffusion flames. Proceedings, 1980 fall meeting Western States Section; 1980 October 20-21; Los Angeles, CA. Los Angeles, CA: The Combustion Institute; 1980: 18 p.
- Ward, Franklin R.; Sandberg, David V. Predictions of fire behavior and resistance to control: for use with photo series for the ponderosa pine type, ponderosa pine and associated species type, and lodgepole pine type. Gen. Tech. Rep. PNW-115. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 37 p.
- Ward, Franklin R.; Sandberg, David V. Predictions of fire behavior and resistance to control: for use with photo series for the Sierra mixed conifer type and the Sierra true fir type. Gen. Tech. Rep. PNW-114. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 1981. 34 p.

Warren, John; Wilson, Ralph A. Airborne infrared forest fire surveillance—a chronology of USDA Forest Service research and development. Gen. Tech. Rep. INT-115. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 8 p.

Ecological Relations

- Alexander, Martin E. Four fire scar records on lodgepole pine (*Pinus contorta* Dougl.) in north-central Colorado. Southwest. Nat. 25(3): 321-434; 1980.
- Arno, Stephen F.; Davis, Dan H. Fire history of western redcedar/hemlock forests in northern Idaho. In: Proceedings of the fire history workshop; 1980 October 20-24; Tucson, AZ. Gen. Tech. Rep. RM-81. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1980: 21-26.
- Barney, Richard J.; Bevins, Collin D.; Bradshaw, Larry S. Forest floor fuel loads, depths, and bulk densities in four interior Alaskan cover types. Res. Note INT-304. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 7 p.
- Barrett, Stephen W. Indian fires in the pre-settlement forest of western Montana. In: Proceedings of the fire history workshop; 1980 October 20-24; Tucson, AZ. Gen. Tech. Rep. RM-81. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1980: 35-41.
- Bartos, D. L.; Mueggler, W. F. Early succession in aspen communities following fire in western Wyoming. J. Range Manage. 34(4): 315-318; 1981.
- Berg, Neil H.; Smith, James L. An overview of societal and environmental responses to weather modification. The Sierra Ecology Project, volume five. Denver, CO: U.S. Department of Interior, Office of Atmospheric Resources Management; 1980; 97 p.
- Davis, Kathleen M. Fire history of a western larch/Douglas-fir forest type in northwestern Montana. In: Proceedings of the fire history workshop; 1980 October 20-24; Tucson, AZ. Gen. Tech. Rep. RM-81. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1980: 69-74.

- DeByle, Norbert V. Clearcutting and fire in the larch/Douglas-fir forests of western Montana. Gen. Tech. Rep. INT-99. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 73 p.
- Dieterich, J. H. The composite fire interval—a tool for more accurate interpretation of fire history. In: Proceedings of the fire history workshop; 1980 October 20-24; Tucson, AZ. Gen. Tech. Rep. RM-81. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1980: 8-14.
- Dunn, Paul, H. Nutrient-microbial considerations in oak management. In:
 Proceedings of the symposium on the ecology, management, and
 utilization of California oaks; 1979 June 26-28; Claremont, CA. Gen. Tech.
 Rep. PSW-44. Berkeley, CA: U.S. Department of Agriculture, Forest Service,
 Pacific Southwest Forest and Range Experiment Station; 1980; 149-160.
- George, Charles W. Flugzeug-Abwursysteme fur Feuerloschmittel: Ihre Eigenschaften und Verwendungsempfehlungen. In: Brand- und Katastrophenbekampfung aus der Luft: Internationales Wissenschaftlich-Technisches Symposium; 1980 June 11-12; Hannover, West Germany. Melsungen, West Germany: A Bernecker Verlage; 1981: 104-117.
- Harvey, A. E.; Larsen, M. J.; Jurgensen, M. F. The forest soil environment. In: Lotan, James E. [and others]. Effects of fire on flora: a state of knowledge review. Gen. Tech. Rep. WO-16. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 52-53.
- Jurgensen, Martin, F.; Harvey, Alan E.; Larsen, Michael J. Effects of prescribed fire on soil nitrogen levels in a cutover Douglas-fir/western larch forest. Res. Pap. INT-275. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 6 p.
- Kessell, Stephen, R.; Fischer, William C. Predicting postfire plant succession for fire management planning. Gen. Tech. Rep. INT-94. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 19 p.
- Langdon, O. Gordon. Southern bottomland forests. In: Effects of fire on flora—A state-of-knowledge review: Gen. Tech. Rep. WO-16. Washington, DC: U.S. Department of Agriculture, Forest Service 1981: 39-40.

- Langdon, O. Gordon. Southern pine forests. In: Effects of fire on flora—a state-of-knowledge review: National fire effects workshop; Gen. Tech. Rep. WO-16. Washington, DC: U.S. Department of Agriculture, Forest Service 1981: 26-29.
- Little, S. Implications from the growth of *Pinus rigida* and planted *P. strobus* in the Pine Plains of southern New Jersey. Bull. Torrey Bot. Club, 108(1): 85-94; 1981.
- Lotan, James E. Introduction and integrating summary of fire policy and ecosystem management. In: Proceedings of the conference: fire regimes and ecosystems properties; 1978 December 11-15; Honolulu, HI. Gen. Tech. Rep. WO-26; Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 467, 587-593.
- Lotan, James E. [and others]. Effects of fire on flora: a state of knowledge review. Gen. Tech. Rep. WO-16. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981. 71 p.
- Mooney, H. A. [and others], tech. coords. Proceedings of the conference: fire regimes and ecosystem properties; 1978 December 11-15; Honolulu, HI. Gen. Tech. Rep. WO-26. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981.
- Paysen, Timothy E. Inventory and distribution records of oaks in California.

 Proceedings of the symposium on the ecology, management, and
 utilization of California oaks; 1979 June 26-28; Claremont, CA. Gen. Tech.
 Rep. PSW-44. Berkeley, CA: U.S. Department of Agriculture, Forest Service,
 Pacific Southwest Forest and Range Experiment Station; 1980; 67-74.
- Paysen, Timothy E. [and others]. A vegetation classification system applied to southern California. Gen. Tech. Rep. PSW-45. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980; 33 p.
- Plumb, Timothy R. Response of oaks to fire. Proceedings of the symposium on the ecology, management, and utilization of California oaks; 1979 June 26-28; Claremont, CA. Gen. Tech. Rep. PSW-44. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station; 1980; 202-215.

Fire and Atmospheric Sciences

- Stokes, Marvin A.; Dieterich, John H., tech. coords. Proceedings of the fire history workshop; 1980 October 20-24; Tucson, AZ. Gen. Tech. Rep. RM-81. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station; 1980. 142 p.
- Tiedemann, Arthur. Regional impacts of fire. In: Mooney, H. A. [and others], tech. coords. Proceedings of the conference: fire regimes and ecosystem properties; 1978 December 11-15; Honolulu, HI. Gen. Tech. Rep. WO-26. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981.
- Van Cleve, Keith; Barney, Richard; Schlentner, Robert. Evidence of temperature control of production nutrient cycling in two interior Alaska black spruce ecosystems. Can. J. For. Res. 11(2): 258-273; 1981.
- Van Meter, Wayne P.; George, Charles W. Correlating laboratory air drop data with retardant rheological properties. Res. Pap. INT-278. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 12 p.
- Viereck, Leslie A.; Schandelmeier, Linda A. Effects of fire in Alaska and adjacent Canada—a literature review. BLM-AK Tech. Rep. 6. Anchorage, AK: U.S. Department of the Interior, Bureau of Land Management; 1980. 120 p.
- Warren, John R.; Vance, Dale L. Remote automatic weather station for resource and fire management agencies. Gen. Tech. Rep. INT-116. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 1981. 11 p.

Weather Modification and Weather Effects


- Brown, Sandra; Lugo, Ariel E. The role of terrestrial biota in the global CO₂ cycle. In: Proceedings; Symposium on the carbon dioxide issue. American Chemical Society; 1981 August 23-28; New York. Preprints Symposia 26(4): 1019-1025.
- Fox, Douglas G. Judging air quality model performance. Bull. Amer. Meteorol. Soc. 62(5): 599-609; 1981.

- Fox, Douglas G.; Fairobent, James E. NCAQ panel examines uses and limitations of air quality models. Bull. Amer. Meteorol. Soc. 62(2): 218-221; 1981.
- Fox, Douglas G.; Rosenthal, Donald. On the use of decision analysis in determining significant visibility impairment. Atmos. Environ. 15(5): 1981.
- Fuquay, Don. Flash & fury in the sky. Mont. Outdoors; July-August: 2-6, 24-25; 1981.
- Greenland, David. Atmospheric dispersion in a mountain valley. Annals Assoc. Amer. Geogr. 70(2): 199-206; 1980.
- Greenland, David. The use of modeled mixing height data with the box model applied to mountain valleys. In: Second Joint Conference on Applications of Air Pollution Meteorology; 1980 March 24-28; New Orleans, LA. American Meteorological Society, Boston, Mass.; 1980: 510-514.
- Haines, Donald. The adjective classification for dew: what does it mean? Natl. Weather Dig. 5(3): 47-50; 1980.
- Lugo, Ariel E.; Brown, S.; Hall, Charles. The role of tropical forests in the carbon balance of the world. In: Carbon dioxide effects research and assessment program; Proceedings of the carbn dioxide and climate research program conference; 1980 April 24-25; Washington, DC. Washington, DC: CONF-8004110; UC-11. Office of Environment, U.S. Department of Energy; 1980: 261-276.
- Marlatt, W. E.; Beach, J. D.; Fox, D. G. The shape of air temperature inversion surfaces of mountain valleys. In: Proceedings of the second conference on mountain meteorology; Steamboat Springs, CO. American Meteorological Society; 1981: 173-178.
- McCutchan, Morris H.; Fox, Douglas G.; Furman, R. William. The conical mountain study determining the effect of elevation and aspect. In: Proceedings of the second conference on mountain meteorology; Steamboat Springs, CO. American Meteorological Society; 1981: 75-81.

- Wood, M. C.; Fox, D. G.; Marlatt, W. E. Energy development planning and air quality: A modeling assessment of northwestern Colorado. In: Proceedings of the second conference on mountain meteorology; Steamboat Springs, CO. American Meteorological Society; 1981: 157-160.
- Woolridge, G. L.; Fox, D. G. Airflow trajectories and eddy diffusivities in the vicinity of Crested Butte, Colorado: implications for modeling. In: Proceedings of the second conference on mountain meteorology; Steamboat Springs, CO. American Meteorological Society; 1981: 301-308.
- Philpot, Charles W. An administrator's look at programs in the Pacific Islands. Proceedings of the Hawaiian forestry wildlife conference 1980 October 2-4, Honolulu, HI, Honolulu, HI: U.S. Department of Agriculture, Forest Service; 1981; 7-13.
- Yerke, Theodor B.; Galvin, Dennis. Effective use of on-line literature searching to support forestry. Proceedings of the International Union of Forestry Research Organizations XVII World Congress, Vol. 1; 1981 September 6-17; Kyoto, Japan; 1981: 247-257.

General

- Callaham, Robert Z., tech. coord. Criteria for deciding about forestry research programs. Gen. Tech. Rep. WO-29. Washington, DC: U.S. Department of Agriculture, Forest Service; 1981: 52 p.
- Callaham, Robert Z. Managing for applications, not just for research and development. Proceedings of the International Union of Forestry Research Organizations XVII World Congress, Vol. 1; 1981 September 6-17; Kyoto, Japan; 1981; 2-29.
- Callaham, Robert Z. Planning a conference. Vienna, Austria: International Union of Forestry Research Organizations; 1980. 68 p.
- Doolittle, Warren T., tech. coord. IUFRO/MAB conference: research on multiple use of forest resources; 1980 May 18-23, Flagstaff, AZ. Washington, DC: Gen. Tech. Rep. WO-25, U.S. Department of Agriculture, Forest Service; 1980. 161 p.
- Ffolliott, Peter F.; Halffter, Gonzalo, tech. coords. Social and environmental consequences of natural resources policies: proceedings of the international seminar; 1980 April 8-13; Durango, Mexico. Gen. Tech. Rep. RM-88. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 1981. 88 p.
- Herrick, David E.; Clark, C. Elmer. Priorities for food, forestry, and agricultural sciences research through 1984: Western region. Research Committee, Western Regional Council on Food and Agricultural Sciences. Fort Collins, CO: 1980. 31 p.



Research Headquarters

FPL Forest Products Laboratory North Walnut St. P.O. Box 5130 Madison, WI 53705 INT Intermountain Forest and Range Experiment Station 507 25th St. Ogden, UT 84401 NC North Central Forest Experiment Station 1992 Folwell Ave. St. Paul, MN 55108 Northeastern Forest Experiment Station NE 370 Reed Rd. Broomall, PA 19008 **PNW** Pacific Northwest Forest and Range Experiment Station 809 NE 6th Ave. Portland, OR 97232 **PSW** Pacific Southwest Forest and Range Experiment Station 1960 Addison Ave. P.O. Box 245 Berkeley, CA 94701 RM Rocky Mountain Forest and Range Experiment Station 240 West Prospect St. Fort Collins, CO 80526 SE Southeastern Forest Experiment Station Post Office Building, P.O. Box 2570 Asheville, NC 28802

SO Southern Forest Experiment Station T-10210 U.S. Postal Service Building 701 Loyola Ave. New Orleans, LA 70113

WO Forest Service
U.S. Department of Agriculture
P.O. Box 2417
Washington, D.C. 20013

